



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/7/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:50

In Date: 03/04/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:22

Out Date: 03/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119000

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1763-01	21-22-SAMPLE-LOCATION-1 1	1	1.15	8.49	9.64	8.93	91.6	
N1763-02	23-24-SAMPLE-LOCATION-1 2	2	1.19	8.51	9.7	8.88	90.4	
N1763-03	25-26-SAMPLE-LOCATION-1 3	3	1.19	8.73	9.92	9.17	91.4	
N1763-04	27-28-SAMPLE-LOCATION-1 4	4	1.18	8.46	9.64	8.89	91.1	
N1763-05	29-30-SAMPLE-LOCATION-1 5	5	1.18	8.79	9.97	9.55	95.2	
N1763-06	31-32-SAMPLE-LOCATION-1 6	6	1.14	8.37	9.51	8.71	90.4	
N1763-08	182-SAMPLE-LOCATION-1	7	1.15	8.82	9.97	9.14	90.6	
N1763-09	384-SAMPLE-LOCATION-2	8	1.19	8.62	9.81	8.74	87.6	
N1763-10	586-SAMPLE-LOCATION-3	9	1.16	8.76	9.92	9.48	95.0	
N1763-11	788-SAMPLE-LOCATION-4	10	1.1	8.76	9.86	8.94	89.5	
N1763-12	9810-SAMPLE-LOCATION-5	11	1.16	8.43	9.59	8.86	91.3	
N1763-13	11812-SAMPLE-LOCATION-6	12	1.19	8.47	9.66	8.84	90.3	
N1763-14	13814-SAMPLE-LOCATION-7	13	1.15	8.81	9.96	9.56	95.5	
N1763-15	15816-SAMPLE-LOCATION-8	14	1.19	8.50	9.69	8.85	90.1	
N1763-16	17818-SAMPLE-LOCATION-9	15	1.18	8.39	9.57	8.82	91.1	
N1763-17	19820-SAMPLE-LOCATION-1 0	16	1.14	8.44	9.58	8.91	92.1	
N1793-01	SB-1	17	1.16	8.35	9.51	8.91	92.8	
N1793-02	SB-2	18	1.17	8.60	9.77	9.19	93.3	
N1793-03	SB-3	19	1.15	8.50	9.65	8.32	84.4	
N1793-04	SB-4	20	1.18	8.76	9.94	8.83	87.3	
N1793-08	SB-8	21	1.1	8.73	9.83	9.22	93.0	
N1796-01	C0AB1	22	1.18	8.43	9.61	8.3	84.5	
N1800-05	SVOC-GPC-BLANK	42	1.00	1.00	2.00	2.00	100.0	
N1800-06	PEST-GPC-BLANK	43	1.00	1.00	2.00	2.00	100.0	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/7/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:50

In Date: 03/04/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:22

Out Date: 03/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119000

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1800-07	PEST-GPC-BLANK-SPIKE	44	1.00	1.00	2.00	2.00	100.0	
N1800-08	PCB-GPC-BLANK	45	1.00	1.00	2.00	2.00	100.0	
N1800-09	PCB-GPC-BLANK-SPIKE	46	1.00	1.00	2.00	2.00	100.0	
N1800-10	SVOC-GPC2-BLANK	47	1.00	1.00	2.00	2.00	100.0	
N1800-11	PEST-GPC2-BLANK	48	1.00	1.00	2.00	2.00	100.0	
N1800-12	PEST-GPC2-BLANK-SPIKE	49	1.00	1.00	2.00	2.00	100.0	
N1800-13	PCB-GCP2-BLANK	50	1.00	1.00	2.00	2.00	100.0	
N1800-14	PCB-GCP2-BLANK-SPIKE	51	1.00	1.00	2.00	2.00	100.0	
N1801-01	20220217-MANASQUAN-TUBE-1-COMPOSITE	23	1.14	8.55	9.69	4.87	43.6	sediment sample
N1801-02	20220218-MANASQUAN-TUBE-9-COMPOSITE	24	1.18	8.44	9.62	4.53	39.7	sediment sample
N1801-03	20220219-MANASQUAN-TUBE-10-COMPOSITE	25	1.15	8.40	9.55	4.29	37.4	sediment sample
N1801-04	20220220-MANASQUAN-TUBE-15-COMPOSITE	26	1.14	8.76	9.9	4.22	35.2	sediment sample
N1801-05	20220221-MANASQUAN-TUBE-18-COMPOSITE	27	1.13	8.50	9.63	3.82	31.6	sediment sample
N1801-06	20220222-MANASQUAN-TUBE-19-COMPOSITE	28	1.18	8.76	9.94	3.78	29.7	sediment sample
N1801-07	20220223-WEST-CREEK-A1-COMPOSTITE	29	1.16	8.50	9.66	3.93	32.6	sediment sample
N1801-08	20220224-WEST-CREEK-B8-COMPOSTITE	30	1.18	8.37	9.55	3.77	30.9	sediment sample
N1801-09	20220225-WEST-CREEK-B8-COMPOSTITE	31	1.16	8.68	9.84	3.28	24.4	sediment sample
N1801-10	20220226-WEST-CREEK-B14-COMPOSTITE	32	1.17	8.80	9.97	3.79	29.8	sediment sample
N1801-11	20220227-WEST-CREEK-B22-COMPOSTITE	33	1.14	8.53	9.67	3.33	25.7	sediment sample
N1801-12	20220228-WEST-CREEK-A22-COMPOSTITE	34	1.18	8.46	9.64	3.9	32.2	sediment sample
N1801-13	20220235-ABSECON-E1-COMPOSITE	35	1.12	8.40	9.52	6.00	58.1	sediment sample



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/7/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:50

In Date: 03/04/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:22

Out Date: 03/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119000

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1801-14	20220236-ABSECON-E1-COMPOSITE	36	1.19	8.56	9.75	5.12	45.9	sediment sample
N1801-15	20220237-ABSECON-D3-COMPOSITE	37	1.14	8.80	9.94	5.78	52.7	sediment sample
N1801-16	20220238-ABSECON-B9-COMPOSITE	38	1.15	8.81	9.96	5.06	44.4	sediment sample
N1801-17	20220239-ABSECON-C1-COMPOSITE	39	1.17	8.81	9.98	4.74	40.5	sediment sample
N1801-18	20220240-ABSECON-A3-COMPOSITE	40	1.11	8.50	9.61	3.73	30.8	sediment sample
N1801-18D	20220240-ABSECON-A3-COMPOSITEDUP	41	1.12	8.51	9.63	3.75	30.9	sediment sample
N1802-01	342	81	1.18	8.38	9.56	6.49	63.4	GEL MATRIX
N1802-02	342	82	1.14	8.84	9.98	6.59	61.7	GEL MATRIX
N1803-01	EFB647U-END-1-1	52	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1803-02	EFB647U-END-1-2	53	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1803-03	JEH7C3B-END-1-1	54	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1803-04	JEH7C3B-END-1-2	55	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1803-05	KZZ123G-END-1-1	56	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1803-06	KZZ123G-END-1-2	57	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-01	SOM-2022-7A	58	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-02	SOM-2022-7B	59	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-03	SOM-2022-8A	60	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-04	SOM-2022-8B	61	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-05	SOM-2022-9A	62	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-06	SOM-2022-9B	63	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1804-07	SOM-2022-10A	64	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1805-01	NB-08-030422	77	1.14	8.54	9.68	9.21	94.5	
N1805-02	NB-08-030422-EPH-2	78	1.19	8.72	9.91	9.24	92.3	
N1806-01	DUM-22	65	1.14	8.41	9.55	8.42	86.6	
N1806-02	DUM-22-EPH-2	66	1.19	8.42	9.61	8.39	85.5	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/7/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:50

In Date: 03/04/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:22

Out Date: 03/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119000

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1806-03	DUM-23	67	1.18	8.58	9.76	8.63	86.8	
N1806-04	DUM-23-EPH-2	68	1.18	8.71	9.89	8.7	86.3	
N1806-05	DUM-24	69	1.18	8.34	9.52	8.37	86.2	
N1806-06	DUM-24-EPH-2	70	1.19	8.72	9.91	8.59	84.9	
N1806-07	DUM-25	71	1.18	8.79	9.97	9.4	93.5	
N1806-08	DUM-25-EPH-2	72	1.19	8.59	9.78	8.72	87.7	
N1806-09	DUM-26	73	1.18	8.54	9.72	8.68	87.8	
N1806-10	DUM-26-EPH-2	74	1.19	8.52	9.71	8.59	86.9	
N1806-11	DUM-27	75	1.15	8.81	9.96	8.96	88.6	
N1806-12	DUM-27-EPH-2	76	1.1	8.87	9.97	9.19	91.2	
N1807-01	VNJ-223	83	1.00	1.00	2.00	2.00	100.0	plastic sample
N1808-01	CL-01-030422	79	1.17	8.53	9.7	8.94	91.1	
N1808-02	CL-01-030422-EPH-2	80	1.18	8.45	9.63	8.82	90.4	
N1809-01	OR-02-030422	84	1.17	8.41	9.58	8.93	92.3	
N1809-02	OR-02-030422-EPH-2	85	1.16	8.77	9.93	9.02	89.6	
N1815-01	P-1	86	1.12	8.86	9.98	9.55	95.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$