



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/8/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:40

In Date: 03/07/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 03/08/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119027

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1779-01	DBRU9	1	1.11	8.63	9.74	7.99	79.7	
N1779-02	DBRV0	2	1.12	8.75	9.87	9.14	91.7	
N1779-03	DBRV1	3	1.14	8.72	9.86	8.42	83.5	
N1779-04	DBRV2	4	1.13	8.51	9.64	8.3	84.3	
N1779-05	DBRV3	5	1.19	8.79	9.98	9.03	89.2	
N1779-06	DBSC0	6	1.16	8.80	9.96	8.68	85.5	
N1779-07	DBSC1	7	1.13	8.79	9.92	7.04	67.2	
N1779-08	DBSC2	8	1.16	8.81	9.97	7.77	75.0	
N1779-09	DBSC3	9	1.13	8.69	9.82	7.68	75.4	
N1779-10	DBSC4	10	1.12	8.50	9.62	7.38	73.6	
N1779-11	DBSC5	11	1.16	8.49	9.65	7.07	69.6	
N1779-12	DBSC6	12	1.13	8.63	9.76	6.89	66.7	
N1779-13	DBSC7	13	1.13	8.84	9.97	7.66	73.9	
N1779-14	DBSC8	14	1.13	8.60	9.73	8.39	84.4	
N1779-15	DBSC9	15	1.14	8.80	9.94	8.68	85.7	
N1779-16	DBSD0	16	1.17	8.81	9.98	8.56	83.9	
N1779-17	DBSD1	17	1.13	8.56	9.69	8.6	87.3	
N1779-18	DBSD2	18	1.12	8.79	9.91	8.03	78.6	
N1779-19	DBSD3	19	1.17	8.76	9.93	7.96	77.5	
N1779-20	DBSD4	20	1.13	8.84	9.97	7.55	72.6	
N1779-21	DBSD4D	21	1.13	8.84	9.97	7.55	72.6	
N1779-22	DBSD4S	22	1.13	8.84	9.97	7.55	72.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$