



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 3/8/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:20

In Date: 03/07/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:30

Out Date: 03/08/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119028

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1816-01	DBSC8	1	1.13	8.60	9.73	8.39	84.4	
N1816-02	DBSC9	2	1.14	8.80	9.94	8.68	85.7	
N1816-03	DBSD0	3	1.17	8.81	9.98	8.56	83.9	
N1816-04	DBSD1	4	1.13	8.56	9.69	8.6	87.3	
N1816-05	DBSD2	5	1.12	8.79	9.91	8.03	78.6	
N1816-06	DBSD3	6	1.17	8.76	9.93	7.96	77.5	
N1816-07	DBSD4	7	1.13	8.84	9.97	7.55	72.6	
N1816-08	DBSD4MS	8	1.13	8.84	9.97	7.55	72.6	
N1816-09	DBSD4MSD	9	1.13	8.84	9.97	7.55	72.6	
N1816-10	DBSD5	10	1.13	8.71	9.84	7.37	71.6	
N1816-11	DBSD6	11	1.16	8.78	9.94	7.62	73.6	
N1816-12	DBSD7	12	1.13	8.66	9.79	7.58	74.5	
N1816-13	DBSD8	13	1.14	8.60	9.74	7.17	70.1	
N1816-14	DBSD9	14	1.12	8.54	9.66	6.41	61.9	
N1816-15	DBSE0	15	1.15	8.80	9.95	8.84	87.4	
N1816-16	DBSE1	16	1.13	8.84	9.97	9.17	91.0	
N1816-17	DBSE2	17	1.14	8.52	9.66	8.6	87.6	
N1816-18	DBSE3	18	1.13	8.63	9.76	8.43	84.6	
N1816-19	DBSE4	19	1.13	8.83	9.96	8.78	86.6	
N1816-20	DBSE5	20	1.14	8.59	9.73	8.17	81.8	
N1816-21	DBSE6	21	1.13	8.41	9.54	8.72	90.2	
N1816-22	VHBLK001	22	1.00	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$