CHEMTECH

# PERCENT SOLID

**Supervisor:** RITESHKUMAR
**Analyst:** JIGNESH
**Date:** 3/12/2022

**OVENTEMP IN Celsius(°C):** 107
**Time IN:** 17:30
**In Date:** 03/11/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**OvenID:** M OVEN-1

**OVENTEMP OUT Celsius(°C):** 103
**Time OUT:** 08:25
**Out Date:** 03/12/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**BalanceID:** M SC-4
**Thermometer ID:** %SOLIDS-OVEN

**QC:** LB119099

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g)(B) | Dish+Dry Sample Wt(g)(C) | % Solid | Comments |
|---|---|---|---|---|---|---|---|---|
| N1875-04 | SB-4W | 1 | 1.17 | 8.68 | 9.85 | 8.85 | 88.5 | |
| N1875-05 | SB-4E | 2 | 1.16 | 8.48 | 9.64 | 8.54 | 87.0 | |
| N1875-07 | SB-10A | 3 | 1.13 | 8.79 | 9.92 | 9.03 | 89.9 | |
| N1875-08 | SB-10A-COMP | 4 | 1.12 | 8.55 | 9.67 | 8.82 | 90.1 | |
| N1875-09 | SB-10B | 5 | 1.13 | 8.69 | 9.82 | 8.51 | 84.9 | |
| N1875-10 | SB-10B-COMP | 6 | 1.15 | 8.80 | 9.95 | 9.13 | 90.7 | |
| N1875-11 | SB-10C | 7 | 1.13 | 8.77 | 9.9 | 9.08 | 90.6 | |
| N1875-12 | SB-10C-COMP | 8 | 1.18 | 8.40 | 9.58 | 8.52 | 87.4 | |
| N1875-13 | SB-10D | 9 | 1.16 | 8.82 | 9.98 | 9.03 | 89.2 | |
| N1875-14 | SB-10D-COMP | 10 | 1.16 | 8.77 | 9.93 | 8.98 | 89.2 | |
| N1875-15 | SB-4N | 11 | 1.14 | 8.78 | 9.92 | 9.11 | 90.8 | |
| N1875-16 | SB-4S | 12 | 1.13 | 8.63 | 9.76 | 9.07 | 92.0 | |
| N1888-01 | SS-1(PILE-1) | 13 | 1.14 | 8.83 | 9.97 | 9.23 | 91.6 | |
| N1888-02 | SS-1(PILE-2) | 14 | 1.12 | 8.76 | 9.88 | 8.09 | 79.6 | |
| N1888-03 | SS-1(PILE-3) | 15 | 1.16 | 8.62 | 9.78 | 8.54 | 85.6 | |
| N1888-04 | CS-1-(PILE1-2-3) | 16 | 1.13 | 8.69 | 9.82 | 9.05 | 91.1 | |
| N1894-01 | TP1(0-10) | 17 | 1.14 | 8.49 | 9.63 | 7.99 | 80.7 | |
| N1894-02 | TP2(0-5) | 18 | 1.19 | 8.62 | 9.81 | 8.28 | 82.3 | |
| N1894-03 | TP3(0-10) | 19 | 1.13 | 8.70 | 9.83 | 8.49 | 84.6 | |
| N1894-04 | TP4(0-7) | 20 | 1.19 | 8.57 | 9.76 | 8.19 | 81.7 | |
| N1894-05 | TP5(0-5) | 21 | 1.13 | 8.40 | 9.53 | 8.1 | 83.0 | |
| N1894-05D | TP5(0-5)DUP | 22 | 1.17 | 8.38 | 9.55 | 8.13 | 83.1 | |
| N1905-01 | WC-14A-1C-(3.5-4.0) | 98 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | no jar |
| N1905-03 | WC-14A-1A-3-(3.0-3.5) | 99 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | no jar |
| N1905-05 | WC-14A-1A-1-(3.5-4.0) | 100 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | no jar |
| N1905-07 | WC-14A-1A-4-(3.5-4.0) | 101 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | no jar |
| N1905-09 | WC-14A-1A-2-(4.0-4.5) | 102 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | no jar |
| N1905-11 | WC-14A-1C | 103 | 1.12 | 8.72 | 9.84 | 8.18 | 81.0 | |

CHEMTECH

# PERCENT SOLID

**Supervisor:** RITESHKUMAR
**Analyst:** JIGNESH
**Date:** 3/12/2022

**OVENTEMP IN Celsius(°C):** 107
**Time IN:** 17:30
**In Date:** 03/11/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**OvenID:** M OVEN-1

**OVENTEMP OUT Celsius(°C):** 103
**Time OUT:** 08:25
**Out Date:** 03/12/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**BalanceID:** M SC-4
**Thermometer ID:** %SOLIDS-OVEN

**QC:** LB119099

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g)(B) | Dish+Dry Sample Wt(g)(C) | % Solid | Comments |
|---|---|---|---|---|---|---|---|---|
| N1905-12 | WC-14A-1C | 104 | 1.12 | 8.72 | 9.84 | 8.18 | 81.0 | |
| N1905-13 | WC-14A-1A-3 | 105 | 1.13 | 8.60 | 9.73 | 8.22 | 82.4 | |
| N1905-14 | WC-14A-1A-3 | 106 | 1.13 | 8.60 | 9.73 | 8.22 | 82.4 | |
| N1905-15 | WC-14A-1A-1 | 107 | 1.14 | 8.76 | 9.9 | 8.22 | 80.8 | |
| N1905-16 | WC-14A-1A-1 | 108 | 1.14 | 8.76 | 9.9 | 8.22 | 80.8 | |
| N1905-17 | WC-14A-1A-4 | 109 | 1.17 | 8.45 | 9.62 | 8.15 | 82.6 | |
| N1905-18 | WC-14A-1A-4 | 110 | 1.17 | 8.45 | 9.62 | 8.15 | 82.6 | |
| N1905-19 | WC-14A-1A-2 | 111 | 1.14 | 8.82 | 9.96 | 8.4 | 82.3 | |
| N1905-20 | WC-14A-1A-2 | 112 | 1.14 | 8.82 | 9.96 | 8.4 | 82.3 | |
| N1907-01 | IRV-2022-83A | 43 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-02 | IRV-2022-83B | 44 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-03 | IRV-2022-84A | 45 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-04 | IRV-2022-84B | 46 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-05 | IRV-2022-85 | 47 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-06 | IRV-2022-86 | 48 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-07 | IRV-2022-87 | 49 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-08 | IRV-2022-88A | 50 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-09 | IRV-2022-88B | 51 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-10 | IRV-2022-89 | 52 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-11 | IRV-2022-90 | 53 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-12 | IRV-2022-91 | 54 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1907-13 | IRV-2022-92 | 55 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | PILC REEL |
| N1908-01 | WC-8-9-3 | 113 | 1.14 | 8.77 | 9.91 | 8.09 | 79.2 | |
| N1908-02 | WC-8-9-3 | 114 | 1.14 | 8.77 | 9.91 | 8.09 | 79.2 | |
| N1908-03 | WC-8-9-2 | 115 | 1.17 | 8.69 | 9.86 | 8.27 | 81.7 | |
| N1908-04 | WC-8-9-2 | 116 | 1.17 | 8.69 | 9.86 | 8.27 | 81.7 | |
| N1908-05 | WC-8-9-1 | 117 | 1.19 | 8.78 | 9.97 | 8.36 | 81.7 | |
| N1908-06 | WC-8-9-1 | 118 | 1.19 | 8.78 | 9.97 | 8.36 | 81.7 | |

CHEMTECH

# PERCENT SOLID

**Supervisor:** RITESHKUMAR
**Analyst:** JIGNESH
**Date:** 3/12/2022

**OVENTEMP IN Celsius(°C):** 107
**Time IN:** 17:30
**In Date:** 03/11/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**OvenID:** M OVEN-1

**OVENTEMP OUT Celsius(°C):** 103
**Time OUT:** 08:25
**Out Date:** 03/12/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**BalanceID:** M SC-4
**Thermometer ID:** %SOLIDS-OVEN

**QC:** LB119099

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g)(B) | Dish+Dry Sample Wt(g)(C) | % Solid | Comments |
|---|---|---|---|---|---|---|---|---|
| N1908-07 | WC-14A-2 | 119 | 1.19 | 8.63 | 9.82 | 8.11 | 80.2 | |
| N1908-08 | WC-14A-2 | 120 | 1.19 | 8.63 | 9.82 | 8.11 | 80.2 | |
| N1908-09 | WC-14A-1b | 121 | 1.15 | 8.80 | 9.95 | 8.39 | 82.3 | |
| N1908-10 | WC-14A-1b | 122 | 1.15 | 8.80 | 9.95 | 8.39 | 82.3 | |
| N1908-11 | D-17-4-SB-14-(9.5-10) | 123 | 1.19 | 8.51 | 9.7 | 7.17 | 70.3 | |
| N1908-12 | D-17-4-SB-14-(13.5-14) | 124 | 1.12 | 8.79 | 9.91 | 7.74 | 75.3 | |
| N1912-01 | VNJ-242 | 56 | 1.14 | 8.84 | 9.98 | 8.89 | 87.7 | |
| N1912-02 | VNJ-242-EPH-2 | 57 | 1.15 | 8.81 | 9.96 | 8.92 | 88.2 | |
| N1913-01 | BS-SOILP | 58 | 1.15 | 8.81 | 9.96 | 8.63 | 84.9 | |
| N1913-02 | BS-SOILP-EPH-2 | 59 | 1.14 | 8.62 | 9.76 | 8.87 | 89.7 | |
| N1914-01 | TP-1 | 60 | 1.15 | 8.79 | 9.94 | 9.13 | 90.8 | |
| N1914-02 | TP-1-EPH-2 | 61 | 1.17 | 8.74 | 9.91 | 9.08 | 90.5 | |
| N1914-03 | TP-1 | 62 | 1.15 | 8.79 | 9.94 | 9.13 | 90.8 | |
| N1914-04 | TP-2 | 63 | 1.16 | 8.42 | 9.58 | 8.63 | 88.7 | |
| N1914-05 | TP-2-EPH-2 | 64 | 1.15 | 8.40 | 9.55 | 7.82 | 79.4 | |
| N1914-06 | TP-2 | 65 | 1.16 | 8.42 | 9.58 | 8.63 | 88.7 | |
| N1915-05 | SVOC-GPC-BLANK | 23 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-06 | PEST-GPC-BLANK | 24 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-07 | PEST-GPC-BLANK-SPIKE | 25 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-08 | PCB-GPC-BLANK | 26 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-09 | PCB-GPC-BLANK-SPIKE | 27 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-10 | SVOC-GPC2-BLANK | 28 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-11 | PEST-GPC2-BLANK | 29 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-12 | PEST-GPC2-BLANK-SPIKE | 30 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-13 | PCB-GCP2-BLANK | 31 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1915-14 | PCB-GCP2-BLANK-SPIKE | 32 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | |
| N1916-01 | CONCRETE-COMP | 33 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | CONCRETE SAMPLE |
| N1916-02 | CONCRETE-COMP | 34 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | CONCRETE SAMPLE |

CHEMTECH

# PERCENT SOLID

**Supervisor:** RITESHKUMAR
**Analyst:** JIGNESH
**Date:** 3/12/2022

**OVENTEMP IN Celsius(°C):** 107
**Time IN:** 17:30
**In Date:** 03/11/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**OvenID:** M OVEN-1

**OVENTEMP OUT Celsius(°C):** 103
**Time OUT:** 08:25
**Out Date:** 03/12/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**BalanceID:** M SC-4
**Thermometer ID:** %SOLIDS-OVEN

**QC:** LB119099

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g)(B) | Dish+Dry Sample Wt(g)(C) | % Solid | Comments |
|---|---|---|---|---|---|---|---|---|
| N1917-01 | WASTE | 66 | 1.15 | 8.82 | 9.97 | 9.00 | 89.0 | |
| N1917-02 | VOC | 67 | 1.13 | 8.70 | 9.83 | 8.43 | 83.9 | |
| N1917-03 | 1 | 68 | 1.16 | 8.60 | 9.76 | 8.48 | 85.1 | |
| N1917-04 | 2 | 69 | 1.16 | 8.81 | 9.97 | 9.03 | 89.3 | |
| N1917-05 | 3 | 70 | 1.13 | 8.76 | 9.89 | 8.62 | 85.5 | |
| N1917-06 | 4 | 71 | 1.16 | 8.81 | 9.97 | 8.61 | 84.6 | |
| N1917-07 | 5 | 72 | 1.13 | 8.64 | 9.77 | 8.41 | 84.3 | |
| N1918-01 | AVENUE-X-GROUT-SAMPLE-A | 35 | 1.14 | 8.44 | 9.58 | 5.27 | 48.9 | |
| N1918-04 | AVENUE-X-GROUT-SAMPLE-B | 36 | 1.18 | 8.77 | 9.95 | 5.6 | 50.4 | |
| N1918-07 | JDSH-TB-STOCKPILE-A | 37 | 1.18 | 8.43 | 9.61 | 8.42 | 85.9 | |
| N1918-09 | JDSH-TB-STOCKPILE-A | 38 | 1.19 | 8.51 | 9.7 | 8.51 | 86.0 | |
| N1918-10 | JDSH-TB-STOCKPILE-B | 39 | 1.14 | 8.80 | 9.94 | 8.67 | 85.6 | |
| N1918-12 | JDSH-TB-STOCKPILE-B | 40 | 1.18 | 8.79 | 9.97 | 8.7 | 85.6 | |
| N1918-13 | JDSH-TB-STOCKPILE-C | 41 | 1.19 | 8.55 | 9.74 | 8.81 | 89.1 | |
| N1918-15 | JDSH-TB-STOCKPILE-C | 42 | 1.19 | 8.40 | 9.59 | 8.51 | 87.1 | |
| N1919-01 | WASTE | 73 | 1.1 | 8.54 | 9.64 | 7.39 | 73.7 | |
| N1919-02 | VOC | 74 | 1.16 | 8.39 | 9.55 | 8.3 | 85.1 | |
| N1919-03 | 1 | 75 | 1.16 | 8.82 | 9.98 | 8.69 | 85.4 | |
| N1919-04 | 2 | 76 | 1.14 | 8.84 | 9.98 | 8.99 | 88.8 | |
| N1919-05 | 3 | 77 | 1.17 | 8.80 | 9.97 | 8.78 | 86.5 | |
| N1919-06 | 4 | 78 | 1.12 | 8.76 | 9.88 | 8.59 | 85.3 | |
| N1919-07 | 5 | 79 | 1.14 | 8.80 | 9.94 | 8.81 | 87.2 | |
| N1922-01 | 7PH-1-7.5-8 | 125 | 1.19 | 8.52 | 9.71 | 9.24 | 94.5 | |
| N1922-02 | 7PH-2-8.5-9 | 126 | 1.19 | 8.40 | 9.59 | 8.99 | 92.9 | |
| N1922-03 | TRIP-BLANK | 127 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | T.B. |
| N1923-01 | 33590 | 86 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | carboad-paint sample |
| N1923-02 | 33591 | 87 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | carboad-paint sample |
| N1923-03 | 33592 | 88 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | carboad-paint sample |

CHEMTECH

# PERCENT SOLID

**Supervisor:** RITESHKUMAR
**Analyst:** JIGNESH
**Date:** 3/12/2022

**OVENTEMP IN Celsius(°C):** 107
**Time IN:** 17:30
**In Date:** 03/11/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**OvenID:** M OVEN-1

**OVENTEMP OUT Celsius(°C):** 103
**Time OUT:** 08:25
**Out Date:** 03/12/2022
**Weight Check 1.0g:** 1.00
**Weight Check 10g:** 10.00
**BalanceID:** M SC-4
**Thermometer ID:** %SOLIDS-OVEN

**QC:** LB119099

| Lab ID | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g)(B) | Dish+Dry Sample Wt(g)(C) | % Solid | Comments |
|---|---|---|---|---|---|---|---|---|
| N1923-04 | 33593 | 89 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | plastic sample |
| N1923-05 | 33594 | 90 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | plastic sample |
| N1923-06 | 33595 | 91 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | paper sample |
| N1923-07 | 33596 | 92 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | debris |
| N1923-08 | 33597 | 93 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | wood-debris sample |
| N1923-09 | 33598 | 94 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WOOD SAMPLE |
| N1923-10 | 33599 | 95 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | debris |
| N1923-11 | 33600 | 96 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | debris |
| N1923-12 | 33603 | 97 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | debris |
| N1931-01 | PLA-138-END1 | 80 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |
| N1931-02 | PLA-139-END1 | 81 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |
| N1931-03 | PLA-140-END1 | 82 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |
| N1931-04 | PLA-138-END2 | 83 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |
| N1931-05 | PLA-139-END2 | 84 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |
| N1931-06 | PLA-140-END2 | 85 | 1.00 | 1.00 | 2.00 | 2.00 | 100.0 | WIPE SAMPLE |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

NB 119099

# WORKLIST(Hardcopy Internal Chain)

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/18/2022 | Solid | N1922-01 | Percent Solids | Cool 4 deg C | TRIS03 | N22 | 7PH-1-7.5-8 | 03/09/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1922-02 | Percent Solids | Cool 4 deg C | TRIS03 | N22 | 7PH-2-8.5-9 | 03/09/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1922-03 | Percent Solids | Cool 4 deg C | TRIS03 | N22 | TRIP-BLANK | 03/09/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33590 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33591 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-03 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33592 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-04 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33593 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-05 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33594 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-06 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33595 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-07 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33596 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-08 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33597 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-09 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33598 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-10 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33599 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-11 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33600 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1923-12 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | 33603 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-138-END1 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-139-END1 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-03 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-140-END1 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-04 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-138-END2 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-05 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-139-END2 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1931-06 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | PLA-140-END2 | 03/11/2022 | Chemtech -SO |

**Date/Time** 03-11-22 1540
**Raw Sample Received by:** JD (WC)
**Raw Sample Relinquished by:** RJ (Ext-Lab)



**Date/Time** 03-11-22 1713
**Raw Sample Received by:** RJ (Ext-Lab)
**Raw Sample Relinquished by:** JD (WC)

WB 1190999

# WORKLIST(Hardcopy Internal Chain)

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/21/2022 | Solid | N1917-02 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | VOC | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-03 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 1 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-04 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 2 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-05 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 3 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-06 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 4 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-07 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 5 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1918-01 | Percent Solids | Cool 4 deg C | TULL02 | P11 | AVENUE-X-GROUT-SAMPLE-A | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1918-04 | Percent Solids | Cool 4 deg C | TULL02 | P11 | AVENUE-X-GROUT-SAMPLE-B | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-07 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-A | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-09 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-A | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-10 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-B | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-12 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-B | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-13 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-C | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1918-15 | Percent Solids | Cool 4 deg C | TULL02 | P11 | JDSH-TB-STOCKPILE-C | 03/11/2022 | Chemtech -SO |
| 03/25/2022 | Solid | N1919-01 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | WASTE | 03/19/2022 | Chemtech -SO |
| 03/25/2022 | Solid | N1919-02 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | VOC | 03/19/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1919-03 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 1 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1919-04 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 2 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1919-05 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 3 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1919-06 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 4 | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1919-07 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | 5 | 03/11/2022 | Chemtech -SO |

**Date/Time** 03/11/22 15:40

**Raw Sample Received by:** JD (WC)

**Raw Sample Relinquished by:** RJ (CH-Lab)

**Date/Time** 03-11-22 17:37

**Raw Sample Received by:** RJ (CH-Lab)

**Raw Sample Relinquished by:** JD (WC)

2B 129099

# WORKLIST(Hardcopy Internal Chain)

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/18/2022 | Solid | N1913-01 | Percent Solids | Cool 4 deg C | PSEG03 | | BS-SOILP | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1913-02 | Percent Solids | Cool 4 deg C | PSEG03 | | BS-SOILP-EPH-2 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-1 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-1-EPH-2 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-03 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-1 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-04 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-2 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-05 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-2-EPH-2 | 03/11/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1914-06 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | TP-2 | 03/11/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-05 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | SVOC-GPC-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-06 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PEST-GPC-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-07 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PEST-GPC-BLANK-SPIKE | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-08 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PCB-GPC-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-09 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PCB-GPC-BLANK-SPIKE | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-10 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | SVOC-GPC2-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-11 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PEST-GPC2-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-12 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PEST-GPC2-BLANK-SPIKE | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-13 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PCB-GCP2-BLANK | 03/04/2022 | Chemtech -SO |
| 03/14/2022 | Solid | N1915-14 | Percent Solids | Cool 4 deg C | CHEM02 | P11 | PCB-GCP2-BLANK-SPIKE | 03/04/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1916-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | CONCRETE-COMP | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1916-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | CONCRETE-COMP | 03/11/2022 | Chemtech -SO |
| 03/21/2022 | Solid | N1917-01 | Percent Solids | Cool 4 deg C | SCIA01 | N22 | WASTE | 03/11/2022 | Chemtech -SO |

**Date/Time** 03-11-22 15:40

**Raw Sample Received by:** JD (WC)

**Raw Sample Relinquished by:** RJ (EXT-lab)

**Date/Time** 03-11-22 17:37

**Raw Sample Received by:** RJ (EXT-lab)

**Raw Sample Relinquished by:** JD (WC)

# WORKLIST(Hardcopy Internal Chain)

VB 914099

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/18/2022 | Solid | N1907-07 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-87 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-08 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-88A | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-09 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-88B | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-10 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-89 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-11 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-90 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-12 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-91 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-13 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-92 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-01 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-3 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-02 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-3 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-03 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-2 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-04 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-2 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-05 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-1 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-06 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-8-9-1 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-07 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-14A-2 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-08 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-14A-2 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-09 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-14A-1b | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-10 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | WC-14A-1b | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-11 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | D-17-4-SB-14-(9.5-10) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1908-12 | Percent Solids | Cool 4 deg C | ROUX02 | P11 | D-17-4-SB-14-(13.5-14) | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1912-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | VNJ-242 | 03/11/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1912-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | VNJ-242-EPH-2 | 03/11/2022 | Chemtech -SO |

**Date/Time** 03-11-22 15:40

**Raw Sample Received by:** JN (WC)

**Raw Sample Relinquished by:** RJ (ECL-Lab)

**Date/Time** 03-11-22 17:37

**Raw Sample Received by:** RJ (ECL-Lab)

**Raw Sample Relinquished by:** JN (WC)

VB 114099

# WORKLIST(Hardcopy Internal Chain)

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/16/2022 | Solid | N1905-01 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1C-(3.5-4.0) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-03 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-3-(3.0-3.5) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-05 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-1-(3.5-4.0) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-07 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-4-(3.5-4.0) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-09 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-2-(4.0-4.5) | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-11 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1C | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-12 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1C | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-13 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-3 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-14 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-3 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-15 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-1 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-16 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-1 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-17 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-4 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-18 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-4 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-19 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-2 | 03/10/2022 | Chemtech -SO |
| 03/16/2022 | Solid | N1905-20 | Percent Solids | Cool 4 deg C | ROUX02 | N23 | WC-14A-1A-2 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-01 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-83A | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-02 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-83B | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-03 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-84A | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-04 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-84B | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-05 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-85 | 03/10/2022 | Chemtech -SO |
| 03/18/2022 | Solid | N1907-06 | Percent Solids | Cool 4 deg C | PSEG03 | P11 | IRV-2022-86 | 03/10/2022 | Chemtech -SO |

**Date/Time** 03-11-22 15:40

**Raw Sample Received by:** JD (WC)

**Raw Sample Relinquished by:** RJ (EXT-Labs)

**Date/Time** 03-11-22 17:37

**Raw Sample Received by:** RJ (EXT-Labs)

**Raw Sample Relinquished by:** JD (WC)

# WORKLIST(Hardcopy Internal Chain)

1B 119099

**WorkList Name :** %1-031122 **WorkList ID :** 157610 **Department :** Wet-Chemistry **Date :** 03-11-2022 08:28:20

| Due Date | Matrix | Sample | Test | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|---|---|---|---|---|---|---|---|---|---|
| 03/20/2022 | Solid | N1875-04 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-4W | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-05 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-4E | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-07 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10A | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-08 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10A-COMP | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-09 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10B | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-10 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10B-COMP | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-11 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10C | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-12 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10C-COMP | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-13 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10D | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-14 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-10D-COMP | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-15 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-4N | 03/10/2022 | Chemtech -SO |
| 03/20/2022 | Solid | N1875-16 | Percent Solids | Cool 4 deg C | RMJE02 | N11 | SB-4S | 03/10/2022 | Chemtech -SO |
| 03/15/2022 | Solid | N1888-01 | Percent Solids | Cool 4 deg C | URSC05 | N23 | SS-1(PILE-1) | 03/10/2022 | Chemtech -SO |
| 03/15/2022 | Solid | N1888-02 | Percent Solids | Cool 4 deg C | URSC05 | N23 | SS-1(PILE-2) | 03/10/2022 | Chemtech -SO |
| 03/15/2022 | Solid | N1888-03 | Percent Solids | Cool 4 deg C | URSC05 | N23 | SS-1(PILE-3) | 03/10/2022 | Chemtech -SO |
| 03/15/2022 | Solid | N1888-04 | Percent Solids | Cool 4 deg C | URSC05 | N23 | CS-1-(PILE1-2-3) | 03/10/2022 | Chemtech -SO |
| 03/17/2022 | Solid | N1894-01 | Percent Solids | Cool 4 deg C | HKEN01 | P11 | TP1(0-10) | 03/10/2022 | Chemtech -SO |
| 03/17/2022 | Solid | N1894-02 | Percent Solids | Cool 4 deg C | HKEN01 | P11 | TP2(0-5) | 03/10/2022 | Chemtech -SO |
| 03/17/2022 | Solid | N1894-03 | Percent Solids | Cool 4 deg C | HKEN01 | P11 | TP3(0-10) | 03/10/2022 | Chemtech -SO |
| 03/17/2022 | Solid | N1894-04 | Percent Solids | Cool 4 deg C | HKEN01 | P11 | TP4(0-7) | 03/10/2022 | Chemtech -SO |
| 03/17/2022 | Solid | N1894-05 | Percent Solids | Cool 4 deg C | HKEN01 | P11 | TP5(0-5) | 03/10/2022 | Chemtech -SO |

**Date/Time** 03-11-22 15:40

**Raw Sample Received by:** JN (WC)

**Raw Sample Relinquished by:** RJ (EXT-labs)

**Date/Time** 03-11-22 17:37

**Raw Sample Received by:** RJ (EXT-labs)

**Raw Sample Relinquished by:** JN (WC)