



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 3/15/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:00

In Date: 03/14/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 03/15/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119137

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1927-01	BGZR9	1	1.12	8.55	9.67	5.52	51.5	
N1927-02	BGZS0	2	1.18	8.66	9.84	5.96	55.2	
N1927-03	BGZS1	3	1.16	8.78	9.94	7.31	70.0	
N1927-04	BGZS2	4	1.18	8.73	9.91	5.32	47.4	
N1927-05	BGZS3	5	1.15	8.81	9.96	8.51	83.5	
N1927-06	BGZS4	6	1.16	8.80	9.96	9.12	90.5	
N1927-07	BGZS5	7	1.14	8.84	9.98	5.32	47.3	
N1927-08	BGZS6	8	1.14	8.38	9.52	6.47	63.6	
N1927-09	BGZS7	9	1.15	8.80	9.95	8.66	85.3	
N1927-10	BGZS8	10	1.18	8.46	9.64	5.47	50.7	
N1927-11	BGZS8MS	11	1.18	8.46	9.64	5.47	50.7	
N1927-12	BGZS8MSD	12	1.18	8.46	9.64	5.47	50.7	
N1927-13	BGZS9	13	1.16	8.76	9.92	5.23	46.5	
N1927-14	BGZT0	14	1.19	8.74	9.93	6.44	60.1	
N1927-15	BGZT1	15	1.14	8.83	9.97	7.39	70.8	
N1927-16	BGZT2	16	1.12	8.46	9.58	7.29	72.9	
N1927-17	BGZT3	17	1.19	8.49	9.68	7.42	73.4	
N1927-18	BGZT8	18	1.17	8.35	9.52	5.29	49.3	
N1927-19	BGZT9	19	1.19	8.70	9.89	4.25	35.2	
N1927-20	BGZW0	20	1.14	8.82	9.96	5.44	48.8	
N1927-21	BGZW1	21	1.19	8.42	9.61	3.98	33.1	
N1927-22	BGZW2	22	1.18	8.79	9.97	5.77	52.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$