



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/4/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/02/2022
Weight Check 1.0g: 0.01
Weight Check 10g: 1.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119472

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2220-01	A10015	1	1.14	8.80	9.94	8.52	83.9	
N2220-02	A10095	2	1.18	8.62	9.8	8.58	85.8	
N2220-03	A11015	3	1.18	8.54	9.72	8.61	87.0	
N2220-04	A11105	4	1.18	8.79	9.97	8.21	80.0	
N2220-05	A03015	5	1.14	8.76	9.9	9.26	92.7	
N2220-06	A03140	6	1.15	8.64	9.79	8.88	89.5	
N2220-07	A02015	7	1.15	8.79	9.94	9.22	91.8	
N2220-08	DUP0331	8	1.18	8.79	9.97	9.24	91.7	
N2220-09	A02145	9	1.11	8.50	9.61	8.69	89.2	
N2220-10	A04015	10	1.14	8.82	9.96	9.00	89.1	
N2220-11	A04100	11	1.17	8.72	9.89	8.79	87.4	
N2220-12	A05015	12	1.15	8.83	9.98	9.00	88.9	
N2220-13	A05140	13	1.18	8.36	9.54	9.00	93.5	
N2220-14	A06015	14	1.12	8.78	9.9	8.51	84.2	
N2220-15	A06135	15	1.17	8.58	9.75	8.26	82.6	
N2220-16	A09015	16	1.17	8.47	9.64	8.74	89.4	
N2220-17	A09145	17	1.15	8.41	9.56	8.64	89.1	
N2220-17D	A09145DUP	18	1.16	8.42	9.58	8.65	89.0	
N2233-05	SVOC-GPC-BLANK	19	1.00	1.00	2.00	2.00	100.0	
N2233-06	PEST-GPC-BLANK	20	1.00	1.00	2.00	2.00	100.0	
N2233-07	PEST-GPC-BLANK-SPIKE	21	1.00	1.00	2.00	2.00	100.0	
N2233-08	PCB-GPC-BLANK	22	1.00	1.00	2.00	2.00	100.0	
N2233-09	PCB-GPC-BLANK-SPIKE	23	1.00	1.00	2.00	2.00	100.0	
N2233-10	SVOC-GPC2-BLANK	24	1.00	1.00	2.00	2.00	100.0	
N2233-11	PEST-GPC2-BLANK	25	1.00	1.00	2.00	2.00	100.0	
N2233-12	PEST-GPC2-BLANK-SPIKE	26	1.00	1.00	2.00	2.00	100.0	
N2233-13	PCB-GCP2-BLANK	27	1.00	1.00	2.00	2.00	100.0	
N2233-14	PCB-GCP2-BLANK-SPIKE	28	1.00	1.00	2.00	2.00	100.0	

