



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 4/7/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 04/06/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 04/07/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB119547

| Lab ID    | Client SampleID    | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments   |
|-----------|--------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|------------|
| N2276-01  | WASTE              | 1      | 1.15            | 8.49          | 9.64                     | 8.8                        | 90.1    |            |
| N2276-02  | VOC                | 2      | 1.18            | 8.59          | 9.77                     | 8.85                       | 89.3    |            |
| N2276-03  | 1                  | 3      | 1.13            | 8.39          | 9.52                     | 8.63                       | 89.4    |            |
| N2276-04  | 2                  | 4      | 1.19            | 8.54          | 9.73                     | 8.77                       | 88.8    |            |
| N2276-05  | 3                  | 5      | 1.19            | 8.59          | 9.78                     | 8.88                       | 89.5    |            |
| N2276-06  | 4                  | 6      | 1.11            | 8.72          | 9.83                     | 8.94                       | 89.8    |            |
| N2276-07  | 5                  | 7      | 1.18            | 8.66          | 9.84                     | 8.66                       | 86.4    |            |
| N2281-01  | TR-05-040622       | 10     | 1.18            | 8.49          | 9.67                     | 8.31                       | 84.0    |            |
| N2281-02  | TR-05-040622-EPH-2 | 11     | 1.19            | 8.54          | 9.73                     | 8.41                       | 84.5    |            |
| N2282-01  | LA-1               | 8      | 1.18            | 8.63          | 9.81                     | 9.39                       | 95.1    |            |
| N2282-01D | LA-1DUP            | 9      | 1.12            | 8.71          | 9.83                     | 9.38                       | 94.8    |            |
| N2287-01  | MOO-2022-22-A      | 12     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-02  | MOO-2022-22-B      | 13     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-03  | MOO-2022-23-A      | 14     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-04  | MOO-2022-23-B      | 15     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-05  | MOO-2022-24-A      | 16     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-06  | MOO-2022-25-A      | 17     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-07  | MOO-2022-26-A      | 18     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2287-08  | MOO-2022-27-A      | 19     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL  |
| N2292-01  | 2291               | 35     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE |
| N2292-02  | 2286               | 36     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE |
| N2292-03  | 2287               | 37     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE |
| N2298-01  | RB21139            | 38     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris     |
| N2298-02  | RB21139-EPH-2      | 39     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris     |
| N2301-01  | WC-14A-1A-4-6R-1   | 20     | 1.17            | 8.60          | 9.77                     | 7.71                       | 76.0    |            |
| N2301-02  | WC-14A-1A-4-6R-2   | 21     | 1.13            | 8.47          | 9.6                      | 7.84                       | 79.2    |            |
| N2301-03  | WC-14A-1A-4-6R-3   | 22     | 1.18            | 8.73          | 9.91                     | 7.67                       | 74.3    |            |
| N2301-04  | WC-14A-1A-4-6R-4   | 23     | 1.19            | 8.63          | 9.82                     | 7.91                       | 77.9    |            |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 4/7/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 04/06/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 04/07/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB119547

| Lab ID   | Client SampleID   | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|----------|
| N2301-05 | WC-14A-1A-4-6R-5  | 24     | 1.19            | 8.67          | 9.86                     | 7.98                       | 78.3    |          |
| N2301-06 | WC-14A-1A-4-6R-6  | 25     | 1.17            | 8.33          | 9.5                      | 6.58                       | 64.9    |          |
| N2301-07 | WC-14A-1A-4-6R-7  | 26     | 1.19            | 8.74          | 9.93                     | 6.65                       | 62.5    |          |
| N2301-08 | WC-14A-1A-4-6R-8  | 27     | 1.18            | 8.59          | 9.77                     | 7.68                       | 75.7    |          |
| N2301-09 | WC-14A-1A-4-6R-9  | 28     | 1.12            | 8.80          | 9.92                     | 8.35                       | 82.2    |          |
| N2301-10 | WC-14A-1A-4-6R-10 | 29     | 1.14            | 8.80          | 9.94                     | 8.66                       | 85.5    |          |
| N2301-11 | WC-14A-1A-4-6R-11 | 30     | 1.16            | 8.53          | 9.69                     | 7.27                       | 71.6    |          |
| N2301-12 | WC-14A-1A-4-6R-12 | 31     | 1.18            | 8.67          | 9.85                     | 7.29                       | 70.5    |          |
| N2301-13 | WC-14A-1A-4-6R-13 | 32     | 1.17            | 8.81          | 9.98                     | 8.27                       | 80.6    |          |
| N2301-14 | WC-14A-1A-4-6R-14 | 33     | 1.12            | 8.84          | 9.96                     | 8.68                       | 85.5    |          |
| N2301-15 | WC-14A-1A-4-6R-15 | 34     | 1.19            | 8.78          | 9.97                     | 9.41                       | 93.6    |          |
| N2306-01 | 2404-2405         | 40     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris   |
| N2306-02 | 2404-2405-EPH-2   | 41     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris   |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

VB 119547

WorkList Name : %1-040622

WorkList ID : 158420

Department : Wet-Chemistry

Date : 04-06-2022 08:34:03

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 04/06/2022 | Solid  | N2276-01 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | WASTE              | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-02 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | VOC                | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-03 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | 1                  | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-04 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | 2                  | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-05 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | 3                  | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-06 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | 4                  | 04/05/2022   | Chemtech -SO |
| 04/06/2022 | Solid  | N2276-07 | Percent Solids | Cool 4 deg C | SCIA01   | N22                         | 5                  | 04/05/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2281-01 | Percent Solids | Cool 4 deg C | PSEG05   | O11                         | TR-05-040622       | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2281-02 | Percent Solids | Cool 4 deg C | PSEG05   | O11                         | TR-05-040622-EPH-2 | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2282-01 | Percent Solids | Cool 4 deg C | EARTH03  | N13                         | LA-1               | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-01 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-22-A      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-02 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-22-B      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-03 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-23-A      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-04 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-23-B      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-05 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-24-A      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-06 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-25-A      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-07 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-26-A      | 04/06/2022   | Chemtech -SO |
| 04/13/2022 | Solid  | N2287-08 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | MOO-2022-27-A      | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2292-01 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | 2291               | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2292-02 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | 2286               | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2292-03 | Percent Solids | Cool 4 deg C | PSEG03   | O11                         | 2287               | 04/06/2022   | Chemtech -SO |

Date/Time 04/06/22 16:50 Date/Time 04/06/22 17:30  
 Raw Sample Received by: JD (WC) Raw Sample Received by: ITCm  
 Raw Sample Relinquished by: ITCm Raw Sample Relinquished by: DD/CWC

WB 119547

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040622      WorkList ID : 158420      Department : Wet-Chemistry      Date : 04-06-2022 08:34:03

| Due Date   | Matrix | Sample   | Test           | Raw Sample   |          |                       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------|--------------|--------------|
|            |        |          |                | Preservative | Customer | Storage Location      |              |              |
| 04/11/2022 | Solid  | N2298-01 | Percent Solids | Cool 4 deg C | PSEG03   | O11 RB21139           | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2298-02 | Percent Solids | Cool 4 deg C | PSEG03   | O11 RB21139-EPH-2     | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-01 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-1  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-02 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-2  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-03 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-3  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-04 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-4  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-05 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-5  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-06 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-6  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-07 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-7  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-08 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-8  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-09 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-9  | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-10 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-10 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-11 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-11 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-12 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-12 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-13 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-13 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-14 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-14 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2301-15 | Percent Solids | Cool 4 deg C | ROUX02   | O11 WC-14A-1A-4-6R-15 | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2306-01 | Percent Solids | Cool 4 deg C | PSEG03   | O11 2404-2405         | 04/06/2022   | Chemtech -SO |
| 04/11/2022 | Solid  | N2306-02 | Percent Solids | Cool 4 deg C | PSEG03   | O11 2404-2405-EPH-2   | 04/06/2022   | Chemtech -SO |

04/06/22 16:50

Date/Time 04/06/22 17:30  
Raw Sample Received by: JTCsm  
Raw Sample Relinquished by: JTCsm

Date/Time 04/06/22 16:50  
Raw Sample Received by: JTCsm  
Raw Sample Relinquished by: JTCsm