



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB119552

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N2272-03	TP-1	1	100.05	0.00	04/06/2022	13:20
2	N2272-03DUP	TP-1DUP	1	100.03	0.00	04/06/2022	13:28
3	N2272-07	TP-3	1	100.01	0.00	04/06/2022	13:35
4	N2275-01	EO-03-040522	1	100.06	0.00	04/06/2022	13:42
5	N2278-01	OR-03-040522	1	100.05	0.00	04/06/2022	13:50

WORKLIST(Hardcopy Internal Chain)

L13119552

WorkList Name : PF-040622 WorkList ID : 158434 Department : Wet-Chemistry Date : 04-06-2022 13:09:11

Due Date	Matrix	Sample	Test	Raw Sample			Customer Sample	Collect Date	Method
				Preservative	Customer	Storage Location			
04/05/2022	Solid	N2272-03	Paint Filter	Cool 4 deg C	PSEG03	O11	TP-1	04/05/2022	9095B
04/05/2022	Solid	N2272-07	Paint Filter	Cool 4 deg C	PSEG03	O11	TP-3	04/05/2022	9095B
04/05/2022	Solid	N2275-01	Paint Filter	Cool 4 deg C	PSEG05	O11	EO-03-040522	04/05/2022	9095B
04/05/2022	Solid	N2278-01	Paint Filter	Cool 4 deg C	PSEG05	O11	OR-03-040522	04/05/2022	9095B

Date/Time 4/6/22 13:00
Raw Sample Received by: 12 (SC)
Raw Sample Relinquished by: 48 (SC)

Date/Time 4/6/22 14:20
Raw Sample Received by: 78 (SC)
Raw Sample Relinquished by: 12 (SC)