



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/8/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/07/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 04/08/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119571

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2313-01	SUM-255	1	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-02	SUM-256	2	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-03	SUM-257	3	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-04	SUM-258	4	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-05	SUM-259	5	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-06	SUM-260	6	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2313-07	SUM-261	7	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2314-01	149TH-ST-STATION-DRUM-4-PPE	8	1.00	1.00	2.00	2.00	100.0	PLASTIC
N2314-02	149TH-ST-STATION-DRUM-5-POLY	9	1.00	1.00	2.00	2.00	100.0	PLASTIC
N2314-03	TREMONT-AVE-STATION-DRUM-14-PPE	10	1.00	1.00	2.00	2.00	100.0	PLASTIC
N2314-04	TREMONT-AVE-STATION-DRUM-15-POLY	11	1.00	1.00	2.00	2.00	100.0	PLASTIC
N2317-01	WEST-1	22	1.18	8.67	9.85	8.44	83.7	
N2317-02	WEST-1-EPH-2	23	1.11	8.83	9.94	8.66	85.5	
N2317-03	WEST-2	24	1.19	8.58	9.77	8.25	82.3	
N2317-04	WEST-2-EPH-2	25	1.14	8.78	9.92	8.69	86.0	
N2317-05	NORTH-1	26	1.15	8.39	9.54	8.5	87.6	
N2317-06	NORTH-1-EPH-2	27	1.19	8.58	9.77	8.87	89.5	
N2317-07	NORTH-2	28	1.19	8.53	9.72	8.29	83.2	
N2317-08	NORTH-2-EPH-2	29	1.19	8.73	9.92	8.64	85.3	
N2317-09	NORTH-3	30	1.16	8.81	9.97	8.46	82.9	
N2317-10	NORTH-3-EPH-2	31	1.19	8.55	9.74	7.91	78.6	
N2317-11	NORTH-4	32	1.14	8.84	9.98	8.5	83.3	
N2317-12	NORTH-4-EPH-2	33	1.19	8.46	9.65	8.09	81.6	
N2317-13	NORTH-5	34	1.13	8.46	9.59	7.89	79.9	
N2317-14	NORTH-5-EPH-2	35	1.16	8.67	9.83	8.32	82.6	
N2317-15	NORTH-6	36	1.15	8.40	9.55	8.08	82.5	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/8/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/07/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 04/08/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119571

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2317-16	NORTH-6-EPH-2	37	1.14	8.80	9.94	8.48	83.4	
N2317-17	TP1-A	38	1.19	8.35	9.54	8.17	83.6	
N2317-18	TP1-A-EPH-2	39	1.18	8.75	9.93	8.77	86.7	
N2317-19	TP1-B	40	1.18	8.51	9.69	7.49	74.1	
N2317-20	TP1-B-EPH-2	41	1.18	8.79	9.97	7.55	72.5	
N2317-21	TP2-A	42	1.16	8.82	9.98	8.9	87.8	
N2317-22	TP2-A-EPH-2	43	1.15	8.80	9.95	9.04	89.7	
N2317-23	TP2-B	44	1.16	8.81	9.97	8.88	87.6	
N2317-24	TP2-B-EPH-2	45	1.11	8.61	9.72	8.71	88.3	
N2317-24D	TP2-B-EPH-2DUP	46	1.13	8.61	9.74	8.74	88.4	
N2328-01	B-1	12	1.15	8.39	9.54	8.26	84.7	
N2328-02	B-2	13	1.19	8.44	9.63	9.26	95.6	
N2328-03	B-3	14	1.18	8.80	9.98	8.57	84.0	
N2328-04	B-4	15	1.12	8.60	9.72	8.78	89.1	
N2329-01	285	16	1.14	8.80	9.94	6.19	57.4	GEL MATRIX
N2329-02	285-EPH-2	17	1.15	8.73	9.88	6.97	66.7	GEL MATRIX
N2329-03	RBR-346	18	1.16	8.61	9.77	3.87	31.5	GEL MATRIX
N2329-04	RBR-346-EPH-2	19	1.16	8.80	9.96	4.54	38.4	GEL MATRIX
N2330-01	RBR-253	20	1.17	8.75	9.92	3.88	31.0	GEL MATRIX
N2330-02	RBR-253-EPH-2	21	1.16	8.75	9.91	6.06	56.0	GEL MATRIX

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$