



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/12/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 14:05
In Date: 04/11/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 04/12/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119622

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2316-03	ETNQ1	1	1.13	8.81	9.94	8.9	88.2	
N2316-04	ETNQ2	2	1.16	8.81	9.97	8.73	85.9	
N2316-05	ETNQ3	3	1.16	8.76	9.92	8.71	86.2	
N2316-06	ETNQ4	4	1.18	8.58	9.76	8.27	82.6	
N2316-07	ETNQ6	5	1.16	8.80	9.96	8.94	88.4	
N2316-08	ETNQ7	6	1.15	8.79	9.94	8.93	88.5	
N2316-09	ETNQ8	7	1.19	8.55	9.74	7.96	79.2	
N2316-10	ETNQ9	8	1.19	8.79	9.98	8.78	86.3	
N2316-11	ETNR1	9	1.14	8.83	9.97	8.75	86.2	
N2316-12	ETNR2	10	1.16	8.62	9.78	8.79	88.5	
N2316-13	ETNR3	11	1.11	8.81	9.92	8.42	83.0	
N2316-14	ETNR4	12	1.19	8.58	9.77	8.63	86.7	
N2316-15	VHBLK002	13	1.00	1.00	2.00	2.00	100.0	VHBLK
N2316-19	ETNR7	14	1.17	8.81	9.98	8.83	86.9	
N2316-20	ETNR8	15	1.19	8.61	9.8	8.66	86.8	
N2316-21	ETNR9	16	1.14	8.82	9.96	8.9	88.0	
N2316-22	ETNS0	17	1.14	8.82	9.96	8.76	86.4	
N2316-23	ETNSOMS	18	1.14	8.82	9.96	8.76	86.4	
N2316-24	ETNSOMSD	19	1.14	8.82	9.96	8.76	86.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$