

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB119665

ANALYST: Iwona

SUPERVISOR REVIEW BY: apatel

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2843
IODINE SOLUTION .025N 1L	W2864
Starch Solution, 4L	W2766

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB144080BL		1	5.00	50	2.00	0.00	1.96	1.96	0.04	0.00	0.00	04/13/2022	11:15
2	N2364-02		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.06	4.74	04/13/2022	11:18
3	N2364-02DUP		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.04	3.19	04/13/2022	11:20
4	N2364-04		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.08	6.34	04/13/2022	11:23
5	N2364-06		1	5.02	50	2.00	0.00	1.90	1.90	0.10	0.06	4.78	04/13/2022	11:25
6	N2364-08		1	5.04	50	2.00	0.00	1.94	1.94	0.06	0.02	1.59	04/13/2022	11:28

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume