



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB119672

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N2380-01	OK-02-041222	1	100.05	0.00	04/14/2022	09:30
2	N2380-01DUP	OK-02-041222DUP	1	100.02	0.00	04/14/2022	09:38
3	N2381-01	26572	1	100.04	0.00	04/14/2022	09:45
4	N2392-01	VNJ-212	1	100.06	0.00	04/14/2022	09:52
5	N2392-02	VNJ-212	1	100.02	0.00	04/14/2022	10:00

WORKLIST(Hardcopy Internal Chain)

LB 119672

WorkList Name : PF-041422 WorkList ID : 158683 Department : Wet-Chemistry Date : 04-14-2022 09:13:22

Due Date	Matrix	Sample	Test	Raw Sample			Customer Sample	Collect Date	Method
				Preservative	Customer	Storage Location			
04/12/2022	Solid	N2380-01	Paint Filter	Cool 4 deg C	PSEG05	O11	OK-02-041222	04/12/2022	9095B
04/12/2022	Solid	N2381-01	Paint Filter	Cool 4 deg C	PSEG03	O11	26572	04/12/2022	9095B
04/13/2022	Solid	N2392-01	Paint Filter	Cool 4 deg C	PSEG03	O11	VNJ-212	04/13/2022	9095B
04/13/2022	Solid	N2392-02	Paint Filter	Cool 4 deg C	PSEG03	O11	VNJ-212	04/13/2022	9095B

Date/Time 4/14/22 09:10
 Raw Sample Received by: JP
 Raw Sample Relinquished by: JP

Date/Time 4/14/22 10:30
 Raw Sample Received by: JP
 Raw Sample Relinquished by: JP