



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 04/15/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/16/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119701

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2428-01	S-1	1	1.14	8.76	9.9	8.76	87.0	
N2428-02	S-2	2	1.13	8.44	9.57	7.86	79.7	
N2428-03	S-3	3	1.19	8.61	9.8	8.46	84.4	
N2428-04	S-4	4	1.15	8.81	9.96	9.24	91.8	
N2428-05	S-5	5	1.16	8.82	9.98	8.82	86.8	
N2428-06	S-6	6	1.19	8.50	9.69	7.71	76.7	
N2430-01	E13-EB1-041322-0-2	7	1.18	8.72	9.9	9.32	93.3	
N2430-02	E13-EB1-041322-0-5	8	1.16	8.52	9.68	8.82	89.9	
N2430-03	E13-EB1-041322-5-10	9	1.19	8.73	9.92	8.77	86.8	
N2430-04	E13-EB1-041322-8-10	10	1.19	8.47	9.66	8.26	83.5	
N2432-01	SB-6075	11	1.17	8.67	9.84	8.92	89.4	
N2432-02	SB-5115	12	1.15	8.81	9.96	8.53	83.8	
N2432-03	SB-4115	13	1.16	8.76	9.92	8.94	88.8	
N2432-04	SB-2105	14	1.15	8.83	9.98	9.15	90.6	
N2432-08	DUP220414	15	1.18	8.57	9.75	8.29	83.0	
N2434-01	RCA-EDISON-PILE-1	16	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N2435-01	BBC	17	1.16	8.56	9.72	9.65	99.2	
N2436-01	BBC	18	1.17	8.50	9.67	9.61	99.3	
N2437-01	BBC	19	1.14	8.57	9.71	9.65	99.3	
N2439-01	WARD-OIL	46	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N2439-03	WARD-OD	47	1.19	8.43	9.62	5.45	50.5	
N2442-01	124035	52	1.17	8.80	9.97	8.57	84.1	
N2442-03	124030	53	1.12	8.69	9.81	7.13	69.2	
N2442-05	124042	54	1.14	8.48	9.62	7.47	74.6	
N2444-01	SB-1	20	1.14	8.58	9.72	9.2	93.9	
N2444-02	SB-2	21	1.16	8.53	9.69	8.05	80.8	
N2444-03	SB-3	22	1.15	8.60	9.75	7.78	77.1	
N2444-04	SB-4S	23	1.15	8.80	9.95	8.31	81.4	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 04/15/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/16/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119701

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2444-05	SB-4D	24	1.11	8.56	9.67	8.66	88.2	
N2444-06	SB-5	25	1.16	8.78	9.94	8.41	82.6	
N2444-07	SB-6	26	1.16	8.72	9.88	8.17	80.4	
N2444-08	SB-7	27	1.16	8.80	9.96	9.02	89.3	
N2444-09	SB-8	28	1.18	8.48	9.66	8.71	88.8	
N2444-10	SB-10	29	1.17	8.58	9.75	8.61	86.7	
N2444-11	SB-11	30	1.14	8.82	9.96	8.26	80.7	
N2444-12	SB-12	31	1.16	8.65	9.81	9.07	91.4	
N2444-13	SB-13	32	1.17	8.35	9.52	8.66	89.7	
N2444-13D	SB-13DUP	33	1.19	8.34	9.53	8.67	89.7	
N2445-01	282	48	1.14	8.71	9.85	4.8	42.0	GEL MATRIX
N2445-02	282-EPH-2	49	1.15	8.80	9.95	3.71	29.1	GEL MATRIX
N2446-01	339	50	1.19	8.48	9.67	6.65	64.4	GEL MATRIX
N2446-02	339-EPH-2	51	1.19	8.79	9.98	5.38	47.7	GEL MATRIX
N2447-01	WASTE	55	1.13	8.73	9.86	9.04	90.6	
N2447-02	VOC	56	1.12	8.51	9.63	8.86	91.0	
N2447-03	1	57	1.13	8.59	9.72	8.88	90.2	
N2447-04	2	58	1.14	8.82	9.96	9.24	91.8	
N2447-05	3	59	1.13	8.84	9.97	9.44	94.0	
N2447-06	4	60	1.1	8.52	9.62	8.78	90.1	
N2447-07	5	61	1.14	8.46	9.6	8.82	90.8	
N2449-01	22L091-A	34	1.19	8.55	9.74	9.13	92.9	
N2449-02	22L091-B	35	1.13	8.44	9.57	8.79	90.8	
N2450-05	SVOC-GPC-BLANK	36	1.00	1.00	2.00	2.00	100.0	
N2450-06	PEST-GPC-BLANK	37	1.00	1.00	2.00	2.00	100.0	
N2450-07	PEST-GPC-BLANK-SPIKE	38	1.00	1.00	2.00	2.00	100.0	
N2450-08	PCB-GPC-BLANK	39	1.00	1.00	2.00	2.00	100.0	
N2450-09	PCB-GPC-BLANK-SPIKE	40	1.00	1.00	2.00	2.00	100.0	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:30
In Date: 04/15/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/16/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119701

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2450-10	SVOC-GPC2-BLANK	41	1.00	1.00	2.00	2.00	100.0	
N2450-11	PEST-GPC2-BLANK	42	1.00	1.00	2.00	2.00	100.0	
N2450-12	PEST-GPC2-BLANK-SPIKE	43	1.00	1.00	2.00	2.00	100.0	
N2450-13	PCB-GCP2-BLANK	44	1.00	1.00	2.00	2.00	100.0	
N2450-14	PCB-GCP2-BLANK-SPIKE	45	1.00	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$