



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB119803

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	N2523-01	SU-01-042122	1	100.03	0.00	04/22/2022	15:40
2	N2523-01DUP	SU-01-042122DUP	1	100.02	0.00	04/22/2022	15:48
3	N2523-03	SU-04-042122	1	100.05	0.00	04/22/2022	15:55
4	N2525-01	HR-01-042122	1	100.04	0.00	04/22/2022	16:05
5	N2525-03	HR-02-042122	1	100.03	0.00	04/22/2022	16:12
6	N2525-05	HR-04-042122	1	100.01	0.00	04/22/2022	16:20
7	N2526-01	MH-3S	1	100.06	0.00	04/22/2022	16:28
8	N2526-02	MH-3S	1	100.04	0.00	04/22/2022	16:35
9	N2526-04	MH-5S	1	100.02	0.00	04/22/2022	16:42
10	N2526-05	MH-5S	1	100.03	0.00	04/22/2022	16:50
11	N2526-07	MH-5D	1	100.06	0.00	04/22/2022	16:58
12	N2526-08	MH-5D	1	100.03	0.00	04/22/2022	17:05
13	N2541-01	CL-02-042222	1	100.05	0.00	04/22/2022	17:15

WORKLIST(Hardcopy Internal Chain)

LB119803

WorkList Name : PF42222

WorkList ID : 158930

Department : Wet-Chemistry

Date : 04-22-2022 13:57:04

Due Date	Matrix	Sample	Test	Raw Sample			Collect Date	Method
				Preservative	Customer	Storage Location		
04/21/2022	Solid	N2523-01	Paint Filter	Cool 4 deg C	PSEG05	P11	SU-01-042122	04/21/2022 9095B
04/21/2022	Solid	N2523-03	Paint Filter	Cool 4 deg C	PSEG05	P11	SU-04-042122	04/21/2022 9095B
04/21/2022	Solid	N2525-01	Paint Filter	Cool 4 deg C	PSEG05	P11	HR-01-042122	04/21/2022 9095B
04/21/2022	Solid	N2525-03	Paint Filter	Cool 4 deg C	PSEG05	P11	HR-02-042122	04/21/2022 9095B
04/21/2022	Solid	N2525-05	Paint Filter	Cool 4 deg C	PSEG05	P11	HR-04-042122	04/21/2022 9095B
04/20/2022	Solid	N2526-01	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-3S	04/20/2022 9095B
04/20/2022	Solid	N2526-02	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-3S	04/20/2022 9095B
04/21/2022	Solid	N2526-04	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-5S	04/21/2022 9095B
04/21/2022	Solid	N2526-05	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-5S	04/21/2022 9095B
04/21/2022	Solid	N2526-07	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-5D	04/21/2022 9095B
04/21/2022	Solid	N2526-08	Paint Filter	Cool 4 deg C	PSEG03	P11	MH-5D	04/21/2022 9095B
04/22/2022	Solid	N2541-01	Paint Filter	Cool 4 deg C	PSEG05	P11	CL-02-042222	04/22/2022 9095B

Date/Time 04/22/22 15:30
 Raw Sample Received by: KS(WC)
 Raw Sample Relinquished by: CL 5m

Date/Time 04/22/22 17:20
 Raw Sample Received by: CL 5m
 Raw Sample Relinquished by: KS(WC)