



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/25/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/22/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 04/23/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119804

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2528-01	TP6-1.5-2.0	1	1.15	8.45	9.6	8.9	91.7	
N2528-02	TP6-3.5-4.0	2	1.11	8.77	9.88	9.23	92.6	
N2528-03	TP6-5.5-6.0	3	1.13	8.46	9.59	9.09	94.1	
N2528-04	TP6-7.5-8.0	4	1.15	8.60	9.75	9.36	95.5	
N2528-05	TP8-1.5-2.0	5	1.14	8.82	9.96	9.16	90.9	
N2528-06	TP8-3.5-4.0	6	1.15	8.51	9.66	9.19	94.5	
N2528-07	TP8-5.5-6.0	7	1.19	8.64	9.83	9.42	95.3	
N2528-08	TP8-7.5-8.0	8	1.17	8.81	9.98	9.65	96.3	
N2528-09	TP12-1.5-2.0	9	1.12	8.60	9.72	8.88	90.2	
N2528-10	TP12-3.5-4.0	10	1.15	8.79	9.94	9.3	92.7	
N2528-11	TP12-5.5-6.0	11	1.16	8.81	9.97	9.47	94.3	
N2528-12	TP12-7.5-8.0	12	1.11	8.75	9.86	9.07	91.0	
N2528-12D	TP12-7.5-8.0DUP	13	1.14	8.74	9.88	9.09	91.0	
N2532-01	ELI-CON	14	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N2541-01	CL-02-042222	15	1.13	8.80	9.93	9.18	91.5	
N2541-02	CL-02-042222-EPH-2	16	1.13	8.80	9.93	9.18	91.5	
N2544-01	S-1	17	1.14	8.72	9.86	8.78	87.6	
N2544-02	S-2	18	1.17	8.54	9.71	8.63	87.4	
N2544-03	S-3	19	1.11	8.63	9.74	8.96	91.0	
N2544-04	S-4	20	1.11	8.49	9.6	8.92	92.0	
N2544-05	S-5	21	1.18	8.54	9.72	8.84	89.7	
N2544-06	S-6	22	1.19	8.79	9.98	8.8	86.6	
N2544-07	S-7	23	1.11	8.52	9.63	8.94	91.9	
N2545-01	H-1	24	1.19	8.44	9.63	8.47	86.3	
N2545-02	H-2	25	1.17	8.72	9.89	8.5	84.1	
N2545-03	H-3	26	1.15	8.80	9.95	8.65	85.2	
N2546-01	S-5	27	1.13	8.70	9.83	8.94	89.8	
N2546-02	S-6	28	1.19	8.77	9.96	8.74	86.1	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/25/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/22/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 04/23/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119804

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2547-05	SVOC-GPC-BLANK	29	1.00	1.00	2.00	2.00	100.0	
N2547-06	PEST-GPC-BLANK	30	1.00	1.00	2.00	2.00	100.0	
N2547-07	PEST-GPC-BLANK-SPIKE	31	1.00	1.00	2.00	2.00	100.0	
N2547-08	PCB-GPC-BLANK	32	1.00	1.00	2.00	2.00	100.0	
N2547-09	PCB-GPC-BLANK-SPIKE	33	1.00	1.00	2.00	2.00	100.0	
N2547-10	SVOC-GPC2-BLANK	34	1.00	1.00	2.00	2.00	100.0	
N2547-11	PEST-GPC2-BLANK	35	1.00	1.00	2.00	2.00	100.0	
N2547-12	PEST-GPC2-BLANK-SPIKE	36	1.00	1.00	2.00	2.00	100.0	
N2547-13	PCB-GCP2-BLANK	37	1.00	1.00	2.00	2.00	100.0	
N2547-14	PCB-GCP2-BLANK-SPIKE	38	1.00	1.00	2.00	2.00	100.0	
N2548-01	MH-8S	39	1.14	8.70	9.84	9.37	94.6	
N2548-03	MH-8S-EPH	40	1.16	8.57	9.73	9.24	94.3	
N2548-04	MH-8D	41	1.13	8.46	9.59	8.97	92.7	
N2548-06	MH-8D-EPH	42	1.16	8.48	9.64	8.76	89.6	
N2548-07	TP-9	43	1.14	8.81	9.95	9.56	95.6	
N2548-09	TP-9-EPH	44	1.14	8.81	9.95	9.56	95.6	
N2548-10	TP-11	45	1.19	8.53	9.72	8.37	84.2	
N2548-12	TP-11-EPH	46	1.19	8.53	9.72	8.37	84.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$