

## TitriSoft Report

| Ident       | Amount | DateTime         | Alkalinity | Final pH (sample) | Initial pH (sample) | slope | offset |
|-------------|--------|------------------|------------|-------------------|---------------------|-------|--------|
| LB119812BLW | 100    | 25/04/2022 11:11 | 0.00       | 3.24              | 3.22                | 103.4 | 7.05   |
| LB119812BSW | 100    | 25/04/2022 11:14 | 46.20      | 4.32              | 8.66                | 103.4 | 7.05   |
| N2519-01    | 50     | 25/04/2022 11:18 | 38.96      | 4.23              | 6.04                | 103.4 | 7.05   |
| N2519-03    | 50     | 25/04/2022 11:22 | 211.76     | 4.38              | 6.95                | 103.4 | 7.05   |
| N2519-05    | 50     | 25/04/2022 11:27 | 98.48      | 4.39              | 6.96                | 103.4 | 7.05   |
| N2519-07    | 50     | 25/04/2022 11:32 | 165.68     | 4.36              | 7.01                | 103.4 | 7.05   |
| N2519-07DUP | 50     | 25/04/2022 11:36 | 160.80     | 4.36              | 7.03                | 103.4 | 7.05   |

04/25/22

12

4/25/22