



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/28/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:05
In Date: 04/27/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:16
Out Date: 04/28/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119864

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2580-01	GBEN1	1	1.13	8.60	9.73	9.7	99.7	
N2580-02	GBEN2	2	1.12	8.51	9.63	9.5	98.5	
N2580-03	GBEN3	3	1.14	8.51	9.65	9.56	98.9	
N2580-04	GBEN4	4	1.14	8.43	9.57	9.56	99.9	
N2580-05	GBEN5	5	1.15	8.52	9.67	9.66	99.9	
N2580-06	GBEN6	6	1.18	8.63	9.81	9.63	97.9	
N2580-07	GBEN7	7	1.14	8.69	9.83	9.5	96.2	
N2580-08	GBEN8	8	1.11	8.61	9.72	9.55	98.0	
N2580-09	GBEN9	9	1.13	8.41	9.54	9.42	98.6	
N2580-10	GBEP0	10	1.19	8.49	9.68	9.49	97.8	
N2580-11	GBEP1	11	1.12	8.72	9.84	9.82	99.8	
N2580-12	GBEP2	12	1.16	8.44	9.6	9.51	98.9	
N2580-13	GBEP3	13	1.14	8.76	9.9	9.72	97.9	
N2580-14	GBEP4	14	1.18	8.68	9.86	9.81	99.4	
N2580-15	GBEP5	15	1.13	8.65	9.78	9.65	98.5	
N2580-16	GBEP6	16	1.18	8.33	9.51	9.33	97.8	
N2580-17	GBEP6D	17	1.18	8.33	9.51	9.33	97.8	
N2580-18	GBEP6S	18	1.18	8.33	9.51	9.33	97.8	
N2580-19	GBEP7	19	1.12	8.39	9.51	9.46	99.4	
N2580-20	GBEP8	20	1.14	8.54	9.68	9.49	97.8	
N2580-21	GBEP9	21	1.12	8.60	9.72	9.59	98.5	
N2580-22	GBEQ0	22	1.18	8.35	9.53	9.44	98.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$