



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 5/17/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:44

In Date: 04/27/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 04/28/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119867

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2582-01	GBES1	1	1.11	8.41	9.52	9.32	97.6	
N2582-02	GBES2	2	1.12	8.65	9.77	9.71	99.3	
N2582-03	GBES3	3	1.11	8.39	9.5	9.47	99.6	
N2582-04	GBES4	4	1.1	8.50	9.6	9.36	97.2	
N2582-05	GBES5	5	1.12	8.38	9.5	9.34	98.1	
N2582-06	GBES6	6	1.11	8.61	9.72	9.66	99.3	
N2582-07	GBES7	7	1.1	8.20	9.3	9.23	99.1	
N2582-08	GBES8	8	1.1	8.25	9.35	9.24	98.7	
N2582-09	GBES9	9	1.1	8.56	9.66	9.62	99.5	
N2582-10	GBET0	10	1.12	8.71	9.83	9.76	99.2	
N2582-11	GBET1	11	1.12	8.44	9.56	9.4	98.1	
N2582-12	GBET2	12	1.12	8.33	9.45	9.31	98.3	
N2582-13	GBET3	13	1.12	8.86	9.98	9.83	98.3	
N2582-14	GBET4	14	1.12	8.56	9.68	9.4	96.7	
N2582-15	GBET5	15	1.1	8.45	9.55	9.41	98.3	
N2582-16	GBET6	16	1.13	8.62	9.75	9.62	98.5	
N2582-17	GBET7	17	0.11	9.29	9.4	9.36	99.6	
N2582-18	GBET8	18	1.1	8.44	9.54	9.31	97.3	
N2582-19	GBET9	19	1.12	8.62	9.74	9.66	99.1	
N2582-20	GBEW0	20	1.1	8.48	9.58	9.51	99.2	
N2582-21	GBEW0D	21	1.1	8.48	9.58	9.51	99.2	
N2582-22	GBEW0S	22	1.1	8.48	9.58	9.51	99.2	
N2582-23	GBEW1	23	1.00	1.00	2.00	2.00	100.0	p.e. sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$