



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/29/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 04/28/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:16
Out Date: 04/29/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119872

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2583-01	GBEW2	1	1.15	8.38	9.53	9.41	98.6	
N2583-02	GBEW2D	2	1.15	8.38	9.53	9.41	98.6	
N2583-03	GBEW2S	3	1.15	8.38	9.53	9.41	98.6	
N2583-04	GBEW3	4	1.15	8.53	9.68	9.6	99.1	
N2583-05	GBEW4	5	0.92	8.74	9.66	9.58	99.1	
N2583-06	GBEW5	6	0.92	8.60	9.52	9.29	97.3	
N2583-07	GBEW6	7	1.17	8.67	9.84	9.77	99.2	
N2583-08	GBEW7	8	1.17	8.44	9.61	9.56	99.4	
N2583-09	GBEW8	9	0.9	8.60	9.5	9.26	97.2	
N2583-10	GBEW9	10	1.18	8.59	9.77	9.61	98.1	
N2583-11	GBEX0	11	0.92	7.66	8.58	8.49	98.8	
N2583-12	GBEX1	12	0.94	8.45	9.39	9.25	98.3	
N2583-13	GBEX2	13	0.94	8.64	9.58	9.41	98.0	
N2583-14	GBEX3	14	0.92	8.92	9.84	9.8	99.6	
N2583-15	GBEX4	15	1.11	8.39	9.5	9.47	99.6	
N2583-16	GBEX5	16	1.19	8.65	9.84	9.8	99.5	
N2583-17	GBEX6	17	1.14	8.40	9.54	9.37	98.0	
N2583-18	GBEX7	18	0.92	8.71	9.63	9.52	98.7	
N2583-19	GBEX8	19	0.93	8.65	9.58	9.53	99.4	
N2583-20	GBEX9	20	0.93	8.67	9.6	9.5	98.8	
N2583-21	GBEY0	21	0.93	8.65	9.58	9.54	99.5	
N2583-22	GBEY1	22	0.93	8.71	9.64	9.57	99.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$