



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/29/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 15:20
In Date: 04/28/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/29/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB119878

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2586-01	GBF22	1	1.1	8.52	9.62	9.56	99.3	
N2586-02	GBF23	2	1.11	8.59	9.7	9.56	98.4	
N2586-03	GBF24	3	1.1	8.41	9.51	9.49	99.8	
N2586-04	GBF25	4	1.12	8.44	9.56	9.53	99.6	
N2586-05	GBF26	5	1.1	8.52	9.62	9.47	98.2	
N2586-06	GBF27	6	1.12	8.52	9.64	9.56	99.1	
N2586-07	GBF28	7	1.12	8.53	9.65	9.58	99.2	
N2586-08	GBF29	8	1.12	8.39	9.51	9.3	97.5	
N2586-09	GBF30	9	1.1	8.64	9.74	9.57	98.0	
N2586-10	GBF31	10	1.11	8.46	9.57	9.54	99.6	
N2586-11	GBF32	11	1.12	8.42	9.54	9.32	97.4	
N2586-12	GBF33	12	1.1	8.41	9.51	9.41	98.8	
N2586-13	GBF34	13	1.11	8.66	9.77	9.68	99.0	
N2586-14	GBF34D	14	1.11	8.66	9.77	9.68	99.0	
N2586-15	GBF34S	15	1.11	8.66	9.77	9.68	99.0	
N2586-16	GBF35	16	1.1	8.54	9.64	9.52	98.6	
N2586-17	GBF36	17	1.12	8.52	9.64	9.53	98.7	
N2586-18	GBF37	18	1.1	8.57	9.67	9.56	98.7	
N2586-19	GBF38	19	1.13	8.50	9.63	9.5	98.5	
N2586-20	GBF39	20	1.00	8.75	9.75	9.7	99.4	
N2586-21	GBF40	21	1.09	8.75	9.84	9.8	99.5	
N2586-22	GBF41	22	1.1	8.44	9.54	9.35	97.7	
N2586-23	GBF42	23	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$