



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/3/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:00

In Date: 05/02/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 05/03/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119934

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2638-01	EXKZ2	1	0.92	9.05	9.97	9.07	90.1	
N2638-02	EXKZ3	2	0.9	8.72	9.62	9.2	95.2	
N2638-03	EXKZ4	3	0.94	8.82	9.76	7.84	78.2	
N2638-04	EXKZ5	4	0.93	8.90	9.83	9.68	98.3	
N2638-05	EXKZ7	5	0.91	8.89	9.8	9.63	98.1	
N2638-06	EXL01	6	0.93	9.05	9.98	9.18	91.2	
N2638-07	EXL02	7	0.94	8.80	9.74	9.41	96.3	
N2638-08	EXL03	8	0.91	8.63	9.54	9.19	95.9	
N2638-09	EXL04	9	0.93	8.69	9.62	9.22	95.4	
N2638-10	EXL04MS	10	0.93	8.69	9.62	9.22	95.4	
N2638-11	EXL04MSD	11	0.93	8.69	9.62	9.22	95.4	
N2638-12	EXL05	12	0.93	8.84	9.77	8.05	80.5	
N2638-13	EXL06	13	0.95	9.02	9.97	9.1	90.4	
N2638-14	EXL07	14	0.92	8.64	9.56	9.49	99.2	
N2638-15	EXL08	15	0.94	9.01	9.95	8.12	79.7	
N2638-16	EXL09	16	0.94	8.71	9.65	9.34	96.4	
N2638-17	EXL10	17	0.95	8.73	9.68	9.19	94.4	
N2638-18	EXL11	18	0.94	9.02	9.96	9.69	97.0	
N2638-19	EXL12	19	0.91	8.89	9.8	9.44	96.0	
N2638-20	EXL13	20	0.92	8.95	9.87	9.44	95.2	
N2638-21	EXL17	21	0.95	9.02	9.97	9.73	97.3	
N2638-24	VHBLK002	22	1.00	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$