



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/3/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:20

In Date: 05/02/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 05/03/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB119935

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2639-01	EXKZ6	1	0.91	8.99	9.9	8.98	89.8	
N2639-02	EXKZ8	2	0.94	9.04	9.98	7.91	77.1	
N2639-03	EXKZ9	3	0.94	8.63	9.57	9.26	96.4	
N2639-04	EXL00	4	0.89	8.92	9.81	9.46	96.1	
N2639-05	EXL14	5	0.94	8.73	9.67	8.35	84.9	
N2639-06	EXL15	6	0.94	8.95	9.89	9.37	94.2	
N2639-07	EXL16	7	0.94	8.68	9.62	9.28	96.1	
N2639-08	EXL18	8	0.92	9.02	9.94	9.05	90.1	
N2639-09	EXL19	9	0.96	8.59	9.55	9.14	95.2	
N2639-10	EXL20	10	0.97	8.60	9.57	9.21	95.8	
N2639-11	EXL21	11	0.95	8.86	9.81	9.27	93.9	
N2639-12	EXL21MS	12	0.95	8.86	9.81	9.27	93.9	
N2639-13	EXL21MSD	13	0.95	8.86	9.81	9.27	93.9	
N2639-14	EXL22	14	0.93	8.60	9.53	8.71	90.5	
N2639-15	EXL23	15	0.94	8.78	9.72	9.29	95.1	
N2639-16	EXL24	16	0.92	8.88	9.8	9.43	95.8	
N2639-17	EXL25	17	0.95	9.00	9.95	9.66	96.8	
N2639-20	VHBLK002	18	1.00	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$