



# PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 5/5/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/04/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 05/05/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB119970

| Lab ID    | Client SampleID    | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments    |
|-----------|--------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|-------------|
| N2666-01  | WASTE              | 1      | 0.92            | 9.05          | 9.97                     | 7.58                       | 73.6    |             |
| N2672-01  | 01                 | 2      | 0.93            | 8.76          | 9.69                     | 8.07                       | 81.5    |             |
| N2672-02  | 02                 | 3      | 0.93            | 8.83          | 9.76                     | 7.45                       | 73.8    |             |
| N2672-03  | 03                 | 4      | 0.91            | 8.77          | 9.68                     | 7.42                       | 74.2    |             |
| N2672-04  | 04                 | 5      | 0.94            | 9.02          | 9.96                     | 8.65                       | 85.5    |             |
| N2672-05  | 05                 | 6      | 0.92            | 9.06          | 9.98                     | 9.2                        | 91.4    |             |
| N2672-06  | 06                 | 7      | 0.9             | 8.83          | 9.73                     | 7.94                       | 79.7    |             |
| N2672-07  | 07                 | 8      | 0.94            | 9.03          | 9.97                     | 8.00                       | 78.2    |             |
| N2672-08  | 08                 | 9      | 0.94            | 8.82          | 9.76                     | 7.56                       | 75.1    |             |
| N2672-09  | 09                 | 10     | 0.91            | 9.00          | 9.91                     | 8.23                       | 81.3    |             |
| N2672-10  | 10                 | 11     | 0.95            | 9.03          | 9.98                     | 8.59                       | 84.6    |             |
| N2676-01  | GT-05- (11-15)     | 12     | 0.95            | 8.96          | 9.91                     | 8.9                        | 88.7    |             |
| N2676-02  | GT-05- (23-25)     | 13     | 0.89            | 9.04          | 9.93                     | 7.37                       | 71.7    |             |
| N2676-03  | GT-10- (10-12)     | 14     | 0.93            | 9.04          | 9.97                     | 8.26                       | 81.1    |             |
| N2676-04  | GT-10- (23-25)     | 15     | 0.9             | 8.80          | 9.7                      | 8.04                       | 81.1    |             |
| N2676-04D | GT-10- (23-25) DUP | 16     | 0.93            | 8.79          | 9.72                     | 8.06                       | 81.1    |             |
| N2680-01  | B1-0-2             | 17     | 0.92            | 8.99          | 9.91                     | 8.51                       | 84.4    |             |
| N2680-02  | B1-5-7             | 18     | 0.93            | 8.63          | 9.56                     | 8.29                       | 85.3    |             |
| N2680-03  | B2-0-2             | 19     | 0.95            | 9.02          | 9.97                     | 8.63                       | 85.1    |             |
| N2680-04  | B2-5-7             | 20     | 0.94            | 9.03          | 9.97                     | 8.55                       | 84.3    |             |
| N2680-05  | B3-0-2             | 21     | 0.91            | 9.00          | 9.91                     | 8.25                       | 81.6    |             |
| N2680-06  | B3-6-8             | 22     | 0.96            | 9.00          | 9.96                     | 8.66                       | 85.6    |             |
| N2680-07  | B4-0-2             | 23     | 0.94            | 9.00          | 9.94                     | 8.71                       | 86.3    |             |
| N2680-08  | B4-5-7             | 24     | 0.96            | 8.95          | 9.91                     | 8.27                       | 81.7    |             |
| N2680-09  | B5-0-2             | 25     | 0.88            | 8.73          | 9.61                     | 8.95                       | 92.4    |             |
| N2680-10  | B5-5-7             | 26     | 0.92            | 9.02          | 9.94                     | 9.16                       | 91.4    |             |
| N2684-01  | BT-OIL             | 33     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE  |
| N2684-03  | BT-OILY-DEB        | 34     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 5/5/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/04/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 05/05/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB119970

| Lab ID   | Client SampleID    | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments    |
|----------|--------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|-------------|
| N2684-06 | BT-OIL             | 35     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE  |
| N2684-07 | BT-OILY-DEB        | 36     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS |
| N2685-01 | WC-8-19-1-1        | 52     | 0.92            | 8.85          | 9.77                     | 7.74                       | 77.1    |             |
| N2685-02 | WC-8-19-1-2        | 53     | 0.94            | 9.00          | 9.94                     | 8.73                       | 86.6    |             |
| N2685-03 | WC-8-19-1-3        | 54     | 0.9             | 9.08          | 9.98                     | 8.24                       | 80.8    |             |
| N2685-04 | WC-14B-5           | 55     | 0.92            | 8.78          | 9.7                      | 8.23                       | 83.3    |             |
| N2685-06 | WC-14B-5           | 56     | 0.94            | 8.81          | 9.75                     | 8.26                       | 83.1    |             |
| N2689-01 | OK-01-050422       | 37     | 0.92            | 8.75          | 9.67                     | 8.5                        | 86.6    |             |
| N2689-02 | OK-01-050422-EPH-2 | 38     | 0.92            | 8.67          | 9.59                     | 8.1                        | 82.8    |             |
| N2691-01 | DEEP-WC-1          | 27     | 0.92            | 8.91          | 9.83                     | 8.32                       | 83.1    |             |
| N2691-02 | DEEP-WC-1-EPH-2    | 28     | 0.92            | 8.91          | 9.83                     | 8.32                       | 83.1    |             |
| N2691-03 | SHALLOW-WC-1       | 29     | 0.94            | 9.00          | 9.94                     | 7.77                       | 75.9    |             |
| N2691-04 | SHALLOW-WC-1-EPH-2 | 30     | 0.94            | 9.00          | 9.94                     | 7.77                       | 75.9    |             |
| N2691-05 | SHALLOW-WC-2       | 31     | 0.9             | 8.99          | 9.89                     | 9.08                       | 91.0    |             |
| N2691-06 | SHALLOW-WC-2-EPH-2 | 32     | 0.9             | 8.99          | 9.89                     | 9.08                       | 91.0    |             |
| N2692-01 | 72-12002           | 39     | 0.93            | 8.77          | 9.7                      | 8.93                       | 91.2    |             |
| N2692-02 | 72-12002-EPH-2     | 40     | 0.93            | 8.77          | 9.7                      | 8.93                       | 91.2    |             |
| N2693-01 | 15-A               | 41     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-02 | 15-B               | 42     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-03 | 16-A               | 43     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-04 | 16-B               | 44     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-05 | 17-A               | 45     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-06 | 17-B               | 46     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-07 | 18-A               | 47     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2693-08 | 18-B               | 48     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL   |
| N2694-01 | 1952-1943-COMP1    | 49     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS |
| N2694-02 | 1944-1950-COMP2    | 50     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS |
| N2694-03 | 1949               | 51     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE  |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 5/5/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/04/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 05/05/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB119970

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-----------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|----------|
| N2703-01 | TP-28           | 57     | 0.93            | 8.84          | 9.77                     | 9.17                       | 93.2    |          |
| N2703-03 | TP-28-EPH       | 58     | 0.89            | 8.82          | 9.71                     | 9.17                       | 93.9    |          |
| N2703-04 | MH-29S          | 59     | 0.94            | 9.04          | 9.98                     | 9.00                       | 89.2    |          |
| N2703-06 | MH-29S-EPH      | 60     | 0.9             | 8.97          | 9.87                     | 8.61                       | 86.0    |          |
| N2703-07 | MH-29D          | 61     | 0.94            | 8.60          | 9.54                     | 8.03                       | 82.4    |          |
| N2703-09 | MH-29D-EPH      | 62     | 0.92            | 9.05          | 9.97                     | 8.00                       | 78.2    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

18119970

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050422 WorkList ID : 159252 Department : Wet-Chemistry Date : 05-04-2022 08:28:49

| Due Date   | Matrix | Sample   | Test           | Raw Sample   |          |                  | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|            |        |          |                | Preservative | Customer | Storage Location |                 |              |              |
| 05/12/2022 | Solid  | N2666-01 | Percent Solids | Cool 4 deg C | RMJE02   | L11              | WASTE           | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-01 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 01              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-02 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 02              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-03 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 03              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-04 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 04              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-05 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 05              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-06 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 06              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-07 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 07              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-08 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 08              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-09 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 09              | 05/02/2022   | Chemtech -SO |
| 05/12/2022 | Solid  | N2672-10 | Percent Solids | Cool 4 deg C | WARR01   | L12              | 10              | 05/02/2022   | Chemtech -SO |
| 05/10/2022 | Solid  | N2676-01 | Percent Solids | Cool 4 deg C | DVIR01   | L11              | GT-05-(11-15)   | 05/02/2022   | Chemtech -SO |
| 05/10/2022 | Solid  | N2676-02 | Percent Solids | Cool 4 deg C | DVIR01   | L11              | GT-05-(23-25)   | 05/02/2022   | Chemtech -SO |
| 05/10/2022 | Solid  | N2676-03 | Percent Solids | Cool 4 deg C | DVIR01   | L11              | GT-10-(10-12)   | 05/02/2022   | Chemtech -SO |
| 05/10/2022 | Solid  | N2676-04 | Percent Solids | Cool 4 deg C | DVIR01   | L11              | GT-10-(23-25)   | 05/02/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-01 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B1-0-2          | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-02 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B1-5-7          | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-03 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B2-0-2          | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-04 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B2-5-7          | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-05 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B3-0-2          | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-06 | Percent Solids | Cool 4 deg C | GFEL01   | K23              | B3-6-8          | 05/03/2022   | Chemtech -SO |

Date/Time : 05/04/22 16:00 Date/Time : 05/04/22 17:20  
Raw Sample Received by: J P (we) Raw Sample Received by: JDCSM  
Raw Sample Relinquished by: JDCSM Raw Sample Relinquished by: J P (we)



# WORKLIST(Hardcopy Internal Chain)

119970

Date: 05-04-2022 08:28:49

WorkList ID: 159252 Department: Wet-Chemistry

WorkList Name: %1-050422

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 05/13/2022 | Solid  | N2680-07 | Percent Solids | Cool 4 deg C | GFEL01   | K23                         | B4-0-2             | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-08 | Percent Solids | Cool 4 deg C | GFEL01   | K23                         | B4-5-7             | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-09 | Percent Solids | Cool 4 deg C | GFEL01   | K23                         | B5-0-2             | 05/03/2022   | Chemtech -SO |
| 05/13/2022 | Solid  | N2680-10 | Percent Solids | Cool 4 deg C | GFEL01   | K23                         | B5-5-7             | 05/03/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2684-01 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | BT-OIL             | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2684-03 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | BT-OILY-DEB        | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2684-06 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | BT-OIL             | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2684-07 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | BT-OILY-DEB        | 05/04/2022   | Chemtech -SO |
| 05/05/2022 | Solid  | N2685-01 | Percent Solids | Cool 4 deg C | ROUX02   | K23                         | WC-8-19-1-1        | 05/04/2022   | Chemtech -SO |
| 05/05/2022 | Solid  | N2685-02 | Percent Solids | Cool 4 deg C | ROUX02   | K23                         | WC-8-19-1-2        | 05/04/2022   | Chemtech -SO |
| 05/05/2022 | Solid  | N2685-03 | Percent Solids | Cool 4 deg C | ROUX02   | K23                         | WC-8-19-1-3        | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2685-04 | Percent Solids | Cool 4 deg C | ROUX02   | K23                         | WC-14B-5           | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2685-06 | Percent Solids | Cool 4 deg C | ROUX02   | K23                         | WC-14B-5           | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2689-01 | Percent Solids | Cool 4 deg C | PSEG05   | L11                         | OK-01-050422       | 05/04/2022   | Chemtech -SO |
| 05/09/2022 | Solid  | N2689-02 | Percent Solids | Cool 4 deg C | PSEG05   | L11                         | OK-01-050422-EPH-2 | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-01 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | DEEP-WC-1          | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-02 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | DEEP-WC-1-EPH-2    | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-03 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | SHALLOW-WC-1       | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-04 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | SHALLOW-WC-1-EPH-2 | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-05 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | SHALLOW-WC-2       | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2691-06 | Percent Solids | Cool 4 deg C | PSEG03   | K11                         | SHALLOW-WC-2-EPH-2 | 05/04/2022   | Chemtech -SO |

Date/Time 05/04/22 15:00  
 Raw Sample Received by: JDC (C5M)  
 Raw Sample Relinquished by: JDC (C5M)

Date/Time 05/04/22 15:20  
 Raw Sample Received by: JDC (C5M)  
 Raw Sample Relinquished by: JDC (C5M)

119970

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050422      WorkList ID : 159252      Department : Wet-Chemistry      Date : 05-04-2022 08:28:49

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 05/11/2022 | Solid  | N2692-01 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 72-12002        | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2692-02 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 72-12002-EPH-2  | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-01 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 15-A            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-02 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 15-B            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-03 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 16-A            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-04 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 16-B            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-05 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 17-A            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-06 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 17-B            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-07 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 18-A            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2693-08 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 18-B            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2694-01 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 1952-1943-COMP1 | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2694-02 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 1944-1950-COMP2 | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2694-03 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | 1949            | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-01 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | TP-28           | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-03 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | TP-28-EPH       | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-04 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | MH-29S          | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-06 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | MH-29S-EPH      | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-07 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | MH-29D          | 05/04/2022   | Chemtech -SO |
| 05/11/2022 | Solid  | N2703-09 | Percent Solids | Cool 4 deg C | PSEG03   | K23                         | MH-29D-EPH      | 05/04/2022   | Chemtech -SO |

Date/Time 05/04/22 16:00  
 Raw Sample Received by: J.P. (WCL)  
 Raw Sample Relinquished by: J.D. (CSM)

Date/Time 05/04/22 14:20  
 Raw Sample Received by: J.D. (CSM)  
 Raw Sample Relinquished by: J.P. (WCL)