



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB120133

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N2792-01	RO-371	1	100.08	0.00	05/12/2022	11:15
2	N2792-01DUP	RO-371DUP	1	100.05	0.00	05/12/2022	11:22
3	N2795-02	VNJ-239	1	100.04	0.00	05/12/2022	11:30
4	N2802-01	SHALLOW-WC-1	1	100.06	0.00	05/12/2022	11:38
5	N2802-03	DEEP-WC-1	1	100.02	0.00	05/12/2022	11:45

WORKLIST(Hardcopy Internal Chain)

L13120133

WorkList Name : PF-051222 WorkList ID : 159520 Department : Wet-Chemistry Date : 05-12-2022 09:15:43

Due Date	Matrix	Sample	Test	Raw Sample			Collect Date	Method
				Preservative	Customer	Storage Location		
05/11/2022	Solid	N2792-01	Paint Filter	Cool 4 deg C	PSEG03	K33 RO-371	05/11/2022	9095B
05/11/2022	Solid	N2795-02	Paint Filter	Cool 4 deg C	PSEG03	K33 VNJ-239	05/11/2022	9095B
05/11/2022	Solid	N2802-01	Paint Filter	Cool 4 deg C	PSEG03	K31 SHALLOW-WC-1	05/11/2022	9095B
05/11/2022	Solid	N2802-03	Paint Filter	Cool 4 deg C	PSEG03	K31 DEEP-WC-1	05/11/2022	9095B

Date/Time 5/12/22 11:00
 Raw Sample Received by: KS(WC)
 Raw Sample Relinquished by: KS(WC)

Date/Time 5/12/22 12:05
 Raw Sample Received by: KS(WC)
 Raw Sample Relinquished by: KS(WC)