



PERCENT SOLID

Supervisor: mohammad
Analyst: jignesh
Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/17/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/18/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2820-01	STONE-PILE	90	1.07	8.88	9.95	8.59	84.7	
N2871-01	P017-SS001-0006-01	1	0.91	8.95	9.86	8.2	81.5	
N2871-02	P017-SS001-0612-01	2	0.97	8.83	9.8	8.28	82.8	
N2871-03	P017-SS001-1218-01	3	1.00	8.63	9.63	7.91	80.1	
N2871-04	P017-SS001-1824-01	4	0.97	8.75	9.72	7.6	75.8	
N2871-05	P017-SS001-2430-01	5	0.98	8.72	9.7	6.65	65.0	
N2871-06	P017-SS002-0006-01	6	0.99	8.86	9.85	9.32	94.0	
N2871-07	P017-SS002-0612-01	7	0.98	8.89	9.87	8.83	88.3	
N2871-08	P017-SS002-1218-01	8	1.00	8.62	9.62	8.23	83.9	
N2871-09	P017-SS002-1824-01	9	0.98	8.63	9.61	8.36	85.5	
N2871-10	P017-SS002-2430-01	10	0.99	8.75	9.74	8.39	84.6	
N2871-11	P017-SS003-0006-01	11	0.97	8.68	9.65	8.57	87.6	
N2871-12	P017-SS003-0612-01	12	0.96	8.81	9.77	8.41	84.6	
N2871-13	P017-SS003-1218-01	13	1.00	8.86	9.86	8.17	80.9	
N2871-14	P017-SS003-1824-01	14	0.94	8.75	9.69	8.00	80.7	
N2871-15	P017-SS003-2430-01	15	0.97	8.91	9.88	7.98	78.7	
N2871-16	P017-SS004-0006-01	16	0.96	8.73	9.69	8.77	89.5	
N2871-17	P017-SS004-0612-01	17	0.98	8.93	9.91	8.99	89.7	
N2871-18	N2871-17MS	18	1.00	8.91	9.91	8.99	89.7	
N2871-19	N2871-17MSD	19	0.98	8.93	9.91	8.99	89.7	
N2871-20	P017-SS004-0612-02	20	0.98	8.90	9.88	8.64	86.1	
N2871-21	P017-SS004-1218-01	21	0.98	8.67	9.65	8.55	87.3	
N2871-22	P017-SS004-1824-01	22	0.97	8.83	9.8	8.12	81.0	
N2871-23	P017-SS004-2430-01	23	0.99	8.94	9.93	8.89	88.4	
N2871-24	P017-SS005-0006-01	24	1.00	8.60	9.6	9.11	94.3	
N2872-01	P017-SS005-0612-01	25	0.98	8.88	9.86	7.59	74.4	
N2872-02	P017-SS005-1218-01	26	0.97	9.00	9.97	7.44	71.9	
N2872-03	P017-SS005-1824-01	27	0.94	8.91	9.85	8.19	81.4	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2872-04	P017-SS005-2430-01	28	0.99	8.92	9.91	7.36	71.4	
N2872-05	P017-SS006-0006-01	29	1.00	8.95	9.95	8.43	83.0	
N2872-06	P017-SS006-0612-01	30	1.00	8.79	9.79	7.71	76.3	
N2872-07	P017-SS006-1218-01	31	0.97	8.89	9.86	7.64	75.0	
N2872-08	P017-SS006-1824-01	32	0.99	8.88	9.87	6.79	65.3	
N2872-09	P017-SS006-2430-01	33	1.00	8.96	9.96	6.39	60.2	
N2872-10	P022-SS001-0006-01	34	0.94	9.04	9.98	8.6	84.7	
N2872-11	P022-SS001-0612-01	35	0.98	8.57	9.55	7.93	81.1	
N2872-12	P022-SS001-1218-01	36	0.99	8.57	9.56	7.88	80.4	
N2872-13	P022-SS001-1824-01	37	1.00	8.77	9.77	8.25	82.7	
N2872-14	P022-SS001-2430-01	38	1.00	8.89	9.89	8.13	80.2	
N2872-15	P022-SS002-0006-01	39	1.00	8.85	9.85	8.34	82.9	
N2872-16	N2872-15MS	40	1.00	8.85	9.85	8.34	82.9	
N2872-17	N2872-15MSD	41	1.00	8.85	9.85	8.34	82.9	
N2872-18	P022-SS002-0006-02	42	0.98	8.66	9.64	8.34	85.0	
N2872-19	P022-SS002-0612-01	43	0.99	8.64	9.63	8.02	81.4	
N2872-20	P022-SS002-1218-01	44	1.02	8.79	9.81	8.42	84.2	
N2872-21	P022-SS002-1824-01	45	1.03	8.72	9.75	8.23	82.6	
N2872-22	P022-SS002-2430-01	46	1.00	8.90	9.9	8.31	82.1	
N2872-23	P029-SS001-0006-01	47	0.95	8.87	9.82	8.9	89.6	
N2873-01	P029-SS001-0612-01	48	0.97	8.63	9.6	7.53	76.0	
N2873-02	P029-SS001-1218-01	49	0.98	8.74	9.72	8.08	81.2	
N2873-03	P029-SS001-1824-01	50	1.02	8.82	9.84	8.09	80.2	
N2873-04	P029-SS001-2430-01	51	0.9	9.08	9.98	8.17	80.1	
N2873-05	P031-SS001-0006-01	52	1.01	8.70	9.71	8.44	85.4	
N2873-06	P031-SS001-0612-01	53	0.99	8.86	9.85	8.18	81.2	
N2873-07	P031-SS001-1218-01	54	1.00	8.85	9.85	7.93	78.3	
N2873-08	P031-SS001-1824-01	55	0.98	8.73	9.71	7.79	78.0	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2873-09	P031-SS001-2430-01	56	0.98	8.82	9.8	7.88	78.2	
N2873-10	P032-SS001-0006-01	57	1.02	8.66	9.68	8.15	82.3	
N2873-11	P032-SS001-0612-01	58	1.01	8.64	9.65	7.82	78.8	
N2873-12	P032-SS001-1218-01	59	0.98	8.87	9.85	7.96	78.7	
N2873-13	P032-SS001-1824-01	60	0.97	8.57	9.54	7.94	81.3	
N2873-14	P032-SS001-2430-01	61	1.03	8.74	9.77	7.89	78.5	
N2874-01	P007-SS002-0006-01	62	0.93	9.01	9.94	8.47	83.7	
N2874-02	P007-SS002-0612-01	63	0.9	8.78	9.68	8.3	84.3	
N2874-03	P007-SS002-1218-01	64	0.93	9.04	9.97	8.74	86.4	
N2874-06	P007-SS002-1824-01	65	1.05	8.51	9.56	8.28	85.0	
N2874-07	N2874-06MS	66	1.05	8.51	9.56	8.28	85.0	
N2874-08	N2874-06MSD	67	1.05	8.51	9.56	8.28	85.0	
N2874-09	P007-SS002-1824-02	68	1.04	8.91	9.95	8.71	86.1	
N2874-10	P007-SS002-2430-01	69	1.03	8.77	9.8	8.7	87.5	
N2874-11	P007-SS003-0006-01	70	1.00	8.67	9.67	8.17	82.7	
N2874-12	P007-SS003-0612 -01	71	1.02	8.70	9.72	8.41	84.9	
N2874-13	P007-SS003-1218-01	72	1.01	8.86	9.87	8.28	82.1	
N2874-14	P007-SS003-1824-01	73	0.98	8.76	9.74	7.16	70.5	
N2874-15	P007-SS003-2430-01	74	1.00	8.75	9.75	7.73	76.9	
N2874-16	P007-SS004-0006-01	75	1.06	8.55	9.61	7.71	77.8	
N2874-17	P007-SS004-0612-01	76	1.04	8.65	9.69	8.51	86.4	
N2874-18	P007-SS004-1218-01	77	1.00	8.67	9.67	8.41	85.5	
N2874-19	P007-SS004-1824-01	78	1.08	8.83	9.91	8.44	83.4	
N2874-20	P007-SS004-2430-01	79	1.02	8.72	9.74	8.21	82.5	
N2874-21	P007-SS005-0006-01	80	0.89	8.71	9.6	7.85	79.9	
N2874-22	P007-SS005-0612-01	81	1.07	8.83	9.9	7.98	78.3	
N2874-23	P007-SS005-1218-01	82	1.06	8.79	9.85	7.93	78.2	
N2874-24	N2874-24MS	83	1.08	8.77	9.85	7.94	78.2	



PERCENT SOLID

Supervisor: mohammad
Analyst: jignesh
Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/17/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/18/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2874-25	N2874-24MSD	84	1.06	8.79	9.85	7.93	78.2	
N2874-26	P007-SS005-1218-02	85	1.02	8.64	9.66	7.58	75.9	
N2874-27	P007-SS005-1824-01	86	1.07	8.57	9.64	7.71	77.5	
N2874-28	P007-SS005-2430-01	87	1.07	8.55	9.62	7.74	78.0	
N2875-01	P007-SS006-0006-01	91	1.08	8.59	9.67	8.41	85.3	
N2875-02	P007-SS006-0612-01	92	1.08	8.90	9.98	8.41	82.4	
N2875-03	P007-SS006-1218-01	93	1.08	8.81	9.89	8.79	87.5	
N2875-04	P007-SS006-1824-01	94	1.09	8.59	9.68	8.61	87.5	
N2875-05	P007-SS006-2430-01	95	1.09	8.76	9.85	8.79	87.9	
N2875-06	P007-SS007-0006-01	96	1.09	8.41	9.5	7.5	76.2	
N2875-07	P007-SS007-0612-01	97	1.1	8.78	9.88	8.17	80.5	
N2875-08	P007-SS007-1218-01	98	1.03	8.58	9.61	7.63	76.9	
N2875-09	P007-SS007-1824-01	99	1.09	8.70	9.79	7.94	78.7	
N2875-10	P007-SS007-2430-01	100	1.1	8.43	9.53	7.81	79.6	
N2875-11	P007-SS008-0006-01	101	1.09	8.88	9.97	7.02	66.8	
N2875-12	P007-SS008-0612-01	102	1.07	8.57	9.64	7.69	77.2	
N2875-13	P007-SS008-1218-01	103	1.1	8.72	9.82	8.23	81.8	
N2875-14	P007-SS008-1824-01	104	1.12	8.74	9.86	8.05	79.3	
N2875-15	P007-SS008-2430-01	105	1.08	8.61	9.69	7.82	78.3	
N2875-16	P007-SS009-0006-01	106	1.11	8.77	9.88	8.46	83.8	
N2875-17	P007-SS009-0612-01	107	1.1	8.68	9.78	8.74	88.0	
N2875-18	P007-SS008-1218-01	108	1.11	8.87	9.98	8.98	88.7	
N2875-19	P007-SS010-0006-01	109	1.1	8.83	9.93	8.52	84.0	
N2875-20	P007-SS010-0612-01	110	1.13	8.55	9.68	8.12	81.8	
N2876-01	P007-SS010-1218-01	111	1.1	8.45	9.55	8.14	83.3	
N2876-02	P007-SS010-1824-01	112	1.09	8.83	9.92	8.36	82.3	
N2876-03	P007-SS010-2430-01	113	1.11	8.57	9.68	8.22	83.0	
N2876-04	P007-SS011-0006-01	114	1.14	8.72	9.86	8.87	88.6	



PERCENT SOLID

Supervisor: mohammad
Analyst: jignesh
Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/17/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/18/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2876-05	P007-SS011-0612-01	115	1.1	8.59	9.69	8.24	83.1	
N2876-06	P007-SS011-1218-01	116	1.14	8.70	9.84	7.79	76.4	
N2876-07	P007-SS011-1824-01	117	1.15	8.41	9.56	7.6	76.7	
N2876-08	P007-SS011-2430-01	118	1.1	8.68	9.78	6.99	67.9	
N2876-09	P007-SS012-0006-01	119	1.14	8.83	9.97	8.15	79.4	
N2876-10	P007-SS012-0612-01	120	1.13	8.69	9.82	7.76	76.3	
N2876-11	P007-SS012-1218-01	121	1.1	8.80	9.9	7.83	76.5	
N2876-12	P007-SS012-1824-01	122	1.11	8.47	9.58	7.69	77.7	
N2876-13	P007-SS012-2430-01	123	1.13	8.80	9.93	7.82	76.0	
N2876-14	P007-SS013-0006-01	124	1.12	8.70	9.82	9.06	91.3	
N2876-15	P007-SS013-0612-01	125	1.13	8.48	9.61	8.73	89.6	
N2876-16	P007-SS013-1218-01	126	1.14	8.55	9.69	8.33	84.1	
N2876-17	P007-SS013-1824-01	127	1.12	8.80	9.92	8.74	86.6	
N2876-18	N2876-17MS	128	1.12	8.80	9.92	8.74	86.6	
N2876-19	N2876-17MSD	129	1.12	8.80	9.92	8.74	86.6	
N2876-20	P007-SS013-1824-02	130	1.14	8.45	9.59	8.48	86.9	
N2876-21	P007-SS014-0006-01	131	1.12	8.57	9.69	7.96	79.8	
N2876-22	P007-SS014-0612-01	132	1.14	8.67	9.81	8.23	81.8	
N2876-23	P007-SS014-1218-01	133	1.13	8.54	9.67	7.98	80.2	
N2876-24	P007-SS014-1824-01	134	1.12	8.71	9.83	8.23	81.6	
N2877-01	P007-SS014-2430-01	135	0.91	8.76	9.67	8.18	83.0	
N2877-02	P007-SS015-0006-01	136	0.91	9.06	9.97	9.21	91.6	
N2877-03	P007-SS015-0612-01	137	0.91	8.68	9.59	8.2	84.0	
N2877-04	P007-SS015-1218-01	138	0.91	8.71	9.62	8.32	85.1	
N2877-05	P007-SS015-1824-01	139	0.91	8.71	9.62	8.36	85.5	
N2877-06	P007-SS015-2430-01	140	0.95	9.02	9.97	8.58	84.6	
N2877-07	P007-SS016-0006-01	141	0.91	8.84	9.75	8.85	89.8	
N2877-08	P007-SS016-0612-01	142	0.91	8.49	9.4	8.31	87.2	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2877-09	P007-SS016-1218-01	143	0.91	8.71	9.62	7.83	79.4	
N2877-10	P007-SS016-1824-01	144	0.89	8.82	9.71	8.04	81.1	
N2877-11	P007-SS016-2430-01	145	0.89	8.88	9.77	8.47	85.4	
N2877-12	P007-SS017-0006-01	146	0.91	8.49	9.4	8.1	84.7	
N2877-13	P007-SS017-0612-01	147	0.91	8.71	9.62	8.04	81.9	
N2877-14	P007-SS017-1218-01	148	0.91	8.92	9.83	8.86	89.1	
N2877-15	P007-SS017-1824-01	149	0.91	8.86	9.77	8.31	83.5	
N2877-16	P007-SS017-2430-01	150	0.91	8.86	9.77	7.74	77.1	
N2877-17	P007-SS018-0006-01	151	0.93	8.66	9.59	8.59	88.5	
N2877-18	P007-SS018-0612-01	152	0.91	8.79	9.7	8.6	87.5	
N2877-19	N2877-18MS	153	0.91	8.79	9.7	8.6	87.5	
N2877-20	N2877-18MSD	154	0.91	8.79	9.7	8.6	87.5	
N2877-21	P007-SS018-0612-02	155	0.91	8.63	9.54	8.47	87.6	
N2877-22	P007-SS018-1218-01	156	0.9	8.83	9.73	8.54	86.5	
N2877-23	P007-SS018-1824-01	157	0.91	8.73	9.64	8.46	86.5	
N2877-24	P007-SS018-2430-01	158	0.91	8.73	9.64	8.62	88.3	
N2878-01	P007-SS019-0006-01	159	0.91	8.59	9.5	8.65	90.1	
N2878-02	P007-SS019-0612-01	160	0.91	8.91	9.82	8.61	86.4	
N2878-03	P007-SS019-1218-01	161	0.92	8.81	9.73	8.46	85.6	
N2878-04	P007-SS019-1824-01	162	0.94	8.83	9.77	8.39	84.4	
N2878-05	P007-SS019-2430-01	163	0.93	8.84	9.77	8.43	84.8	
N2878-06	P007-SS020-0006-01	164	0.91	8.62	9.53	8.26	85.3	
N2878-07	P007-SS020-0612-01	165	0.9	8.76	9.66	8.28	84.2	
N2878-08	P007-SS020-1218-01	166	0.91	8.59	9.5	8.00	82.5	
N2878-09	P007-SS020-1824-01	167	0.88	8.75	9.63	8.35	85.4	
N2878-10	P007-SS020-2430-01	168	0.92	8.72	9.64	8.44	86.2	
N2878-11	P007-SS021-0006-01	169	0.91	8.99	9.9	8.67	86.3	
N2878-12	P007-SS021-0612-01	170	0.9	8.60	9.5	8.2	84.9	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2878-13	P007-SS022-0006-01	171	0.91	9.06	9.97	8.74	86.4	
N2878-14	P007-SS022-1218-01	172	0.89	8.83	9.72	8.6	87.3	
N2878-15	P007-SS022-1824-01	173	0.91	8.63	9.54	8.27	85.3	
N2878-16	P007-SS022-2430-01	174	0.91	8.94	9.85	8.81	88.4	
N2884-01	31490	88	1.00	1.00	2.00	2.00	100.0	OILY DEBRIS
N2884-02	30887	89	1.00	1.00	2.00	2.00	100.0	OILY DEBRIS
N2889-01	D2323-OIL	224	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N2889-03	D2321-22-SOIL	225	0.91	9.04	9.95	8.14	80.0	
N2889-04	D2321-22-SOIL-EPH-2	226	0.9	8.74	9.64	8.12	82.6	
N2889-05	RO-211-051-SOIL	227	0.89	8.61	9.5	8.73	91.1	
N2889-06	RO-211-051-SOIL-EPH-2	228	0.91	8.89	9.8	9.16	92.8	
N2900-01	SU-02-051722	175	0.91	8.80	9.71	9.04	92.4	
N2900-02	SU-02-051722-EPH-2	176	0.91	8.80	9.71	9.04	92.4	
N2900-03	SU-04-051722	177	0.88	8.64	9.52	9.33	97.8	
N2900-04	SU-04-051722-EPH-2	178	0.88	8.64	9.52	9.33	97.8	
N2901-01	EO-02-051722	179	0.97	8.67	9.64	8.79	90.2	
N2901-02	EO-02-051722-EPH-2	180	0.97	8.67	9.64	8.79	90.2	
N2904-01	FCA566M-1-1	190	1.00	1.00	2.00	2.00	100.0	oilc
N2904-02	FCA566M-1-2	191	1.00	1.00	2.00	2.00	100.0	oilc
N2904-03	FCA566M-2-1	192	1.00	1.00	2.00	2.00	100.0	oilc
N2904-04	FCA566M-2-2	193	1.00	1.00	2.00	2.00	100.0	oilc
N2904-05	BC245029-1-1	194	1.00	1.00	2.00	2.00	100.0	oilc
N2904-06	BC245029-1-2	195	1.00	1.00	2.00	2.00	100.0	oilc
N2904-07	BC245029-2-1	196	1.00	1.00	2.00	2.00	100.0	oilc
N2904-08	BC245029-2-2	197	1.00	1.00	2.00	2.00	100.0	oilc
N2904-09	KMA927N-1-1	198	1.00	1.00	2.00	2.00	100.0	oilc
N2904-10	KMA927N-1-2	199	1.00	1.00	2.00	2.00	100.0	oilc
N2904-11	KZZ151J-1-1	200	1.00	1.00	2.00	2.00	100.0	oilc



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2904-12	KZZ151J-1-2	201	1.00	1.00	2.00	2.00	100.0	oilc
N2904-13	KZZ151J-2-1	202	1.00	1.00	2.00	2.00	100.0	oilc
N2904-14	KZZ151J-2-2	203	1.00	1.00	2.00	2.00	100.0	oilc
N2904-15	BC248056-1-1	204	1.00	1.00	2.00	2.00	100.0	oilc
N2904-16	BC248056-1-2	205	1.00	1.00	2.00	2.00	100.0	oilc
N2904-17	BC248056-2-1	206	1.00	1.00	2.00	2.00	100.0	oilc
N2904-18	BC248056-2-2	207	1.00	1.00	2.00	2.00	100.0	oilc
N2904-19	BC237767-1-1	208	1.00	1.00	2.00	2.00	100.0	oilc
N2904-20	BC237767-1-2	209	1.00	1.00	2.00	2.00	100.0	oilc
N2904-21	BC216015-1-1	210	1.00	1.00	2.00	2.00	100.0	oilc
N2904-22	BC216015-1-2	211	1.00	1.00	2.00	2.00	100.0	oilc
N2904-23	HEE353Z-1-1	212	1.00	1.00	2.00	2.00	100.0	oilc
N2904-24	HEE353Z-1-2	213	1.00	1.00	2.00	2.00	100.0	oilc
N2905-02	302-OIL	229	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N2906-01	CDF-1	181	0.91	9.05	9.96	9.09	90.4	
N2906-02	CDF-2	182	0.91	8.83	9.74	9.00	91.6	
N2906-03	CDF-3	183	0.88	8.88	9.76	8.85	89.8	
N2907-01	GC-1	184	0.89	8.81	9.7	8.76	89.3	
N2907-02	GC-2	185	0.9	8.85	9.75	8.63	87.3	
N2907-03	GC-3	186	0.93	9.01	9.94	8.82	87.6	
N2908-01	BI-1	187	0.93	9.04	9.97	8.37	82.3	
N2908-02	BI-2	188	0.91	8.63	9.54	7.83	80.2	
N2908-03	BI-3	189	0.88	8.92	9.8	8.16	81.6	
N2909-01	HED845X-1-1	214	1.00	1.00	2.00	2.00	100.0	oilc
N2909-02	HED845X-1-2	215	1.00	1.00	2.00	2.00	100.0	oilc
N2909-03	BC259215-1-1	216	1.00	1.00	2.00	2.00	100.0	oilc
N2909-04	BC259215-1-2	217	1.00	1.00	2.00	2.00	100.0	oilc
N2909-05	BC107585-1-1	218	1.00	1.00	2.00	2.00	100.0	oilc



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/18/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/17/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:20

Out Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120208

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2909-06	BC107585-1-2	219	1.00	1.00	2.00	2.00	100.0	oilc
N2909-07	BC107585-2-1	220	1.00	1.00	2.00	2.00	100.0	oilc
N2909-08	BC107585-2-2	221	1.00	1.00	2.00	2.00	100.0	oilc
N2909-09	BC107585-3-1	222	1.00	1.00	2.00	2.00	100.0	oilc
N2909-10	BC107585-3-2	223	1.00	1.00	2.00	2.00	100.0	oilc
N2910-01	D2472-PADS	230	1.00	1.00	2.00	2.00	100.0	PADS
N2910-02	D2473-OIL	231	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N2910-04	D2474-ROCKS	232	1.00	1.00	2.00	2.00	100.0	ROCKS
N2910-05	D2474-ROCKS-EPH-2	233	1.00	1.00	2.00	2.00	100.0	ROCKS

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$