



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/19/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:10

In Date: 05/18/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 05/19/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120225

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2898-01	GBG28	1	0.91	8.98	9.89	9.19	92.2	
N2898-02	GBG29	2	0.93	8.63	9.56	8.9	92.4	
N2898-03	GBG30	3	0.9	8.68	9.58	9.41	98.0	
N2898-04	GBG31	4	0.92	8.68	9.6	9.41	97.8	
N2898-05	GBG32	5	0.9	8.91	9.81	8.96	90.5	
N2898-06	GBG33	6	0.93	8.93	9.86	8.38	83.4	
N2898-07	GBG34	7	0.9	8.66	9.56	8.26	85.0	
N2898-08	GBG35	8	0.93	8.67	9.6	9.58	99.8	
N2898-09	GBG36	9	0.89	8.65	9.54	9.15	95.5	
N2898-10	GBG37	10	0.94	8.58	9.52	9.21	96.4	
N2898-11	GBG38	11	0.93	8.75	9.68	9.36	96.3	
N2898-12	GBG39	12	0.93	8.71	9.64	8.94	92.0	
N2898-13	GBG40	13	0.89	8.75	9.64	9.32	96.3	
N2898-14	GBG41	14	0.9	8.90	9.8	8.77	88.4	
N2898-15	GBG41D	15	0.9	8.90	9.8	8.77	88.4	
N2898-16	GBG41S	16	0.9	8.90	9.8	8.77	88.4	
N2898-17	GBG42	17	0.93	8.91	9.84	9.55	96.7	
N2898-18	GBG43	18	0.88	8.64	9.52	9.24	96.8	
N2898-19	GBG44	19	0.88	8.81	9.69	9.41	96.8	
N2898-20	GBG45	20	0.9	8.67	9.57	8.91	92.4	
N2898-21	GBG46	21	0.93	8.76	9.69	9.27	95.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$