



PERCENT SOLID

Supervisor: mohammad
Analyst: jignesh
Date: 5/19/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 18:20
In Date: 05/18/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:45
Out Date: 05/19/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB120239

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2848-01	EXXW3	1	0.93	8.83	9.76	9.14	93.0	
N2848-02	EXXW4	2	0.98	8.44	9.42	7.62	78.7	
N2848-03	EXXW5	3	0.94	8.56	9.5	7.69	78.9	
N2848-05	VHBLK001	4	1.00	1.00	2.00	2.00	100.0	VHBLK
N2848-07	EXXX8	5	0.94	8.56	9.5	8.93	93.3	
N2848-08	EXXX9	6	0.95	8.88	9.83	9.44	95.6	
N2848-09	EXXY0	7	0.96	9.00	9.96	9.66	96.7	
N2848-10	EXXY1	8	0.96	8.59	9.55	9.34	97.6	
N2848-11	EXXY2	9	0.94	8.40	9.34	9.21	98.5	
N2848-12	EXXY3	10	0.91	8.83	9.74	9.34	95.5	
N2848-13	EXXY4	11	0.92	8.56	9.48	9.19	96.6	
N2848-14	EXY00	12	0.92	8.78	9.7	9.03	92.4	
N2848-15	EXY01	13	0.94	8.75	9.69	9.33	95.9	
N2848-16	EXY01MS	14	0.94	8.75	9.69	9.33	95.9	
N2848-17	EXY01MSD	15	0.94	8.75	9.69	9.33	95.9	
N2848-18	EXY02	16	0.94	8.83	9.77	9.11	92.5	
N2848-19	EXXZ8	17	0.9	8.99	9.89	9.15	91.8	
N2848-20	EXXZ9	18	0.92	8.66	9.58	9.1	94.5	
N2848-21	EXY10	19	0.93	8.96	9.89	9.26	93.0	
N2848-22	EXY12	20	0.92	8.66	9.58	9.15	95.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$