



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 5/21/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/20/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 05/21/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB120274

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2930-01	PO02-SS003-0006-01	1	0.93	9.02	9.95	8.63	85.4	
N2930-02	PO02-SS003-0612-01	2	0.91	8.77	9.68	8.25	83.7	
N2930-03	PO02-SS003-1218-01	3	0.93	8.85	9.78	8.23	82.5	
N2930-04	PO02-SS004-0006-01	4	0.91	8.66	9.57	8.12	83.3	
N2930-05	PO02-SS004-0612-01	5	0.88	8.90	9.78	8.45	85.1	
N2930-06	PO02-SS004-1218-01	6	0.88	9.01	9.89	8.53	84.9	
N2930-07	PO05-SS003-0006-01	7	0.88	9.08	9.96	7.97	78.1	
N2930-08	PO05-SS003-0612-01	8	0.91	8.77	9.68	8.22	83.4	
N2930-09	PO05-SS003-1218-01	9	0.81	8.82	9.63	8.1	82.7	
N2930-10	PO05-SS003-1824-01	10	0.84	8.88	9.72	8.32	84.2	
N2930-11	PO05-SS003-2430-01	11	0.96	8.60	9.56	8.41	86.6	
N2930-12	PO05-SS004-0006-01	12	0.93	8.74	9.67	8.47	86.3	
N2930-13	PO05-SS004-0612-01	13	0.9	8.87	9.77	8.59	86.7	
N2930-14	PO05-SS004-1218-01	14	0.93	8.95	9.88	8.24	81.7	
N2930-15	PO05-SS004-1824-01	15	0.96	8.99	9.95	8.42	83.0	
N2930-16	PO05-SS004-2430-01	16	0.93	8.79	9.72	8.43	85.3	
N2930-17	PO06-SS002-0006-01	17	0.91	9.03	9.94	8.59	85.0	
N2930-18	PO06-SS002-0612-01	18	0.88	9.08	9.96	8.5	83.9	
N2930-19	PO06-SS002-1218-01	19	0.93	8.72	9.65	7.6	76.5	
N2930-20	PO06-SS002-1824-01	20	0.9	8.60	9.5	7.91	81.5	
N2930-21	PO06-SS002-2430-01	21	0.91	8.70	9.61	8.36	85.6	
N2931-01	PO09-SS003-0006-01	22	0.9	9.01	9.91	8.26	81.7	
N2931-02	PO09-SS003-0612-01	23	0.93	8.60	9.53	8.25	85.1	
N2931-03	PO09-SS003-1218-01	24	0.89	8.66	9.55	8.42	87.0	
N2931-04	PO09-SS003-1824-01	25	0.9	8.74	9.64	8.66	88.8	
N2931-05	PO09-SS003-2430-01	26	0.96	8.99	9.95	9.26	92.3	
N2931-06	N2931-05MS	27	0.96	8.99	9.95	9.26	92.3	
N2931-07	N2931-05MSD	28	0.96	8.99	9.95	9.26	92.3	



PERCENT SOLID

Supervisor: ketankumar

Analyst: jignesh

Date: 5/21/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/20/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120274

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2931-08	PO09-SS003-2430-02	29	0.91	8.65	9.56	8.74	90.5	
N2931-09	PO09-SS004-0006-01	30	0.93	8.64	9.57	8.43	86.8	
N2931-10	PO09-SS004-0612-01	31	0.9	8.77	9.67	8.48	86.4	
N2931-11	PO09-SS004-1218-01	32	0.88	8.80	9.68	8.48	86.4	
N2931-12	PO09-SS004-1824-01	33	0.93	8.67	9.6	8.58	88.2	
N2931-13	PO09-SS004-2430-01	34	0.86	8.91	9.77	8.94	90.7	
N2931-14	PO16-SS001-0006-01	35	0.88	8.97	9.85	8.13	80.8	
N2931-15	PO16-SS001-0612-01	36	0.9	9.07	9.97	8.6	84.9	
N2931-16	PO16-SS001-1218-01	37	0.88	8.96	9.84	8.45	84.5	
N2931-17	PO16-SS002-0006-01	38	0.93	9.03	9.96	9.02	89.6	
N2931-18	PO16-SS002-0612-01	39	0.88	8.66	9.54	8.7	90.3	
N2931-19	PO16-SS002-1218-01	40	0.9	8.81	9.71	8.96	91.5	
N2932-01	PO16-SS002-1824-01	41	0.91	8.73	9.64	8.78	90.1	
N2932-02	PO16-SS002-2430-01	42	0.93	8.85	9.78	8.88	89.8	
N2932-03	PO16-SS003-0006-01	43	0.93	8.93	9.86	7.89	77.9	
N2932-04	PO16-SS003-0612-01	44	0.93	9.00	9.93	8.36	82.6	
N2932-05	PO16-SS003-1218-01	45	0.91	8.86	9.77	7.7	76.6	
N2932-06	N2932-05MS	46	0.91	8.86	9.77	7.7	76.6	
N2932-07	N2932-05MSD	47	0.91	8.86	9.77	7.7	76.6	
N2932-08	PO16-SS003-1218-02	48	0.88	8.84	9.72	7.89	79.3	
N2932-09	PO16-SS003-1824-01	49	0.93	8.73	9.66	7.65	77.0	
N2932-10	PO16-SS003-2430-01	50	0.95	9.01	9.96	7.43	71.9	
N2932-11	PO16-SS004-0006-01	51	0.91	8.89	9.8	8.78	88.5	
N2932-12	PO16-SS004-0612-01	52	0.91	8.60	9.51	8.29	85.8	
N2932-13	PO16-SS004-1218-01	53	0.88	8.91	9.79	8.26	82.8	
N2932-14	PO16-SS004-1824-01	54	0.91	8.81	9.72	8.33	84.2	
N2932-15	PO16-SS004-2430-01	55	0.96	8.62	9.58	8.12	83.1	
N2932-16	PO16-SS005-0006-01	56	0.91	8.70	9.61	8.66	89.1	



PERCENT SOLID

Supervisor: ketankumar

Analyst: jignesh

Date: 5/21/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/20/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120274

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2932-17	N2932-16MS	57	0.91	8.70	9.61	8.66	89.1	
N2932-18	N2932-16MSD	58	0.91	8.70	9.61	8.66	89.1	
N2932-19	P016-SS005-0006-02	59	0.92	8.69	9.61	8.72	89.8	
N2932-20	P016-SS005-0612-01	60	0.88	8.73	9.61	8.63	88.8	
N2932-21	P016-SS005-1218-01	61	0.95	9.02	9.97	9.00	89.2	
N2932-22	P016-SS005-1824-01	62	0.89	8.63	9.52	8.44	87.5	
N2932-23	P016-SS005-2430-01	63	0.94	8.64	9.58	8.44	86.8	
N2932-24	P023-SS001-0006-01	64	0.89	8.93	9.82	8.65	86.9	
N2933-01	P023-SS001-0612-01	65	0.91	8.90	9.81	8.48	85.1	
N2933-02	P023-SS001-1218-01	66	0.91	8.59	9.5	8.22	85.1	
N2933-03	P023-SS001-1824-01	67	0.91	8.61	9.52	8.42	87.2	
N2933-04	P023-SS001-2430-01	68	0.89	8.91	9.8	8.99	90.9	
N2933-05	P023-SS002-0006-01	69	0.91	9.05	9.96	8.94	88.7	
N2933-06	P023-SS002-0612-01	70	0.94	8.93	9.87	8.58	85.6	
N2933-07	N2933-06MS	71	0.94	8.93	9.87	8.58	85.6	
N2933-08	N2933-06MSD	72	0.94	8.93	9.87	8.58	85.6	
N2933-09	P023-SS002-0612-02	73	0.88	9.03	9.91	8.64	85.9	
N2933-10	P023-SS002-1218-01	74	0.91	8.95	9.86	8.87	88.9	
N2933-11	P023-SS002-1824-01	75	0.89	8.86	9.75	8.8	89.3	
N2933-12	P023-SS002-2430-01	76	0.93	9.03	9.96	9.39	93.7	
N2933-13	P023-SS003-0006-01	77	0.91	8.73	9.64	7.44	74.8	
N2933-14	P023-SS003-0612-01	78	0.88	9.09	9.97	8.33	82.0	
N2933-15	P023-SS003-1218-01	79	0.89	8.61	9.5	7.56	77.5	
N2933-16	P023-SS003-1824-01	80	0.98	8.70	9.68	7.7	77.2	
N2933-17	P023-SS003-2430-01	81	0.92	9.05	9.97	8.36	82.2	
N2933-18	P023-SS004-0006-01	82	0.87	8.89	9.76	8.62	87.2	
N2933-19	P023-SS004-0612-01	83	0.91	8.71	9.62	8.39	85.9	
N2933-20	P023-SS004-1218-01	84	0.88	8.84	9.72	8.79	89.5	



PERCENT SOLID

Supervisor: ketankumar

Analyst: jignesh

Date: 5/21/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/20/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120274

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2933-21	P023-SS004-1824-01	85	0.88	8.78	9.66	8.85	90.8	
N2933-22	P023-SS004-2430-01	86	0.92	8.90	9.82	8.94	90.1	
N2933-23	P023-SS005-0006-01	87	0.91	8.61	9.52	8.52	88.4	
N2933-24	P023-SS005-0612-01	88	0.98	8.53	9.51	8.42	87.2	
N2933-25	P023-SS005-1218-01	89	0.89	8.63	9.52	8.41	87.1	
N2933-26	P023-SS005-1824-01	90	0.95	8.61	9.56	8.45	87.1	
N2934-01	P023-SS005-2430-01	91	0.89	8.99	9.88	8.55	85.2	
N2934-02	P025-SS001-0006-01	92	0.93	8.64	9.57	8.38	86.2	
N2934-03	P025-SS001-0612-01	93	0.91	8.94	9.85	8.67	86.8	
N2934-04	P025-SS001-1218-01	94	0.94	8.94	9.88	8.68	86.6	
N2934-05	P025-SS001-1824-01	95	0.88	8.63	9.51	8.39	87.0	
N2934-06	P025-SS001-2430-01	96	0.96	9.00	9.96	8.88	88.0	
N2977-01	AUD-1617	107	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-02	AUD-1618	108	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-03	AUD-1619	109	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-04	AUD-1620	110	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-05	AUD-1621	111	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-06	AUD-1622	112	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-07	AUD-1623	113	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-08	AUD-1624	114	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-09	AUD-1625	115	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-10	AUD-1626	116	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-11	AUD-1704	117	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-12	AUD-1705	118	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-13	AUD-1706	119	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-14	AUD-1707	120	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-15	AUD-1708	121	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N2977-16	AUD-1709	122	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE



PERCENT SOLID

Supervisor: ketankumar

Analyst: jignesh

Date: 5/21/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 05/20/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120274

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N2979-01	NB-7-052022	123	0.93	9.02	9.95	9.16	91.2	
N2979-02	NB-7-052022-EPH-2	124	0.91	8.68	9.59	8.74	90.2	
N2980-05	SVOC-GPC-BLANK	97	1.00	1.00	2.00	2.00	100.0	
N2980-06	PEST-GPC-BLANK	98	1.00	1.00	2.00	2.00	100.0	
N2980-07	PEST-GPC-BLANK-SPIKE	99	1.00	1.00	2.00	2.00	100.0	
N2980-08	PCB-GPC-BLANK	100	1.00	1.00	2.00	2.00	100.0	
N2980-09	PCB-GPC-BLANK-SPIKE	101	1.00	1.00	2.00	2.00	100.0	
N2980-10	SVOC-GPC2-BLANK	102	1.00	1.00	2.00	2.00	100.0	
N2980-11	PEST-GPC2-BLANK	103	1.00	1.00	2.00	2.00	100.0	
N2980-12	PEST-GPC2-BLANK-SPIKE	104	1.00	1.00	2.00	2.00	100.0	
N2980-13	PCB-GCP2-BLANK	105	1.00	1.00	2.00	2.00	100.0	
N2980-14	PCB-GCP2-BLANK-SPIKE	106	1.00	1.00	2.00	2.00	100.0	
N2982-01	P-1	125	0.9	9.02	9.92	8.77	87.3	
N2982-02	P-2	126	0.93	9.03	9.96	9.26	92.2	
N2982-03	P-3	127	0.89	8.81	9.7	9.28	95.2	
N2982-04	P-4	128	0.96	8.57	9.53	8.06	82.8	
N2982-05	P-5	129	0.91	8.64	9.55	8.24	84.8	
N2982-06	P-6	130	0.93	9.04	9.97	9.32	92.8	
N2982-07	P-7	131	0.87	9.02	9.89	8.43	83.8	
N2982-08	P-8	132	0.91	9.07	9.98	9.73	97.2	
N2982-09	P-9	133	0.88	8.81	9.69	8.38	85.1	
N2982-10	P-10	134	0.91	9.05	9.96	8.88	88.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$