



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2951-01	P035-SS001-0006-01	1	0.92	8.67	9.59	8.97	92.8	
N2951-02	N2951-01MS	2	0.92	8.67	9.59	8.97	92.8	
N2951-03	N2951-01MSD	3	0.92	8.67	9.59	8.97	92.8	
N2951-04	P035-SS001-0006-02	4	0.93	8.64	9.57	8.92	92.5	
N2951-05	P035-SS001-0612-01	5	0.91	8.94	9.85	8.42	84.0	
N2951-06	P035-SS001-1218-01	6	0.91	8.84	9.75	7.97	79.9	
N2951-07	N2951-06MS	7	0.91	8.84	9.75	7.97	79.9	
N2951-08	N2951-06MSD	8	0.91	8.84	9.75	7.97	79.9	
N2951-09	P035-SS001-1218-02	9	0.93	9.00	9.93	8.22	81.0	
N2951-10	P035-SS001-1824-01	10	0.9	8.96	9.86	7.87	77.8	
N2951-11	P035-SS001-2430-01	11	0.91	9.06	9.97	8.00	78.3	
N2951-12	P035-SS002-0006-01	12	0.88	8.81	9.69	8.77	89.6	
N2951-13	P035-SS002-0612-01	13	0.89	9.02	9.91	8.59	85.4	
N2951-14	P035-SS002-1218-01	14	0.86	9.04	9.9	7.94	78.3	
N2951-15	P035-SS002-1824-01	15	0.88	8.82	9.7	7.64	76.6	
N2951-16	P035-SS002-2430-01	16	0.91	8.93	9.84	7.22	70.7	
N2951-17	P036-SS001-0006-01	17	0.93	8.82	9.75	7.33	72.6	
N2951-18	P036-SS001-0612-01	18	0.94	9.00	9.94	7.34	71.1	
N2951-19	N2951-18MS	19	0.94	9.00	9.94	7.34	71.1	
N2951-20	N2951-18MSD	20	0.94	9.00	9.94	7.34	71.1	
N2951-21	P036-SS001-0612-02	21	0.92	8.80	9.72	6.72	65.9	
N2951-22	P036-SS001-1218-01	22	0.91	8.73	9.64	6.51	64.1	
N2951-23	P036-SS001-1824-01	23	0.95	9.02	9.97	6.5	61.5	
N2951-24	P036-SS001-2430-01	24	0.93	9.02	9.95	7.69	74.9	
N2951-25	P036-SS002-0006-01	25	0.92	8.59	9.51	8.75	91.2	
N2951-26	P036-SS002-0612-01	26	0.93	8.91	9.84	8.38	83.6	
N2952-01	P036-SS002-1218-01	27	0.9	8.64	9.54	7.82	80.1	
N2952-02	N2952-01MS	28	0.9	8.64	9.54	7.82	80.1	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2952-03	N2952-01MSD	29	0.9	8.64	9.54	7.82	80.1	
N2952-04	P036-SS002-1218-02	30	0.91	8.75	9.66	8.05	81.6	
N2952-05	P036-SS002-1824-01	31	0.93	9.01	9.94	8.1	79.6	
N2952-06	P036-SS002-2430-01	32	0.91	8.90	9.81	8.12	81.0	
N2952-07	P037-SS001-0006-01	33	0.88	8.69	9.57	9.00	93.4	
N2952-08	P037-SS001-0612-01	34	0.92	8.93	9.85	8.89	89.2	
N2952-09	P037-SS001-1218-01	35	0.86	8.72	9.58	8.6	88.8	
N2952-10	N2952-09MS	36	0.86	8.72	9.58	8.6	88.8	
N2952-11	N2952-09MSD	37	0.86	8.72	9.58	8.6	88.8	
N2952-12	P037-SS001-1218-02	38	0.93	8.66	9.59	8.66	89.3	
N2952-13	P037-SS001-1824-01	39	0.93	8.65	9.58	8.4	86.4	
N2952-14	P037-SS001-2430-01	40	0.91	8.78	9.69	7.99	80.6	
N2952-15	P037-SS002-0006-01	41	0.93	8.82	9.75	9.16	93.3	
N2952-16	P037-SS002-0612-01	42	0.91	8.90	9.81	8.19	81.8	
N2952-17	N2952-16MS	43	0.91	8.90	9.81	8.19	81.8	
N2952-18	N2952-16MSD	44	0.91	8.90	9.81	8.19	81.8	
N2952-19	P037-SS002-0612-02	45	0.87	8.95	9.82	8.23	82.2	
N2952-20	P037-SS002-1218-01	46	0.91	8.62	9.53	7.34	74.6	
N2952-21	N2952-20MS	47	0.91	8.62	9.53	7.34	74.6	
N2952-22	N2952-20MSD	48	0.91	8.62	9.53	7.34	74.6	
N2952-23	P037-SS002-1218-02	49	0.89	8.74	9.63	7.71	78.0	
N2952-24	P037-SS002-1824-01	50	0.92	8.79	9.71	7.79	78.2	
N2952-25	P037-SS002-2430-01	51	0.91	8.97	9.88	7.89	77.8	
N2952-26	P043-SS001-0006-01	52	0.88	8.94	9.82	9.3	94.2	
N2952-27	P043-SS001-0612-01	53	0.88	8.70	9.58	8.67	89.5	
N2952-28	N2952-27MS	54	0.88	8.70	9.58	8.67	89.5	
N2952-29	N2952-27MSD	55	0.88	8.70	9.58	8.67	89.5	
N2952-30	P043-SS001-0612-02	56	0.91	8.83	9.74	8.78	89.1	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2953-01	P043-SS001-1218-01	57	0.91	8.86	9.77	8.49	85.6	
N2953-02	P043-SS001-1824-01	58	0.93	8.99	9.92	8.67	86.1	
N2953-03	P043-SS001-2430-01	59	0.81	9.08	9.89	8.17	81.1	
N2953-04	P044-SS001-0006-01	60	0.91	8.90	9.81	9.38	95.2	
N2953-05	P044-SS001-0612-01	61	0.91	8.66	9.57	8.59	88.7	
N2953-06	N2953-05MS	62	0.91	8.66	9.57	8.59	88.7	
N2953-07	N2953-05MSD	63	0.91	8.66	9.57	8.59	88.7	
N2953-08	P044-SS001-0612-02	64	0.89	8.98	9.87	7.86	77.6	
N2953-09	P044-SS001-1218-01	65	0.88	8.63	9.51	7.92	81.6	
N2953-10	P044-SS001-1824-01	66	0.91	8.67	9.58	8.00	81.8	
N2953-11	P044-SS001-2430-01	67	0.96	8.96	9.92	8.5	84.2	
N2953-12	P044-SS002-0006-01	68	0.9	8.72	9.62	9.08	93.8	
N2953-13	N2953-12MS	69	0.9	8.72	9.62	9.08	93.8	
N2953-14	N2953-12MSD	70	0.9	8.72	9.62	9.08	93.8	
N2953-15	P044-SS002-0006-02	71	0.89	8.88	9.77	9.15	93.0	
N2953-16	P044-SS002-0612-01	72	0.91	9.01	9.92	8.97	89.5	
N2953-17	N2953-16MS	73	0.91	9.01	9.92	8.97	89.5	
N2953-18	N2953-16MSD	74	0.91	9.01	9.92	8.97	89.5	
N2953-19	P044-SS002-0612-02	75	0.94	9.03	9.97	8.9	88.2	
N2953-20	P044-SS002-1218-01	76	0.9	8.62	9.52	8.53	88.5	
N2953-21	N2953-20MS	77	0.9	8.62	9.52	8.53	88.5	
N2953-22	N2953-20MSD	78	0.9	8.62	9.52	8.53	88.5	
N2953-23	P044-SS002-1218-02	79	0.93	8.69	9.62	8.57	87.9	
N2953-24	P044-SS002-1824-01	80	0.87	9.02	9.89	8.63	86.0	
N2953-25	P044-SS002-2430-01	81	0.9	8.72	9.62	8.27	84.5	
N2953-26	P044-SS003-0006-01	82	0.88	8.77	9.65	8.15	82.9	
N2954-01	P044-SS003-0612-01	83	0.91	9.04	9.95	8.2	80.6	
N2954-02	P044-SS003-1218-01	84	0.94	8.90	9.84	8.00	79.3	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2954-03	PO44-SS003-1824-01	85	0.89	8.97	9.86	7.56	74.4	
N2954-04	PO44-SS003-2430-01	86	0.94	9.03	9.97	7.56	73.3	
N2954-05	PO44-SS004-0006-01	87	0.91	8.78	9.69	7.92	79.8	
N2954-06	PO44-SS004-0612-01	88	0.91	8.88	9.79	8.07	80.6	
N2954-07	PO44-SS004-1218-01	89	0.91	8.99	9.9	7.96	78.4	
N2954-08	PO44-SS004-1824-01	90	0.8	8.98	9.78	7.89	79.0	
N2954-09	PO44-SS004-2430-01	91	0.86	9.06	9.92	8.14	80.4	
N2954-10	PO44-SS005-0006-01	92	0.86	8.87	9.73	8.87	90.3	
N2954-11	PO44-SS005-0612-01	93	0.88	8.80	9.68	8.63	88.1	
N2954-12	PO44-SS005-1218-01	94	0.91	8.99	9.9	8.48	84.2	
N2954-13	PO44-SS005-1824-01	95	0.91	8.86	9.77	8.02	80.2	
N2954-14	PO44-SS005-2430-01	96	0.87	9.04	9.91	8.56	85.1	
N2984-01	P014-SS002-0006-01	97	0.94	9.01	9.95	9.32	93.0	
N2984-02	P014-SS002-0612-01	98	0.93	8.83	9.76	8.79	89.0	
N2984-03	P014-SS002-1218-01	99	0.91	8.59	9.5	8.66	90.2	
N2984-04	P014-SS002-1824-01	100	0.91	8.61	9.52	8.32	86.1	
N2984-05	P014-SS002-2430-01	101	0.91	8.89	9.8	8.5	85.4	
N2984-06	P014-SS003-0006-01	102	0.93	8.61	9.54	8.13	83.6	
N2984-07	P014-SS003-0612-01	103	0.93	8.66	9.59	8.41	86.4	
N2984-08	P014-SS003-1218-01	104	0.9	8.76	9.66	8.43	86.0	
N2984-09	P014-SS003-1824-01	105	0.89	8.85	9.74	8.71	88.4	
N2984-10	P014-SS003-2430-01	106	0.9	8.94	9.84	8.73	87.6	
N2984-11	P020-SS001-0006-01	107	0.91	8.92	9.83	8.65	86.8	
N2984-12	P020-SS001-0612-01	108	0.92	9.00	9.92	8.82	87.8	
N2984-13	P020-SS001-1218-01	109	0.93	8.77	9.7	8.82	90.0	
N2984-14	P020-SS001-1824-01	110	0.91	8.73	9.64	8.7	89.2	
N2984-15	P020-SS001-2430-01	111	0.88	8.69	9.57	8.45	87.1	
N2984-16	P021-SS001-0006-01	112	0.88	8.81	9.69	8.87	90.7	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2984-17	P021-SS001-0612-01	113	0.91	8.65	9.56	8.9	92.4	
N2984-18	P021-SS001-1218-01	114	0.96	8.54	9.5	8.59	89.3	
N2984-19	P021-SS002-0006-01	115	0.91	8.75	9.66	9.06	93.1	
N2984-20	P021-SS002-0612-01	116	0.88	8.92	9.8	8.71	87.8	
N2985-01	P021-SS002-1218-01	117	0.91	9.01	9.92	8.22	81.1	
N2985-02	P021-SS002-1824-01	118	0.93	8.62	9.55	7.97	81.7	
N2985-03	P021-SS002-2430-01	119	0.9	8.66	9.56	7.87	80.5	
N2985-04	P021-SS003-0006-01	120	0.95	8.99	9.94	9.36	93.5	
N2985-05	P021-SS003-0612-01	121	0.91	8.93	9.84	8.89	89.4	
N2985-06	P021-SS003-1218-01	122	0.91	8.97	9.88	9.00	90.2	
N2985-07	P021-SS003-1824-01	123	0.91	8.63	9.54	8.63	89.5	
N2985-08	P021-SS003-2430-01	124	0.91	8.91	9.82	8.81	88.7	
N2985-09	P021-SS004-0006-01	125	0.93	8.71	9.64	9.26	95.6	
N2985-10	P021-SS005-0006-01	126	0.9	9.01	9.91	8.82	87.9	
N2985-11	P021-SS005-0612-01	127	0.93	8.78	9.71	8.52	86.4	
N2985-12	P021-SS005-1218-01	128	0.93	8.64	9.57	8.25	84.7	
N2985-13	P021-SS005-1824-01	129	0.9	8.99	9.89	8.59	85.5	
N2985-14	P021-SS005-2430-01	130	0.91	8.84	9.75	8.57	86.7	
N2985-15	P021-SS006-0006-01	131	0.95	9.00	9.95	8.59	84.9	
N2985-16	P021-SS006-0612-01	132	0.88	8.90	9.78	7.91	79.0	
N2985-17	P021-SS006-1218-01	133	0.92	8.68	9.6	7.94	80.9	
N2985-18	P021-SS006-1824-01	134	0.91	8.81	9.72	8.42	85.2	
N2985-19	P021-SS007-0006-01	135	0.96	8.82	9.78	8.85	89.5	
N2985-20	P021-SS007-0612-01	136	0.91	8.98	9.89	8.48	84.3	
N2986-01	P021-SS007-1218-01	137	0.91	8.74	9.65	8.00	81.1	
N2986-02	P021-SS007-1824-01	138	0.91	8.74	9.65	7.95	80.5	
N2986-03	P021-SS007-2430-01	139	0.9	8.66	9.56	8.14	83.6	
N2986-04	P027-SS001-0006-01	140	0.9	9.05	9.95	9.09	90.5	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2986-05	P027-SS001-0612-01	141	0.94	9.01	9.95	8.84	87.7	
N2986-06	P027-SS001-1218-01	142	0.9	8.64	9.54	8.46	87.5	
N2986-07	P027-SS001-1824-01	143	0.89	8.80	9.69	8.8	89.9	
N2986-08	P027-SS001-2430-01	144	0.91	8.75	9.66	8.87	91.0	
N2986-09	P027-SS002-0006-01	145	0.91	8.60	9.51	8.47	87.9	
N2986-10	P027-SS002-0612-01	146	0.9	8.80	9.7	8.3	84.1	
N2986-11	P027-SS002-1218-01	147	0.91	8.79	9.7	8.34	84.5	
N2986-12	P027-SS002-1824-01	148	0.98	8.82	9.8	8.44	84.6	
N2986-13	P027-SS002-2430-01	149	0.91	8.69	9.6	8.07	82.4	
N2986-14	P027-SS003-0006-01	150	0.94	9.02	9.96	9.08	90.2	
N2986-15	P027-SS003-0612-01	151	0.89	8.75	9.64	8.48	86.7	
N2986-16	P027-SS003-1218-01	152	0.91	9.05	9.96	9.33	93.0	
N2986-17	N2986-16MS	153	0.91	9.05	9.96	9.33	93.0	
N2986-18	N2986-16MSD	154	0.91	9.05	9.96	9.33	93.0	
N2987-01	P033-SS001-0006-01	155	0.9	8.72	9.62	8.74	89.9	
N2987-02	P033-SS001-0612-01	156	0.91	8.98	9.89	8.81	88.0	
N2987-03	P033-SS001-1218-01	157	0.91	8.66	9.57	8.37	86.1	
N2987-04	P033-SS001-1824-01	158	0.91	8.98	9.89	8.27	82.0	
N2987-05	P033-SS001-2430-01	159	0.85	8.79	9.64	8.05	81.9	
N2987-06	P034-SS001-0006-01	160	0.9	8.84	9.74	9.02	91.9	
N2987-07	P034-SS001-0612-01	161	0.9	8.66	9.56	8.41	86.7	
N2987-08	P034-SS001-1218-01	162	0.88	8.65	9.53	8.00	82.3	
N2987-09	P034-SS001-1824-01	163	0.9	8.64	9.54	8.26	85.2	
N2987-10	P034-SS001-2430-01	164	0.89	8.83	9.72	8.28	83.7	
N2987-12	P027-SS003-1218-02	165	0.92	8.69	9.61	8.63	88.7	
N2987-13	P027-SS003-1824-01	166	0.9	9.02	9.92	9.11	91.0	
N2987-14	P027-SS003-2430-01	167	0.94	9.03	9.97	9.27	92.2	
N2987-15	P027-SS004-0006-01	168	0.91	8.93	9.84	8.58	85.9	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2987-16	P027-SS004-0612-01	169	0.91	8.81	9.72	8.53	86.5	
N2987-17	P027-SS004-1218-01	170	0.93	8.70	9.63	8.47	86.7	
N2987-18	P027-SS004-1824-01	171	0.88	8.96	9.84	8.75	87.8	
N2987-19	P027-SS004-2430-01	172	0.93	9.03	9.96	9.03	89.7	
N2988-01	P015-SS002-0006-01	173	0.91	8.62	9.53	8.52	88.3	
N2988-02	N2988-01MS	174	0.91	8.62	9.53	8.52	88.3	
N2988-03	N2988-01MSD	175	0.91	8.62	9.53	8.52	88.3	
N2988-04	P015-SS002-0006-02	176	0.91	8.81	9.72	8.7	88.4	
N2988-05	P015-SS002-0612-01	177	0.88	8.64	9.52	8.11	83.7	
N2988-06	P015-SS002-1218-01	178	0.91	8.75	9.66	8.29	84.3	
N2988-07	P015-SS002-1824-01	179	0.91	8.86	9.77	8.22	82.5	
N2988-08	P015-SS002-2430-01	180	0.92	8.74	9.66	8.36	85.1	
N2988-09	P015-SS003-0006-01	181	0.91	8.99	9.9	8.59	85.4	
N2988-10	P015-SS003-0612-01	182	0.91	8.77	9.68	8.06	81.5	
N2988-11	P015-SS003-1218-01	183	0.92	8.92	9.84	8.28	82.5	
N2988-12	P015-SS003-1824-01	184	0.88	8.91	9.79	8.67	87.4	
N2988-13	P015-SS003-2430-01	185	0.91	9.07	9.98	8.37	82.2	
N2988-14	P015-SS004-0006-01	186	0.91	8.63	9.54	8.4	86.8	
N2988-15	P015-SS004-0612-01	187	0.91	8.72	9.63	8.5	87.0	
N2988-16	P015-SS004-1218-01	188	0.91	9.05	9.96	8.96	89.0	
N2988-17	P015-SS004-1824-01	189	0.91	9.05	9.96	8.86	87.8	
N2988-18	P015-SS004-2430-01	190	0.91	8.89	9.8	8.62	86.7	
N2988-19	P015-SS005-0006-01	191	0.88	8.62	9.5	8.48	88.2	
N2988-20	P015-SS005-0612-01	192	0.91	8.90	9.81	8.71	87.6	
N2988-21	P015-SS005-1218-01	193	0.91	8.90	9.81	8.65	87.0	
N2988-22	P015-SS005-1824-01	194	0.99	8.79	9.78	8.77	88.5	
N2988-23	P015-SS005-2430-01	195	0.88	8.80	9.68	8.52	86.8	
N2988-24	P015-SS006-0006-01	196	0.9	8.84	9.74	9.25	94.5	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2989-01	P015-SS006-0612-01	197	0.96	8.72	9.68	8.69	88.6	
N2989-02	P015-SS006-1218-01	198	0.9	8.62	9.52	8.41	87.1	
N2989-03	P015-SS006-1824-01	199	0.91	8.63	9.54	8.34	86.1	
N2989-04	P015-SS006-2430-01	200	0.91	8.64	9.55	8.45	87.3	
N2989-05	P015-SS007-0006-01	201	0.9	8.93	9.83	7.96	79.1	
N2989-06	P015-SS007-0612-01	202	0.93	9.03	9.96	8.63	85.3	
N2989-07	P015-SS007-1218-01	203	0.91	8.94	9.85	8.4	83.8	
N2989-08	P015-SS007-1824-01	204	0.86	9.05	9.91	8.41	83.4	
N2989-09	P015-SS007-2430-01	205	0.91	8.80	9.71	8.42	85.3	
N2989-10	P015-SS008-0006-01	206	0.85	9.07	9.92	8.8	87.7	
N2989-11	P015-SS008-0612-01	207	0.91	8.69	9.6	8.58	88.3	
N2989-12	P015-SS008-1218-01	208	0.91	8.82	9.73	8.81	89.6	
N2989-13	P015-SS008-1824-01	209	0.91	9.05	9.96	8.91	88.4	
N2989-14	P015-SS008-2430-01	210	0.89	8.71	9.6	8.58	88.3	
N2989-15	P015-SS009-0006-01	211	0.89	8.62	9.51	9.00	94.1	
N2989-16	P015-SS009-0612-01	212	0.89	8.74	9.63	8.97	92.4	
N2989-17	P015-SS009-1218-01	213	0.91	8.77	9.68	8.95	91.7	
N2989-18	P015-SS009-1824-01	214	0.91	8.97	9.88	9.05	90.7	
N2989-19	P015-SS009-2430-01	215	0.89	8.92	9.81	8.15	81.4	
N2989-20	P015-SS010-0006-01	216	0.91	8.98	9.89	9.26	93.0	
N2990-01	P015-SS010-0612-01	217	0.91	8.83	9.74	8.71	88.3	
N2990-02	P015-SS010-1218-01	218	0.91	8.74	9.65	8.61	88.1	
N2990-03	P015-SS010-1824-01	219	0.91	8.91	9.82	8.77	88.2	
N2990-04	P015-SS010-2430-01	220	0.91	8.59	9.5	8.11	83.8	
N2990-05	P028-SS001-0006-01	221	0.91	8.94	9.85	9.14	92.1	
N2990-06	P028-SS001-0612-01	222	0.94	9.04	9.98	9.43	93.9	
N2990-07	P028-SS001-0612-02	223	0.93	8.61	9.54	8.75	90.8	
N2990-08	P028-SS001-1218-01	224	0.9	8.61	9.51	8.54	88.7	



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:00

In Date: 05/21/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 05/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120291

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2990-09	P028-SS002-0006-01	225	0.92	8.76	9.68	8.81	90.1	
N2990-10	P028-SS002-0612-01	226	0.93	8.60	9.53	8.45	87.4	
N2990-11	P028-SS002-1218-01	227	0.89	8.84	9.73	8.74	88.8	
N2990-12	P028-SS002-1824-01	228	0.89	8.88	9.77	8.7	88.0	
N2990-13	P028-SS002-1824-02	229	0.91	9.05	9.96	9.00	89.4	
N2990-14	P028-SS002-2430-01	230	0.91	8.59	9.5	8.7	90.7	
N2990-15	P028-SS003-0006-01	231	0.93	9.01	9.94	9.39	93.9	
N2990-16	P028-SS003-0612-01	232	0.88	8.87	9.75	8.92	90.6	
N2990-17	P028-SS003-1218-01	233	0.95	8.62	9.57	8.74	90.4	
N2990-18	P028-SS003-1824-01	234	0.95	9.00	9.95	9.32	93.0	
N2990-19	P028-SS003-2730-01	235	0.91	8.85	9.76	9.03	91.8	
N2990-21	N2990-06MS	236	0.94	9.04	9.98	9.43	93.9	
N2990-22	N2990-06MSD	237	0.94	9.04	9.98	9.43	93.9	
N2990-23	N2990-12MS	238	0.89	8.88	9.77	8.7	88.0	
N2990-24	N2990-12MSD	239	0.89	8.88	9.77	8.7	88.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$