



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/24/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:00

In Date: 05/23/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:03

Out Date: 05/24/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120304

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2992-01	GBGE1	1	0.92	9.01	9.93	8.28	81.7	
N2992-02	GBGE1D	2	0.92	9.01	9.93	8.28	81.7	
N2992-03	GBGE1S	3	0.92	9.01	9.93	8.28	81.7	
N2992-04	GBGE2	4	0.93	8.85	9.78	8.56	86.2	
N2992-05	GBGE3	5	0.92	9.03	9.95	7.94	77.7	
N2992-06	GBGE4	6	0.88	8.96	9.84	8.07	80.2	
N2992-07	GBGE5	7	0.9	9.05	9.95	8.37	82.5	
N2992-08	GBGE6	8	0.93	9.01	9.94	8.6	85.1	
N2992-09	GBGE7	9	0.91	8.97	9.88	8.06	79.7	
N2992-10	GBGE8	10	0.88	8.87	9.75	8.5	85.9	
N2992-11	GBGE9	11	0.9	8.87	9.77	8.12	81.4	
N2992-12	GBGF0	12	0.91	8.95	9.86	8.24	81.9	
N2992-13	GBGF1	13	0.91	8.64	9.55	7.94	81.4	
N2992-14	GBGF2	14	0.88	8.87	9.75	5.63	53.6	
N2992-15	GBGF3	15	0.97	8.67	9.64	6.07	58.8	
N2992-16	GBGF4	16	0.93	9.03	9.96	5.95	55.6	
N2992-17	GBGF5	17	0.91	9.05	9.96	5.77	53.7	
N2992-18	GBGF6	18	0.89	9.06	9.95	7.08	68.3	
N2992-19	GBGF7	19	0.93	9.02	9.95	7.06	68.0	
N2992-20	GBGF8	20	0.9	8.82	9.72	6.18	59.9	
N2992-21	GBGF9	21	0.93	9.02	9.95	7.03	67.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$