



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 5/24/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:30

In Date: 05/23/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:28

Out Date: 05/24/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120311

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N2996-01	GBGS4	1	0.91	6.85	7.76	6.51	81.8	
N2996-02	GBGS5	2	0.91	7.91	8.82	7.89	88.2	
N2996-03	GBGS6	3	0.9	5.91	6.81	5.77	82.4	
N2996-04	GBGS7	4	0.88	3.79	4.67	3.89	79.4	
N2996-05	GBGS8	5	0.93	7.44	8.37	6.87	79.8	
N2996-06	GBGS9	6	0.88	6.12	7.00	5.67	78.3	
N2996-07	GBGT0	7	0.91	7.32	8.23	7.14	85.1	
N2996-08	GBGT1	8	0.87	5.83	6.7	6.09	89.5	
N2996-09	GBGT2	9	0.92	6.33	7.25	6.45	87.4	
N2996-10	GBGT3	10	0.91	9.06	9.97	8.43	83.0	
N2996-11	GBGT3MS	11	0.91	9.06	9.97	8.43	83.0	
N2996-12	GBGT3MSD	12	0.91	9.06	9.97	8.43	83.0	
N2996-13	GBGT4	13	0.88	4.83	5.71	5.21	89.6	
N2996-14	GBGT5	14	0.93	6.56	7.49	6.3	81.9	
N2996-15	GBGT6	15	0.85	6.46	7.31	6.97	94.7	
N2996-16	GBGT7	16	0.89	8.75	9.64	8.84	90.9	
N2996-17	GBGT8	17	0.88	4.37	5.25	5.2	98.9	
N2996-18	GBGT9	18	0.91	8.69	9.6	8.57	88.1	
N2996-19	GBGW0	19	0.93	5.90	6.83	6.02	86.3	
N2996-20	GBGW1	20	0.91	7.01	7.92	6.51	79.9	
N2996-21	GBGW2	21	0.93	8.87	9.8	8.72	87.8	
N2996-22	GBGW3	22	0.9	6.47	7.37	6.61	88.3	
N2996-23	GBGW7	23	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
N2996-24	VHBLK001	24	1.00	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$