



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB120314

BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	N2979-01	NB-7-052022	1	100.05	0.00	05/23/2022	14:20
2	N2979-01DUP	NB-7-052022DUP	1	100.02	0.00	05/23/2022	14:28

WORKLIST(Hardcopy Internal Chain)

L131203/4

Worklist Name : PF-052322

Worklist ID : 159889

Department : Wet-Chemistry

Date : 05-23-2022 09:59:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/20/2022	Solid	N2979-01	Paint Filter	Cool 4 deg C	PSEG05	M11	NB-7-052022	05/20/2022	9095B

Date/Time 5/23/22 14:00
 Raw Sample Received by: RLS(I)
 Raw Sample Relinquished by: KS(oc)

Date/Time 5/23/22 14:50
 Raw Sample Received by: KS(oc)
 Raw Sample Relinquished by: RLS(I)