

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 06/13/2022 Time : 13:45 Temp : N/A

Matrix : SOIL

End Digest Date: 06/13/2022 Time : 15:15 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5125

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: KS

Weigh By : KS

pH Meter ID : N/A

Supervisor Signature: SM

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W2606
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP97250
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/13/22 15:30	KS, WC	SM (n.c.)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Comment	Prep Pos
N3304-07	WC-14A-1A-10	5.06	50	N/A	N/A	N/A	N/A	N/A
N3304-07DUP	WC-14A-1A-10DUP	5.04	50	N/A	N/A	N/A	N/A	N/A
N3304-08	WC-14A-1A-10-G	5.05	50	N/A	N/A	N/A	N/A	N/A
N3304-09	WC-14A-1A-9	5.07	50	N/A	N/A	N/A	N/A	N/A
N3304-10	WC-14A-1A-9-G	5.09	50	N/A	N/A	N/A	N/A	N/A
N3304-11	WC-14A-1A-6	5.08	50	N/A	N/A	N/A	N/A	N/A
N3304-12	WC-14A-1A-6-G	5.06	50	N/A	N/A	N/A	N/A	N/A
N3329-02	PALMYRA-RT-73-COMP-1	5.04	50	N/A	N/A	N/A	N/A	N/A
N3329-04	PALMYRA-RT-73-COMP-2	5.08	50	N/A	N/A	N/A	N/A	N/A
N3329-06	PALMYRA-RT-73-COMP-3	5.09	50	N/A	N/A	N/A	N/A	N/A
N3334-02	WC-14A-1A-7	5.07	50	N/A	N/A	N/A	N/A	N/A
N3334-08	WC-14A-1A-8	5.05	50	N/A	N/A	N/A	N/A	N/A
N3334-14	WC-14A-1A-11	5.06	50	N/A	N/A	N/A	N/A	N/A
N3334-20	WC-14A-1A-5	5.07	50	N/A	N/A	N/A	N/A	N/A
PB145504BL	PBS504	5.00	50	N/A	N/A	N/A	N/A	N/A