



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 6/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 06/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 06/23/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120786

| Lab ID   | Client SampleID     | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|---------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| N3422-01 | WC-14A-1A-12        | 61     | 0.91           | 8.76         | 9.67                    | 8.26                      | 83.9    |             |
| N3422-07 | WC-14A-1A-13        | 62     | 0.91           | 9.04         | 9.95                    | 8.73                      | 86.5    |             |
| N3426-01 | B2201-27.5          | 1      | 0.92           | 8.61         | 9.53                    | 8.78                      | 91.3    |             |
| N3426-02 | B2201-35            | 2      | 0.92           | 8.78         | 9.7                     | 8.94                      | 91.3    |             |
| N3426-03 | B2207-27.5          | 3      | 0.91           | 8.93         | 9.84                    | 9.17                      | 92.5    |             |
| N3426-04 | B2202-30            | 4      | 0.92           | 9.06         | 9.98                    | 9.12                      | 90.5    |             |
| N3426-05 | B2202-35            | 5      | 0.92           | 9.01         | 9.93                    | 9.01                      | 89.8    |             |
| N3430-01 | SB-4-0-2-20220621   | 6      | 0.91           | 8.73         | 9.64                    | 9.34                      | 96.6    |             |
| N3430-02 | SB-4-14-16-20220621 | 7      | 0.92           | 9.02         | 9.94                    | 9.56                      | 95.8    |             |
| N3430-03 | SB-5-0-2-20220621   | 8      | 0.9            | 8.83         | 9.73                    | 8.91                      | 90.7    |             |
| N3430-04 | SB-5-6-8-20220621   | 9      | 0.9            | 8.97         | 9.87                    | 9.36                      | 94.3    |             |
| N3430-05 | SB-5-20-22-20220621 | 10     | 0.9            | 8.56         | 9.46                    | 7.83                      | 81.0    |             |
| N3431-01 | WC-14B-2-2          | 11     | 0.93           | 8.86         | 9.79                    | 8.71                      | 87.8    |             |
| N3431-03 | WC-14B-2-2          | 12     | 0.93           | 8.89         | 9.82                    | 8.71                      | 87.5    |             |
| N3431-05 | WC-14B-2-2-GR       | 13     | 0.93           | 9.05         | 9.98                    | 8.58                      | 84.5    |             |
| N3431-07 | WC-14B-2-3          | 14     | 0.93           | 9.04         | 9.97                    | 8.92                      | 88.4    |             |
| N3431-09 | WC-14B-2-3          | 15     | 0.93           | 8.77         | 9.7                     | 8.59                      | 87.3    |             |
| N3431-11 | WC-14B-2-3-GR       | 16     | 0.93           | 8.76         | 9.69                    | 8.3                       | 84.1    |             |
| N3431-13 | WC-14B-2-4          | 17     | 0.93           | 8.74         | 9.67                    | 8.63                      | 88.1    |             |
| N3431-15 | WC-14B-2-4          | 18     | 0.92           | 8.63         | 9.55                    | 8.57                      | 88.6    |             |
| N3431-17 | WC-14B-2-4-GR       | 19     | 0.92           | 8.86         | 9.78                    | 7.84                      | 78.1    |             |
| N3431-19 | WC-14B-2-5          | 20     | 0.91           | 8.98         | 9.89                    | 8.84                      | 88.3    |             |
| N3431-21 | WC-14B-2-5          | 21     | 0.91           | 8.78         | 9.69                    | 8.6                       | 87.6    |             |
| N3431-23 | WC-14B-2-5-GR       | 22     | 0.91           | 8.87         | 9.78                    | 8.45                      | 85.0    |             |
| N3435-01 | PLA-151             | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N3435-02 | PLA-152             | 64     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N3435-03 | PLA-153             | 65     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N3439-01 | 062122-TB01         | 23     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PAINT CHIPS |



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 6/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 06/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 06/23/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120786

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| N3439-02 | 062122-TB02     | 24     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PAINT CHIPS |
| N3439-03 | 062122-TB03     | 25     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PAINT CHIPS |
| N3439-04 | 062122-TB04     | 26     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PAINT CHIPS |
| N3439-05 | 062122-TB05     | 27     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PAINT CHIPS |
| N3445-01 | HEE7620-1-1     | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3445-02 | HEE7620-1-2     | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3445-03 | BC204970-1-1    | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3445-04 | BC204970-1-2    | 35     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3447-01 | D2356           | 36     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE  |
| N3448-01 | KMA725T-1-1     | 37     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-02 | KMA725T-1-2     | 38     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-03 | KMA725T-2-1     | 39     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-04 | KMA725T-2-2     | 40     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-05 | KMA725T-3-1     | 41     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-06 | KMA725T-3-2     | 42     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-07 | 113-A           | 43     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-08 | 113-B           | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-09 | 114-A           | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-10 | 114-B           | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-11 | 115-A           | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-12 | 115-B           | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-13 | 116-A           | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-14 | 116-B           | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | pilc reel   |
| N3448-15 | 117-A           | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-16 | 117-B           | 52     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-17 | 118-A           | 53     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-18 | 118-B           | 54     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |
| N3448-19 | NH254605-1-1    | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL   |



# PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 6/23/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 06/22/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 06/23/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120786

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------|
| N3448-20 | NH254605-1-2    | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N3449-01 | BC226642-1-1    | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N3449-02 | BC226642-1-2    | 58     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N3449-03 | BC226642-2-1    | 59     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N3449-04 | BC226642-2-2    | 60     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| N3450-01 | PH1-BOT-16      | 28     | 0.93           | 9.05         | 9.98                    | 9.58                      | 95.6    |           |
| N3450-02 | PH1-BOT-17      | 29     | 0.92           | 8.88         | 9.8                     | 9.56                      | 97.3    |           |
| N3450-03 | PH1-BOT-18      | 30     | 0.92           | 8.88         | 9.8                     | 9.34                      | 94.8    |           |
| N3450-04 | PH1-BOT-19      | 31     | 0.91           | 9.06         | 9.97                    | 9.7                       | 97.0    |           |
| N3452-01 | PE-1            | 66     | 0.93           | 8.77         | 9.7                     | 8.71                      | 88.7    |           |
| N3452-02 | PE-2            | 67     | 0.93           | 8.75         | 9.68                    | 8.86                      | 90.6    |           |
| N3452-03 | PE-3            | 68     | 0.92           | 9.06         | 9.98                    | 9.35                      | 93.0    |           |
| N3452-04 | PE-4            | 69     | 0.93           | 9.04         | 9.97                    | 9.18                      | 91.3    |           |
| N3452-05 | PE-5            | 70     | 0.93           | 8.73         | 9.66                    | 9.06                      | 93.1    |           |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

## WORKLIST(Hardcopy Internal Chain)

LB120786

WorkList Name : %1-062222-1

WorkList ID : 160766

Department : Wet-Chemistry

Date : 06-22-2022 10:28:52

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample     | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|---------------------|--------------|--------------|
| 06/23/2022 | Solid  | N3422-01 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14A-1A-12        | 06/20/2022   | Chemtech -SO |
| 06/23/2022 | Solid  | N3422-07 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14A-1A-13        | 06/20/2022   | Chemtech -SO |
| 06/30/2022 | Solid  | N3426-01 | Percent Solids | Cool 4 deg C | NEWJ04   | D11                         | B2201-27.5          | 06/20/2022   | Chemtech -SO |
| 06/30/2022 | Solid  | N3426-02 | Percent Solids | Cool 4 deg C | NEWJ04   | D11                         | B2201-35            | 06/20/2022   | Chemtech -SO |
| 06/30/2022 | Solid  | N3426-03 | Percent Solids | Cool 4 deg C | NEWJ04   | D11                         | B2207-27.5          | 06/20/2022   | Chemtech -SO |
| 06/30/2022 | Solid  | N3426-04 | Percent Solids | Cool 4 deg C | NEWJ04   | D11                         | B2202-30            | 06/20/2022   | Chemtech -SO |
| 06/30/2022 | Solid  | N3426-05 | Percent Solids | Cool 4 deg C | NEWJ04   | D11                         | B2202-35            | 06/20/2022   | Chemtech -SO |
| 06/28/2022 | Solid  | N3430-01 | Percent Solids | Cool 4 deg C | AKRF01   | D11                         | SB-4-0-2-20220621   | 06/21/2022   | Chemtech -SO |
| 06/28/2022 | Solid  | N3430-02 | Percent Solids | Cool 4 deg C | AKRF01   | D11                         | SB-4-14-16-20220621 | 06/21/2022   | Chemtech -SO |
| 06/28/2022 | Solid  | N3430-03 | Percent Solids | Cool 4 deg C | AKRF01   | D11                         | SB-5-0-2-20220621   | 06/21/2022   | Chemtech -SO |
| 06/28/2022 | Solid  | N3430-04 | Percent Solids | Cool 4 deg C | AKRF01   | D11                         | SB-5-6-8-20220621   | 06/21/2022   | Chemtech -SO |
| 06/28/2022 | Solid  | N3430-05 | Percent Solids | Cool 4 deg C | AKRF01   | D11                         | SB-5-20-22-20220621 | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-01 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-2          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-03 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-2          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-05 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-2-GR       | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-07 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-3          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-09 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-3          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-11 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-3-GR       | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-13 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-4          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-15 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-4          | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-17 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-4-GR       | 06/21/2022   | Chemtech -SO |

Date/Time 6/22/22 16:30  
Raw Sample Received by: CR SM  
Raw Sample Relinquished by: CR SM

Date/Time 6/22/22 16:30  
Raw Sample Received by: CR SM  
Raw Sample Relinquished by: CR SM

# WORKLIST(Hardcopy Internal Chain)

LB120786

WorkList Name : %1-062222-1

WorkList ID : 160766

Department : Wet-Chemistry

Date : 06-22-2022 10:28:52

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 06/24/2022 | Solid  | N3431-19 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-5      | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-21 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-5      | 06/21/2022   | Chemtech -SO |
| 06/24/2022 | Solid  | N3431-23 | Percent Solids | Cool 4 deg C | ROUX02   | D11                         | WC-14B-2-5-GR   | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3435-01 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | PLA-151         | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3435-02 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | PLA-152         | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3435-03 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | PLA-153         | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-01 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB01     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-02 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB02     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-03 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB03     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-04 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB04     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-05 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB05     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3439-06 | Percent Solids | Cool 4 deg C | CLOU03   | D11                         | 062122-TB06     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3445-01 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | HEE7620-1-1     | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3445-02 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | HEE7620-1-2     | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3445-03 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC204970-1-1    | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3445-04 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC204970-1-2    | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3447-01 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | D2356           | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-01 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-1-1     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-02 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-1-2     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-03 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-2-1     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-04 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-2-2     | 06/21/2022   | Chemtech -SO |

Date/Time 6/22/22 16:30  
 Raw Sample Received by: cp sm  
 Raw Sample Relinquished by: cp sm

Date/Time 6/22/22 16:30  
 Raw Sample Received by: cp sm  
 Raw Sample Relinquished by: cp sm

# WORKLIST(Hardcopy Internal Chain)

LB120786

WorkList Name : %1-062222-1

WorkList ID : 160766

Department : Wet-Chemistry

Date : 06-22-2022 10:28:52

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 06/29/2022 | Solid  | N3448-05 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-3-1     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-06 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | KMA725T-3-2     | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-07 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 113-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-08 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 113-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-09 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 114-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-10 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 114-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-11 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 115-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-12 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 115-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-13 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 116-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-14 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 116-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-15 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 117-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-16 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 117-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-17 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 118-A           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-18 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 118-B           | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-19 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | NH254605-1-1    | 06/21/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3448-20 | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | NH254605-1-2    | 06/21/2022   | Chemtech -SO |
| 06/23/2022 | Solid  | N3449-01 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC226642-1-1    | 06/21/2022   | Chemtech -SO |
| 06/23/2022 | Solid  | N3449-02 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC226642-1-2    | 06/21/2022   | Chemtech -SO |
| 06/23/2022 | Solid  | N3449-03 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC226642-2-1    | 06/21/2022   | Chemtech -SO |
| 06/23/2022 | Solid  | N3449-04 | Percent Solids | Cool 4 deg C | PSEG03   | D11                         | BC226642-2-2    | 06/21/2022   | Chemtech -SO |
| 07/02/2022 | Solid  | N3450-01 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-16      | 06/22/2022   | Chemtech -SO |

Date/Time 6/22/22 16:30  
 Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

# WORKLIST(Hardcopy Internal Chain)

LB120786

WorkList Name : %1-062222-1

WorkList ID : 160766

Department : Wet-Chemistry

Date : 06-22-2022 10:28:52

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 07/02/2022 | Solid  | N3450-02 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-17      | 06/22/2022   | Chemtech -SO |
| 07/02/2022 | Solid  | N3450-03 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-18      | 06/22/2022   | Chemtech -SO |
| 07/02/2022 | Solid  | N3450-04 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-19      | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3452-01 | Percent Solids | Cool 4 deg C | EARTH03  | F11                         | PE-1            | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3452-02 | Percent Solids | Cool 4 deg C | EARTH03  | F11                         | PE-2            | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3452-03 | Percent Solids | Cool 4 deg C | EARTH03  | F11                         | PE-3            | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3452-04 | Percent Solids | Cool 4 deg C | EARTH03  | F11                         | PE-4            | 06/22/2022   | Chemtech -SO |
| 06/29/2022 | Solid  | N3452-05 | Percent Solids | Cool 4 deg C | EARTH03  | F11                         | PE-5            | 06/22/2022   | Chemtech -SO |

Date/Time 6/22/22 16:30  
 Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM

Date/Time 6/22/22 16:30  
 Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM