



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 6/27/2022

OVENTEMP IN Celsius(°C): 108

Time IN: 17:00

In Date: 06/24/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 06/25/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120819

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3425-01	C0AE5	10	0.93	8.88	9.81	7.21	70.7	
N3425-05	C0AL3	11	0.92	9.06	9.98	8.86	87.6	
N3425-06	VHBLK001	12	1.00	1.00	2.00	2.00	100.0	VHBLK
N3425-08	C0AF0	13	0.92	8.71	9.63	6.96	69.3	
N3425-09	C0AF1	14	0.93	8.92	9.85	6.3	60.2	
N3425-12	C0AF2	15	0.92	8.69	9.61	9.4	97.6	
N3425-16	C0AE8	16	0.94	9.04	9.98	6.76	64.4	
N3425-17	C0AL9	17	0.92	9.07	9.99	9.33	92.7	
N3425-20	C0AE5MS	18	0.93	8.88	9.81	7.21	70.7	
N3425-21	C0AE5MSD	19	0.93	8.88	9.81	7.21	70.7	
N3493-01	GBH39	1	0.91	9.07	9.98	8.54	84.1	
N3493-02	GBH39D	2	0.91	9.07	9.98	8.54	84.1	
N3493-03	GBH39S	3	0.91	9.07	9.98	8.54	84.1	
N3493-04	GBH40	4	0.92	9.00	9.92	7.5	73.1	
N3493-05	GBH41	5	0.92	8.63	9.55	9.1	94.8	
N3493-06	GBH42	6	0.91	9.07	9.98	8.64	85.2	
N3493-07	GBH43	7	0.92	9.05	9.97	5.15	46.7	
N3493-08	GBH44	8	0.92	8.84	9.76	7.25	71.6	
N3493-09	GBH45	9	0.92	8.63	9.55	7.03	70.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$