



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 7/6/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 07/07/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120927

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3574-05	SVOC-GPC-BLANK	1	1.00	1.00	2.00	2.00	100.0	
N3574-06	PEST-GPC-BLANK	2	1.00	1.00	2.00	2.00	100.0	
N3574-07	PEST-GPC-BLANK-SPIKE	3	1.00	1.00	2.00	2.00	100.0	
N3574-08	PCB-GPC-BLANK	4	1.00	1.00	2.00	2.00	100.0	
N3574-09	PCB-GPC-BLANK-SPIKE	5	1.00	1.00	2.00	2.00	100.0	
N3574-10	SVOC-GPC2-BLANK	6	1.00	1.00	2.00	2.00	100.0	
N3574-11	PEST-GPC2-BLANK	7	1.00	1.00	2.00	2.00	100.0	
N3574-12	PEST-GPC2-BLANK-SPIKE	8	1.1	0.90	2.00	2.00	100.0	
N3574-13	PCB-GCP2-BLANK	9	1.00	1.00	2.00	2.00	100.0	
N3574-14	PCB-GCP2-BLANK-SPIKE	10	1.00	1.00	2.00	2.00	100.0	
N3576-01	PCB-072416-01	11	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-02	PCB-072416-02	12	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-03	PCB-072416-03	13	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-04	PCB-072416-04	14	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-05	PCB-072416-05	15	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-06	PCB-072416-06	16	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-07	PCB-072416-07	17	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-08	PCB-072416-08	18	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-09	PCB-072416-09	19	1.00	1.00	2.00	2.00	100.0	CAULKING
N3576-10	PCB-072416-10	20	1.00	1.00	2.00	2.00	100.0	CAULKING
N3578-01	MF-OIL-D-0705	25	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N3578-04	MF-SOLID-D-0705	26	1.00	1.00	2.00	2.00	100.0	OILY DEBRIS
N3578-07	MF-OIL-T-0705	27	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N3579-01	OK-03-070522	21	0.91	8.73	9.64	8.17	83.2	
N3579-02	OK-03-070522-EPH-2	22	0.91	8.73	9.64	8.17	83.2	
N3580-01	72-11982	23	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N3581-01	AU-6-070522	28	0.93	8.87	9.8	9.4	95.5	
N3581-01D	AU-6-070522DUP	29	0.92	8.90	9.82	9.42	95.5	



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 7/6/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/05/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 07/07/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB120927

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3586-01	31267	30	1.00	1.00	2.00	2.00	100.0	DEBRIS
N3586-02	31268	31	1.00	1.00	2.00	2.00	100.0	DEBRIS
N3586-03	31473	32	1.00	1.00	2.00	2.00	100.0	DEBRIS
N3586-04	31457	33	1.00	1.00	2.00	2.00	100.0	DEBRIS
N3586-05	31487	34	1.00	1.00	2.00	2.00	100.0	DEBRIS
N3587-01	WASTE	35	0.91	8.75	9.66	8.47	86.4	
N3587-02	VOC	36	0.9	8.85	9.75	8.94	90.8	
N3587-03	1	37	0.95	8.60	9.55	8.42	86.9	
N3587-04	2	38	0.91	8.83	9.74	8.55	86.5	
N3587-05	3	39	0.91	8.81	9.72	8.52	86.4	
N3587-06	4	40	0.89	8.71	9.6	8.49	87.3	
N3587-07	5	41	0.93	8.90	9.83	8.5	85.1	
N3589-01	C-1	24	0.91	8.75	9.66	8.74	89.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$