



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 7/26/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 16:45

In Date: 07/25/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:23

Out Date: 07/26/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121215

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3862-01	EXRT4	1	0.9	8.87	9.77	8.22	82.5	
N3862-02	EXRT5	2	0.93	9.04	9.97	8.89	88.1	
N3862-03	EXRT6	3	0.92	8.83	9.75	8.41	84.8	
N3862-04	EXRT7	4	0.93	9.00	9.93	8.17	80.4	
N3862-05	EXRT8	5	0.92	9.03	9.95	8.64	85.5	
N3862-06	EXRT9	6	0.91	8.83	9.74	8.25	83.1	
N3862-07	EXRW0	7	0.95	9.01	9.96	8.32	81.8	
N3862-08	EXRW1	8	0.93	9.05	9.98	8.69	85.7	
N3862-09	EXRW2	9	0.91	9.05	9.96	8.96	89.0	
N3862-10	EXRW3	10	0.92	9.03	9.95	8.35	82.3	
N3862-11	EXRW4	11	0.93	9.02	9.95	8.81	87.4	
N3862-12	EXRW5	12	0.95	8.63	9.58	8.11	83.0	
N3862-13	EXRZ7	13	0.9	8.96	9.86	8.13	80.7	
N3862-14	EXRZ8	14	0.9	8.64	9.54	8.38	86.6	
N3862-15	EXRZ8D	15	0.9	8.64	9.54	8.38	86.6	
N3862-16	EXRZ8S	16	0.9	8.64	9.54	8.38	86.6	
N3862-17	EXS00	17	0.91	8.66	9.57	8.58	88.6	
N3862-18	EXS01	18	0.92	8.66	9.58	8.27	84.9	
N3862-19	EXS02	19	0.91	8.65	9.56	8.22	84.5	
N3862-20	EXS03	20	0.9	8.62	9.52	8.23	85.0	
N3862-21	EXS04	21	0.95	9.01	9.96	8.18	80.2	
N3862-22	EXS05	22	0.91	9.06	9.97	8.31	81.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$