



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 7/29/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:20

In Date: 07/28/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:16

Out Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121260

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3928-23	EXS41	1	0.91	8.66	9.57	8.71	90.1	
N3928-24	EXS42	2	0.93	8.77	9.7	7.93	79.8	
N3928-25	EXS43	3	0.91	9.06	9.97	8.62	85.1	
N3928-26	EXS44	4	0.91	9.02	9.93	9.08	90.6	
N3928-27	EXS45	5	0.93	8.69	9.62	7.96	80.9	
N3928-29	EXS47	6	0.95	9.01	9.96	9.2	91.6	
N3928-30	EXS48	7	0.91	8.59	9.5	8.4	87.2	
N3928-31	EXS49	8	0.91	9.02	9.93	8.56	84.8	
N3928-32	EXS50	9	0.9	8.90	9.8	8.66	87.2	
N3928-33	EXS51	10	0.91	8.60	9.51	8.31	86.0	
N3928-34	EXS52	11	0.95	9.02	9.97	8.6	84.8	
N3928-35	EXS53	12	0.95	8.60	9.55	8.24	84.8	
N3928-36	EXS54	13	0.93	8.80	9.73	8.76	89.0	
N3928-37	EXS55	14	0.94	8.72	9.66	8.78	89.9	
N3928-38	EXS56	15	0.91	8.59	9.5	7.71	79.2	
N3928-39	EXS57	16	0.92	9.06	9.98	8.11	79.4	
N3928-40	EXS64	17	0.92	8.67	9.59	8.19	83.9	
N3928-41	EXS65	18	0.93	9.03	9.96	9.07	90.1	
N3928-42	EXS66	19	0.91	8.61	9.52	8.11	83.6	
N3928-43	EXS66S	20	0.91	8.61	9.52	8.11	83.6	
N3928-44	EXS66D	21	0.91	8.61	9.52	8.11	83.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$