



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 7/30/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:10

In Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:05

Out Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121278

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3933-01	EXSA7	1	0.91	9.03	9.94	8.21	80.8	
N3933-02	EXSA8	2	0.93	9.00	9.93	8.24	81.2	
N3933-03	EXSA9	3	0.95	8.85	9.8	8.56	86.0	
N3933-04	EXSB1	4	0.93	8.78	9.71	7.84	78.7	
N3933-05	EXSB2	5	0.91	8.72	9.63	8.11	82.6	
N3933-06	EXSB3	6	0.92	8.84	9.76	8.39	84.5	
N3933-07	EXSB4	7	0.91	8.91	9.82	7.85	77.9	
N3933-08	EXSB5	8	0.91	8.79	9.7	8.12	82.0	
N3933-09	EXSB6	9	0.95	9.02	9.97	8.45	83.1	
N3933-10	EXSB7	10	0.91	8.91	9.82	8.18	81.6	
N3933-11	EXSB8	11	0.91	9.01	9.92	8.2	80.9	
N3933-12	EXSB9	12	0.96	9.01	9.97	8.21	80.5	
N3933-13	EXSC0	13	0.81	8.97	9.78	7.98	79.9	
N3933-14	EXSC1	14	0.96	8.81	9.77	8.27	83.0	
N3933-15	EXSC2	15	0.93	8.82	9.75	8.19	82.3	
N3933-16	EXSC3	16	0.95	8.69	9.64	7.87	79.6	
N3933-17	EXSC4	17	0.93	8.90	9.83	8.45	84.5	
N3933-18	EXSC5	18	0.93	8.99	9.92	8.71	86.5	
N3933-19	EXSC6	19	0.91	8.87	9.78	8.76	88.5	
N3933-20	EXSD3	20	0.9	8.70	9.6	8.3	85.1	
N3933-21	EXSD3D	21	0.9	8.70	9.6	8.3	85.1	
N3933-22	EXSD3S	22	0.9	8.70	9.6	8.3	85.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$