



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/2/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:28

Out Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3960-01	RVE-149	1	0.92	9.04	9.96	9.26	92.3	
N3960-02	RVE-150	2	0.96	8.83	9.79	8.91	90.0	
N3960-03	RVE-151	3	0.94	8.86	9.8	8.71	87.7	
N3960-04	RVE-152	4	0.96	8.92	9.88	9.7	98.0	
N3960-05	RVE-153	5	0.95	8.92	9.87	9.17	92.2	
N3960-06	RVE-154	6	0.93	8.99	9.92	7.95	78.1	
N3960-07	RVE-155	7	0.95	8.86	9.81	8.95	90.3	
N3960-08	RVE-156	8	0.92	9.03	9.95	9.17	91.4	
N3960-09	RVE-157	9	0.92	8.92	9.84	8.84	88.8	
N3960-10	RVE-158	10	0.91	8.95	9.86	9.1	91.5	
N3960-11	RVE-159	11	0.95	8.98	9.93	9.31	93.1	
N3960-12	RVE-159D	12	0.93	8.83	9.76	9.16	93.2	
N3960-13	RVE-160	13	0.92	9.05	9.97	9.41	93.8	
N3960-14	RVE-161	14	0.94	8.96	9.9	9.19	92.1	
N3960-15	RVE-162	15	0.95	8.85	9.8	9.00	91.0	
N3960-16	RVE-163	16	0.93	8.92	9.85	9.27	93.5	
N3960-17	RVE-164	17	0.94	8.97	9.91	9.27	92.9	
N3960-18	RVE-165	18	0.95	8.85	9.8	9.14	92.5	
N3960-19	RVE-166	19	0.94	8.92	9.86	9.22	92.8	
N3960-20	RVE-167	20	0.94	8.89	9.83	8.7	87.3	
N3961-01	RVE-168	21	0.93	8.95	9.88	9.07	90.9	
N3961-02	RVE-169	22	0.94	8.90	9.84	9.00	90.6	
N3961-03	RVE-170	23	0.93	8.89	9.82	9.02	91.0	
N3961-04	RVE-171	24	0.93	9.05	9.98	8.36	82.1	
N3961-05	RVE-172	25	0.93	8.94	9.87	9.27	93.3	
N3961-06	RVE-173	26	0.91	8.89	9.8	8.93	90.2	
N3961-07	RVE-174	27	0.9	9.04	9.94	9.31	93.0	
N3961-08	RVE-175	28	0.92	9.06	9.98	9.25	91.9	



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/2/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:28

Out Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3961-09	RVE-176	29	0.91	9.05	9.96	9.53	95.2	
N3961-10	RVE-177	30	0.92	8.95	9.87	9.54	96.3	
N3961-11	RVE-178	31	0.92	8.95	9.87	8.74	87.4	
N3961-12	RVE-179	32	0.9	9.04	9.94	9.22	92.0	
N3961-13	RVE-179D	33	0.9	9.01	9.91	9.19	92.0	
N3961-14	RVE-180	34	0.91	9.01	9.92	8.93	89.0	
N3961-15	RVE-181	35	0.92	8.88	9.8	9.00	91.0	
N3961-16	RVE-182	36	0.91	8.96	9.87	9.13	91.7	
N3961-17	RVE-183	37	0.9	9.03	9.93	8.07	79.4	
N3961-18	RVE-184	38	0.89	9.03	9.92	9.00	89.8	
N3961-19	RVE-185	39	0.9	9.02	9.92	9.17	91.7	
N3961-20	RVE-186	40	0.92	8.98	9.9	9.19	92.1	
N3962-01	RVE-187	41	0.9	8.99	9.89	9.32	93.7	
N3962-02	RVE-188	42	0.92	8.94	9.86	9.27	93.4	
N3962-03	RVE-189	43	0.93	8.87	9.8	9.14	92.6	
N3962-04	RVE-190	44	0.91	8.91	9.82	9.05	91.4	
N3962-05	RVE-191	45	0.93	9.03	9.96	9.19	91.5	
N3962-06	RVE-192	46	0.92	9.05	9.97	9.2	91.5	
N3962-07	RVE-193	47	0.93	8.90	9.83	9.13	92.1	
N3962-08	RVE-194	48	0.94	8.99	9.93	9.11	90.9	
N3962-09	RVE-195	49	1.00	1.00	2.00	2.00	100.0	
N3962-10	RVE-196	50	0.92	9.00	9.92	9.53	95.7	
N3962-11	RVE-197	51	0.91	8.97	9.88	9.38	94.4	
N3962-12	RVE-198	52	0.89	8.92	9.81	8.72	87.8	
N3962-13	RVE-199	53	0.93	9.03	9.96	9.36	93.4	
N3962-14	RVE-199D	54	0.9	8.99	9.89	9.04	90.5	
N3962-15	RVE-200	55	0.91	8.96	9.87	9.05	90.8	
N3962-16	RVE-201	56	0.92	8.98	9.9	9.00	90.0	

**PERCENT SOLID****Supervisor:** mohammad**Analyst:** JIGNESH**Date:** 8/2/2022**OVENTEMP IN Celsius(°C):** 107**Time IN:** 17:00**In Date:** 07/29/2022**Weight Check 1.0g:** 1.00**Weight Check 10g:** 10.00**OvenID:** M OVEN-1**OVENTEMP OUT Celsius(°C):** 103**Time OUT:** 08:28**Out Date:** 07/30/2022**Weight Check 1.0g:** 1.00**Weight Check 10g:** 10.00**BalanceID:** M SC-4**Thermometer ID:** %SOLIDS-OVEN**QC:**LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3962-17	RVE-202	57	0.93	9.05	9.98	8.94	88.5	
N3962-18	RVE-203	58	0.91	9.01	9.92	9.48	95.1	
N3962-19	RVE-204	59	0.93	9.01	9.94	9.42	94.2	
N3962-20	RVE-205	60	0.91	9.07	9.98	9.47	94.4	
N3963-01	RVE-206	61	0.94	8.95	9.89	9.43	94.9	
N3963-02	RVE-207	62	0.92	9.04	9.96	9.51	95.0	
N3963-03	RVE-208	63	0.94	8.98	9.92	8.83	87.9	
N3963-04	RVE-209	64	0.94	8.92	9.86	9.00	90.4	
N3963-05	RVE-210	65	0.92	8.88	9.8	8.95	90.4	
N3963-06	RVE-211	66	0.94	8.86	9.8	9.29	94.2	
N3963-07	RVE-212	67	0.92	9.05	9.97	9.41	93.8	
N3963-08	RVE-213	68	0.92	8.93	9.85	9.27	93.5	
N3963-09	RVE-214	69	0.93	9.00	9.93	8.82	87.7	
N3963-10	RVE-215	70	0.95	8.93	9.88	9.22	92.6	
N3963-11	RVE-216	71	0.94	8.89	9.83	9.21	93.0	
N3963-12	RVE-217	72	0.95	8.91	9.86	9.04	90.8	
N3963-13	RVE-218	73	0.93	9.01	9.94	9.44	94.5	
N3963-14	RVE-219	74	0.89	9.06	9.95	9.56	95.7	
N3963-15	RVE-219D	75	0.91	9.06	9.97	9.58	95.7	
N3963-16	RVE-220	76	0.96	8.85	9.81	9.42	95.6	
N3963-17	RVE-221	77	0.93	8.91	9.84	9.34	94.4	
N3963-18	RVE-222	78	0.91	8.94	9.85	9.55	96.6	
N3963-19	RVE-223	79	0.9	8.96	9.86	9.63	97.4	
N3963-20	RVE-224	80	0.92	8.91	9.83	9.4	95.2	
N3966-01	S3-01-B	102	0.92	8.87	9.79	9.51	96.8	
N3966-02	S3-02-B	103	0.93	8.73	9.66	9.03	92.8	
N3966-03	S3-03-B	104	0.91	8.64	9.55	8.87	92.1	
N3966-04	DUP-3	105	0.91	9.02	9.93	9.34	93.5	

**PERCENT SOLID****Supervisor:** mohammad**Analyst:** JIGNESH**Date:** 8/2/2022**OVENTEMP IN Celsius(°C):** 107**Time IN:** 17:00**In Date:** 07/29/2022**Weight Check 1.0g:** 1.00**Weight Check 10g:** 10.00**OvenID:** M OVEN-1**OVENTEMP OUT Celsius(°C):** 103**Time OUT:** 08:28**Out Date:** 07/30/2022**Weight Check 1.0g:** 1.00**Weight Check 10g:** 10.00**BalanceID:** M SC-4**Thermometer ID:** %SOLIDS-OVEN**QC:**LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3966-05	S3-01-S	106	0.9	8.65	9.55	9.02	93.9	
N3966-06	S3-02-S	107	0.95	9.01	9.96	8.54	84.2	
N3967-01	S2-01-B	108	0.9	8.76	9.66	9.2	94.7	
N3967-02	DUP-2	109	0.93	8.73	9.66	9.04	92.9	
N3967-03	S2-02-B	110	0.95	8.64	9.59	8.43	86.6	
N3967-04	S2-01-S	111	0.94	9.04	9.98	8.92	88.3	
N3967-05	S2-02-S	112	0.91	9.06	9.97	9.18	91.3	
N3970-01	MHB-UPPER	81	0.92	8.95	9.87	8.35	83.0	
N3970-02	MHB-UPPER-EPH-2	82	0.92	8.95	9.87	8.35	83.0	
N3970-04	MHB-LOWER	83	0.91	8.80	9.71	8.66	88.1	
N3970-05	MHB-LOWER-EPH-2	84	0.91	8.80	9.71	8.66	88.1	
N3973-01	RO-72-11940	113	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N3974-05	SVOC-GPC-BLANK	85	1.00	1.00	2.00	2.00	100.0	
N3974-06	PEST-GPC-BLANK	86	1.00	1.00	2.00	2.00	100.0	
N3974-07	PEST-GPC-BLANK-SPIKE	87	1.00	1.00	2.00	2.00	100.0	
N3974-08	PCB-GPC-BLANK	88	1.00	1.00	2.00	2.00	100.0	
N3974-09	PCB-GPC-BLANK-SPIKE	89	1.00	1.00	2.00	2.00	100.0	
N3974-10	SVOC-GPC2-BLANK	90	1.00	1.00	2.00	2.00	100.0	
N3974-11	PEST-GPC2-BLANK	91	1.00	1.00	2.00	2.00	100.0	
N3974-12	PEST-GPC2-BLANK-SPIKE	92	1.00	1.00	2.00	2.00	100.0	
N3974-13	PCB-GCP2-BLANK	93	1.00	1.00	2.00	2.00	100.0	
N3974-14	PCB-GCP2-BLANK-SPIKE	94	1.00	1.00	2.00	2.00	100.0	
N3976-01	TP1-0729	146	0.96	9.01	9.97	9.32	92.8	
N3976-03	TP2-0729	147	0.9	8.70	9.6	8.46	86.9	
N3976-05	TP3-0729	148	0.94	8.57	9.51	7.76	79.6	
N3978-01	KMH5050-1-1	116	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-02	KMH5050-1-2	117	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-03	JEH75651-1-1	118	1.00	1.00	2.00	2.00	100.0	PILC REEL

**PERCENT SOLID**

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/2/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:28

Out Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3978-04	JEH75651-1-2	119	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-05	KZA395M-1-1	120	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-06	KZA395M-1-2	121	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-07	MIA567G-1-1	122	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-08	MIA567G-1-2	123	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-09	KMH465W-1-1	124	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-10	KMH465W-1-2	125	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-11	13A	126	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3978-12	13B	127	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3979-01	TR-06-072922	114	0.92	8.74	9.66	8.94	91.8	
N3979-02	TR-06-072922-EPH-2	115	0.92	8.74	9.66	8.94	91.8	
N3980-01	LOD-MDL-SOIL-01-QT3-2022	95	1.00	1.00	2.00	2.00	100.0	
N3980-02	LOQ-SOIL-02-QT3-2022	96	1.00	1.00	2.00	2.00	100.0	
N3980-03	MDL-SOIL-03-QT3-2022	97	1.00	1.00	2.00	2.00	100.0	
N3980-04	LOD-MDL-SOIL-04-QT3-2022	98	1.00	1.00	2.00	2.00	100.0	
N3980-05	LOQ-SOIL-05-QT3-2022	99	1.00	1.00	2.00	2.00	100.0	
N3980-06	MDL-SOIL-06-QT3-2022	100	1.00	1.00	2.00	2.00	100.0	
N3980-16	LLOQ-SOIL-QT3-2022	101	1.00	1.00	2.00	2.00	100.0	
N3982-01	OR-3-072922	149	0.95	8.60	9.55	8.93	92.8	
N3982-02	OR-3-072922-EPH-2	150	0.95	8.60	9.55	8.93	92.8	
N3983-01	BC260544-1-1	128	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-02	BC260544-1-2	129	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-03	BC260967LOZ-1-1	130	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-04	BC260967LOZ-1-2	131	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-05	HIH089D-1-1	132	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-06	HIH089D-1-2	133	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3983-07	BC271315LOZ-1-1	134	1.00	1.00	2.00	2.00	100.0	PILC REEL



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/2/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 07/29/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:28

Out Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121280

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3984-01	124A	135	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-02	124B	136	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-03	125A	137	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-04	125B	138	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-05	126A	139	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-06	126B	140	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-07	127A	141	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-08	127B	142	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-09	128A	143	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3984-10	128B	144	1.00	1.00	2.00	2.00	100.0	PILC REEL
N3985-01	CP-01	145	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$