



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/1/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:00

In Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:00

Out Date: 07/31/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121294

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3936-01	EXSF7	1	0.91	8.69	9.6	8.43	86.5	
N3936-02	EXSF8	2	0.93	8.84	9.77	8.41	84.6	
N3936-03	EXSF9	3	0.92	9.06	9.98	8.76	86.5	
N3936-04	EXSG0	4	0.9	8.81	9.71	8.18	82.6	
N3936-05	EXSG1	5	0.88	8.89	9.77	8.27	83.1	
N3936-06	EXSG2	6	0.91	8.81	9.72	8.08	81.4	
N3936-07	EXSG3	7	0.91	9.03	9.94	8.5	84.1	
N3936-08	EXSG4	8	0.91	8.81	9.72	8.45	85.6	
N3936-09	EXSG5	9	0.93	9.00	9.93	8.99	89.6	
N3936-10	EXSG6	10	0.9	8.78	9.68	8.22	83.4	
N3936-11	EXSG7	11	0.91	8.64	9.55	8.23	84.7	
N3936-12	EXSG8	12	0.95	9.02	9.97	8.16	79.9	
N3936-13	EXSG9	13	0.91	8.70	9.61	7.6	76.9	
N3936-14	EXSH0	14	0.97	8.76	9.73	8.25	83.1	
N3936-15	EXSH1	15	0.9	8.78	9.68	8.27	83.9	
N3936-16	EXSH2	16	0.91	8.87	9.78	8.63	87.0	
N3936-17	EXSH3	17	0.95	8.97	9.92	8.58	85.1	
N3936-18	EXSH4	18	0.93	8.99	9.92	8.33	82.3	
N3936-19	EXSH5	19	0.86	9.07	9.93	8.39	83.0	
N3936-20	EXSH9	20	0.9	9.02	9.92	9.05	90.4	
N3936-21	EXSH9D	21	0.9	9.02	9.92	9.05	90.4	
N3936-22	EXSH9S	22	0.9	9.02	9.92	9.05	90.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$