



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/1/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:15

In Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:11

Out Date: 07/31/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121295

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3937-01	EXSH6	1	0.93	8.63	9.56	8.32	85.6	
N3937-02	EXSH7	2	0.9	8.67	9.57	8.75	90.5	
N3937-03	EXSH8	3	0.98	8.79	9.77	8.64	87.1	
N3937-04	EXSJ0	4	0.95	9.00	9.95	8.66	85.7	
N3937-05	EXSJ1	5	0.91	8.89	9.8	8.82	89.0	
N3937-06	EXSJ2	6	0.94	8.58	9.52	8.8	91.6	
N3937-07	EXSJ3	7	0.91	8.63	9.54	7.9	81.0	
N3937-08	EXSJ4	8	0.9	8.65	9.55	7.86	80.5	
N3937-09	EXSJ5	9	0.92	8.77	9.69	8.19	82.9	
N3937-10	EXSJ6	10	0.91	8.97	9.88	8.21	81.4	
N3937-11	EXSJ7	11	0.9	8.70	9.6	8.35	85.6	
N3937-12	EXSJ8	12	0.92	8.76	9.68	8.6	87.7	
N3937-13	EXSJ9	13	0.91	8.79	9.7	8.57	87.1	
N3937-14	EXSK0	14	0.94	8.81	9.75	8.57	86.6	
N3937-15	EXSK1	15	0.93	8.75	9.68	8.34	84.7	
N3937-16	EXSK2	16	0.96	9.01	9.97	8.57	84.5	
N3937-17	EXSK3	17	0.91	8.83	9.74	8.7	88.2	
N3937-18	EXSK4	18	0.94	8.94	9.88	8.72	87.0	
N3937-19	EXSK5	19	0.93	8.67	9.6	8.43	86.5	
N3937-20	EXSK6	20	0.91	8.97	9.88	8.67	86.5	
N3937-21	EXSK6D	21	0.91	8.97	9.88	8.67	86.5	
N3937-22	EXSK6S	22	0.91	8.97	9.88	8.67	86.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$