



PERCENT SOLID

Supervisor: mohammad

Analyst: JIGNESH

Date: 8/1/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:15

In Date: 07/30/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 07/31/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121297

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N3939-01	EXS67	1	0.8	9.00	9.8	8.6	86.7	
N3939-02	EXSE3	2	0.93	8.72	9.65	7.96	80.6	
N3939-03	EXSE4	3	0.92	9.03	9.95	8.41	82.9	
N3939-04	EXSE5	4	0.92	9.03	9.95	8.7	86.2	
N3939-05	EXSE6	5	0.92	9.03	9.95	8.51	84.1	
N3939-06	EXSE7	6	0.91	8.86	9.77	8.23	82.6	
N3939-07	EXSE8	7	0.91	8.82	9.73	8.29	83.7	
N3939-08	EXSE9	8	0.92	8.94	9.86	8.47	84.5	
N3939-09	EXSF0	9	0.91	8.68	9.59	8.5	87.4	
N3939-10	EXSF1	10	0.91	8.78	9.69	8.57	87.2	
N3939-11	EXSM7	11	0.94	8.98	9.92	8.43	83.4	
N3939-12	EXSM8	12	0.91	8.79	9.7	8.5	86.3	
N3939-13	EXSM9	13	0.9	8.78	9.68	8.25	83.7	
N3939-14	EXSN0	14	0.95	8.89	9.84	8.56	85.6	
N3939-15	EXSN1	15	0.92	8.61	9.53	8.4	86.9	
N3939-16	EXSN2	16	0.91	8.81	9.72	8.43	85.4	
N3939-17	EXSN3	17	0.9	8.88	9.78	8.46	85.1	
N3939-18	EXSN4	18	0.91	8.92	9.83	8.54	85.5	
N3939-19	EXSN5	19	0.93	8.93	9.86	8.63	86.2	
N3939-20	EXSN5D	20	0.93	8.93	9.86	8.63	86.2	
N3939-21	EXSN5S	21	0.93	8.93	9.86	8.63	86.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$