



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 8/3/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 15:30

In Date: 08/02/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:05

Out Date: 08/03/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB121326

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N4000-01	GBJC1	1	0.9	8.72	9.62	9.3	96.3	
N4000-02	GBJC2	2	0.9	8.66	9.56	9.32	97.2	
N4000-03	GBJC3	3	0.91	8.86	9.77	9.45	96.4	
N4000-04	GBJC4	4	0.92	8.66	9.58	9.43	98.3	
N4000-05	GBJC5	5	0.91	8.75	9.66	9.34	96.3	
N4000-06	GBJC6	6	0.91	8.59	9.5	9.11	95.5	
N4000-07	GBJC7	7	0.93	8.64	9.57	8.89	92.1	
N4000-08	GBJC8	8	0.98	8.62	9.6	9.31	96.6	
N4000-09	GBJC9	9	0.93	8.57	9.5	8.7	90.7	
N4000-10	GBJD0	10	0.88	8.72	9.6	9.38	97.5	
N4000-11	GBJD0D	11	0.88	8.72	9.6	9.38	97.5	
N4000-12	GBJD0S	12	0.88	8.72	9.6	9.38	97.5	
N4000-13	GBJD1	13	0.93	8.73	9.66	9.39	96.9	
N4000-14	GBJD2	14	0.92	8.74	9.66	9.4	97.0	
N4000-15	GBJD3	15	0.91	8.88	9.79	9.52	97.0	
N4000-16	GBJD4	16	0.91	8.80	9.71	9.43	96.8	
N4000-17	GBJD5	17	0.9	8.72	9.62	9.29	96.2	
N4000-18	GBJD6	18	0.94	8.75	9.69	9.52	98.1	
N4000-19	GBJD7	19	0.92	8.75	9.67	9.46	97.6	
N4000-20	GBJD8	20	0.98	8.84	9.82	9.41	95.4	
N4000-21	GBJD9	21	0.9	8.65	9.55	9.25	96.5	
N4000-22	GBJG0	22	0.88	8.68	9.56	9.31	97.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$