



PERCENT SOLID

Supervisor: Sohil
Analyst: JIGNESH
Date: 8/9/2022

OVENTEMP IN Celsius(°C): 108
Time IN: 17:10
In Date: 08/08/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 08/09/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB121396

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N4068-01	BU-02-080522	1	0.91	9.07	9.98	9.3	92.5	
N4091-01	PSC-164718	2	0.92	9.06	9.98	7.43	71.9	
N4091-03	PSC-164717	3	0.91	9.08	9.99	7.7	74.8	
N4091-05	PSC-124037	4	0.91	8.81	9.72	7.45	74.2	
N4091-07	PSC-124042	5	0.91	8.93	9.84	6.06	57.7	
N4091-09	RO-124019	6	0.91	9.07	9.98	6.25	58.9	
N4093-01	DRUM-AR-HYD	7	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N4093-03	BLDG-4-BASEMENT-DRUM	8	0.91	9.01	9.92	5.48	50.7	
N4093-05	OIL-TANK	9	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N4093-08	UNDER-LOADING-DOCK-OW	10	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N4093-09	UNDER-LOADING-DOCK-O	11	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
N4101-01	TP1-8-8	12	0.91	8.89	9.8	9.21	93.4	
N4101-02	TP1-8-8-E2	13	0.91	8.89	9.8	9.21	93.4	
N4101-03	TP2-8-8	14	0.91	8.92	9.83	9.11	91.9	
N4101-04	TP2-8-8-E2	15	0.91	8.92	9.83	9.11	91.9	
N4102-01	PPE-DRUMS-0808	16	1.00	1.00	2.00	2.00	100.0	DEBRIS
N4102-03	FILTER-DRUM-0808	17	1.00	1.00	2.00	2.00	100.0	DEBRIS
N4105-01	EO-01-080822	18	0.91	8.81	9.72	9.58	98.4	
N4105-02	EO-01-080822-EPH-2	19	0.91	8.81	9.72	9.58	98.4	
N4106-01	SOM-2022-52-A	20	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-02	SOM-2022-52-B	21	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-03	SOM-2022-53-A	22	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-04	SOM-2022-53-B	23	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-05	SOM-2022-54-A	24	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-06	SOM-2022-54-B	25	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-07	SOM-2022-55-A	26	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-08	SOM-2022-55-B	27	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-09	SOM-2022-56-A	28	1.00	1.00	2.00	2.00	100.0	PILC REEL



PERCENT SOLID

Supervisor: Sohil
Analyst: JIGNESH
Date: 8/9/2022

OVENTEMP IN Celsius(°C): 108
Time IN: 17:10
In Date: 08/08/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 08/09/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB121396

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N4106-10	SOM-2022-56-B	29	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-11	SOM-2022-57-A	30	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-12	SOM-2022-57-B	31	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-13	SOM-2022-58-A	32	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-14	BC245034-LOZ-END-1-1	33	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-15	BC245034-LOZ-END-1-2	34	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-16	HIH07719-END-1-1	35	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-17	HIH07719-END-1-2	36	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-18	WOOD-REEL-END-1-1	37	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-19	WOOD-REEL-END-1-2	38	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-20	BC216086-LOZ-END-1-1	39	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-21	BC216086-LOZ-END-1-2	40	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-22	BC274412-LOZ-END-1-1	41	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4106-23	BC274412-LOZ-END-1-2	42	1.00	1.00	2.00	2.00	100.0	PILC REEL
N4107-05	17183	43	1.00	1.00	2.00	2.00	100.0	DEBRIS
N4107-07	CONCRETE-STOCKPILE	44	0.91	8.99	9.9	9.48	95.3	
N4107-08	CONCRETE-STOCKPILE-EPH-2	45	0.91	8.99	9.9	9.48	95.3	
N4107-09	SOIL-STOCKPILE	46	0.92	8.79	9.71	8.98	91.7	
N4107-10	SOIL-STOCKPILE-EPH-2	47	0.92	8.79	9.71	8.98	91.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

121396

WorkList Name : %1-08082-1

WorkList ID : 162071

Department : Wet-Chemistry

Date : 08-08-2022 09:49:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/10/2022	Solid	N4068-01	Percent Solids	Cool 4 deg C	PSEG05	J11	BU-02-080522	08/05/2022	Chemtech -SO
08/10/2022	Solid	N4091-01	Percent Solids	Cool 4 deg C	PSEG03	J11	PSC-164718	08/05/2022	Chemtech -SO
08/10/2022	Solid	N4091-03	Percent Solids	Cool 4 deg C	PSEG03	J11	PSC-164717	08/05/2022	Chemtech -SO
08/10/2022	Solid	N4091-05	Percent Solids	Cool 4 deg C	PSEG03	J11	PSC-124037	08/05/2022	Chemtech -SO
08/10/2022	Solid	N4091-07	Percent Solids	Cool 4 deg C	PSEG03	J11	PSC-124042	08/05/2022	Chemtech -SO
08/10/2022	Solid	N4091-09	Percent Solids	Cool 4 deg C	PSEG03	J11	RO-124019	08/05/2022	Chemtech -SO
08/08/2022	Solid	N4093-01	Percent Solids	Cool 4 deg C	GUAR01	N11	DRUM-AR-HYD	07/29/2022	Chemtech -SO
08/08/2022	Solid	N4093-03	Percent Solids	Cool 4 deg C	GUAR01	N11	BLDG-4-BASEMENT-DRUM	07/29/2022	Chemtech -SO
08/11/2022	Solid	N4093-05	Percent Solids	Cool 4 deg C	GUAR01	N11	OIL-TANK	08/01/2022	Chemtech -SO
08/14/2022	Solid	N4093-08	Percent Solids	Cool 4 deg C	GUAR01	N11	UNDER-LOADING-DOCK-OW	08/04/2022	Chemtech -SO
08/14/2022	Solid	N4093-09	Percent Solids	Cool 4 deg C	GUAR01	N11	UNDER-LOADING-DOCK-O	08/04/2022	Chemtech -SO
08/11/2022	Solid	N4101-01	Percent Solids	Cool 4 deg C	PSEG03	N12	TP1-8-8	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4101-02	Percent Solids	Cool 4 deg C	PSEG03	N12	TP1-8-8-E2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4101-03	Percent Solids	Cool 4 deg C	PSEG03	N12	TP2-8-8	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4101-04	Percent Solids	Cool 4 deg C	PSEG03	N12	TP2-8-8-E2	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4102-01	Percent Solids	Cool 4 deg C	PSEG03	N12	PPE-DRUMS-0808	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4102-03	Percent Solids	Cool 4 deg C	PSEG03	N12	FILTER-DRUM-0808	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4105-01	Percent Solids	Cool 4 deg C	PSEG05	N12	EO-01-080822	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4105-02	Percent Solids	Cool 4 deg C	PSEG05	N12	EO-01-080822-EPH-2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-01	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-52-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-02	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-52-B	08/08/2022	Chemtech -SO

Date/Time 08/08/22 16:00
 Raw Sample Received by: 20 (WC)
 Raw Sample Relinquished by: KS (WC)

Date/Time 08/08/22 17:20
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: 20 (WC)

121396

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-08082-1

WorkList ID : 162071

Department : Wet-Chemistry

Date : 08-08-2022 09:49:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/11/2022	Solid	N4106-03	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-53-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-04	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-53-B	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-05	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-54-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-06	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-54-B	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-07	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-55-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-08	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-55-B	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-09	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-56-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-10	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-56-B	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-11	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-57-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-12	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-57-B	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-13	Percent Solids	Cool 4 deg C	PSEG03	N12	SOM-2022-58-A	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-14	Percent Solids	Cool 4 deg C	PSEG03	N12	BC245034-LOZ-END-1-1	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-15	Percent Solids	Cool 4 deg C	PSEG03	N12	BC245034-LOZ-END-1-2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-16	Percent Solids	Cool 4 deg C	PSEG03	N12	HIH07719-END-1-1	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-17	Percent Solids	Cool 4 deg C	PSEG03	N12	HIH07719-END-1-2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-18	Percent Solids	Cool 4 deg C	PSEG03	N12	WOOD-REEL-END-1-1	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-19	Percent Solids	Cool 4 deg C	PSEG03	N12	WOOD-REEL-END-1-2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-20	Percent Solids	Cool 4 deg C	PSEG03	N12	BC216086-LOZ-END-1-1	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-21	Percent Solids	Cool 4 deg C	PSEG03	N12	BC216086-LOZ-END-1-2	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-22	Percent Solids	Cool 4 deg C	PSEG03	N12	BC274412-LOZ-END-1-1	08/08/2022	Chemtech -SO
08/11/2022	Solid	N4106-23	Percent Solids	Cool 4 deg C	PSEG03	N12	BC274412-LOZ-END-1-2	08/08/2022	Chemtech -SO

Date/Time 08/08/22 16:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 08/08/22 17:20
Raw Sample Received by: KS(wo)
Raw Sample Relinquished by: [Signature]

121396

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-08082-1

WorkList ID : 162071

Department : Wet-Chemistry

Date : 08-08-2022 09:49:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/15/2022	Solid	N4107-05	Percent Solids	Cool 4 deg C	PSEG03	N12	17183	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4107-07	Percent Solids	Cool 4 deg C	PSEG03	N12	CONCRETE-STOCKPILE	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4107-08	Percent Solids	Cool 4 deg C	PSEG03	N12	CONCRETE-STOCKPILE-EPH-2	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4107-09	Percent Solids	Cool 4 deg C	PSEG03	N12	SOIL-STOCKPILE	08/08/2022	Chemtech -SO
08/15/2022	Solid	N4107-10	Percent Solids	Cool 4 deg C	PSEG03	N12	SOIL-STOCKPILE-EPH-2	08/08/2022	Chemtech -SO

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

08/08/22 11:00
 70 (WC)
 70 (WC)

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

08/08/22 17:20
 70 (WC)
 70 (WC)