



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB121518

Reviewed By: Iwona
Supervisor Review By: ketankumar
BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N4189-01	SB18	1	100.05	0.00	08/15/2022	09:00
2	N4189-01DUP	SB18DUP	1	100.04	0.00	08/15/2022	09:08
3	N4189-03	SB19	1	100.06	0.00	08/15/2022	09:15
4	N4189-05	SB20	1	100.02	0.00	08/15/2022	09:22
5	N4189-07	SB15	1	100.01	0.00	08/15/2022	09:30
6	N4189-09	SB16	1	100.08	0.00	08/15/2022	09:37
7	N4189-11	SB17	1	100.02	0.00	08/15/2022	09:44
8	N4189-13	SB13	1	100.05	0.00	08/15/2022	09:51
9	N4189-15	SB12	1	100.01	0.00	08/15/2022	09:58
10	N4189-17	SB14	1	100.01	0.00	08/15/2022	10:05
11	N4189-19	SB11	1	100.06	0.00	08/15/2022	10:12
12	N4199-01	HD-02-081222	1	100.01	0.00	08/15/2022	10:20
13	N4200-01	S13	1	100.04	0.00	08/15/2022	10:28
14	N4200-02	S13	1	100.02	0.00	08/15/2022	10:35
15	N4200-04	S9	1	100.06	0.00	08/15/2022	10:42
16	N4200-05	S9	1	100.04	0.00	08/15/2022	10:50
17	N4200-07	S12	1	100.01	0.00	08/15/2022	10:57
18	N4200-08	S12	1	100.08	0.00	08/15/2022	11:05
19	N4200-10	S5	1	100.02	0.00	08/15/2022	11:12
20	N4200-11	S5	1	100.06	0.00	08/15/2022	11:20
21	N4200-13	S1	1	100.03	0.00	08/15/2022	11:28
22	N4200-14	S1	1	100.07	0.00	08/15/2022	11:35
23	N4200-16	S2	1	100.01	0.00	08/15/2022	11:42
24	N4200-17	S2	1	100.05	0.00	08/15/2022	11:50
25	N4201-02	331	1	100.02	0.00	08/15/2022	11:58
26	N4202-01	SB10	1	100.04	0.00	08/15/2022	12:05
27	N4202-03	SB08	1	100.02	0.00	08/15/2022	12:12
28	N4211-01	WC-1	1	100.07	0.00	08/15/2022	12:20
29	N4211-02	WC-2	1	100.02	0.00	08/15/2022	12:28
30	N4211-02DUP	WC-2DUP	1	100.04	0.00	08/15/2022	12:35

WORKLIST(Hardcopy Internal Chain)

LB121518

WorkList Name : PF-081522

WorkList ID : 162308

Department : Wet-Chemistry

Date : 08-15-2022 08:46:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/10/2022	Solid	N4189-01	Paint Filter	Cool 4 deg C	loui01	K11	SB18	08/10/2022	9095B
08/10/2022	Solid	N4189-03	Paint Filter	Cool 4 deg C	loui01	K11	SB19	08/10/2022	9095B
08/10/2022	Solid	N4189-05	Paint Filter	Cool 4 deg C	loui01	K11	SB20	08/10/2022	9095B
08/10/2022	Solid	N4189-07	Paint Filter	Cool 4 deg C	loui01	K11	SB15	08/10/2022	9095B
08/10/2022	Solid	N4189-09	Paint Filter	Cool 4 deg C	loui01	K11	SB16	08/10/2022	9095B
08/10/2022	Solid	N4189-11	Paint Filter	Cool 4 deg C	loui01	K11	SB17	08/10/2022	9095B
08/11/2022	Solid	N4189-13	Paint Filter	Cool 4 deg C	loui01	K11	SB13	08/10/2022	9095B
08/11/2022	Solid	N4189-15	Paint Filter	Cool 4 deg C	loui01	K11	SB12	08/11/2022	9095B
08/11/2022	Solid	N4189-17	Paint Filter	Cool 4 deg C	loui01	K11	SB14	08/11/2022	9095B
08/11/2022	Solid	N4189-19	Paint Filter	Cool 4 deg C	loui01	K11	SB11	08/11/2022	9095B
08/12/2022	Solid	N4199-01	Paint Filter	Cool 4 deg C	PSEG05	K11	HD-02-081222	08/11/2022	9095B
08/12/2022	Solid	N4200-01	Paint Filter	Cool 4 deg C	PSEG03	K11	S13	08/12/2022	9095B
08/12/2022	Solid	N4200-02	Paint Filter	Cool 4 deg C	PSEG03	K11	S13	08/12/2022	9095B
08/12/2022	Solid	N4200-04	Paint Filter	Cool 4 deg C	PSEG03	K11	S9	08/12/2022	9095B
08/12/2022	Solid	N4200-05	Paint Filter	Cool 4 deg C	PSEG03	K11	S9	08/12/2022	9095B
08/12/2022	Solid	N4200-07	Paint Filter	Cool 4 deg C	PSEG03	K11	S12	08/12/2022	9095B
08/12/2022	Solid	N4200-08	Paint Filter	Cool 4 deg C	PSEG03	K11	S12	08/12/2022	9095B
08/12/2022	Solid	N4200-10	Paint Filter	Cool 4 deg C	PSEG03	K11	S5	08/12/2022	9095B
08/12/2022	Solid	N4200-11	Paint Filter	Cool 4 deg C	PSEG03	K11	S5	08/12/2022	9095B
08/12/2022	Solid	N4200-13	Paint Filter	Cool 4 deg C	PSEG03	K11	S1	08/12/2022	9095B
08/12/2022	Solid	N4200-14	Paint Filter	Cool 4 deg C	PSEG03	K11	S1	08/12/2022	9095B

Date/Time 8/15/22 08:50
 Raw Sample Received by: 12/51
 Raw Sample Relinquished by: FS (WC)

Date/Time 8/15/22 12:45
 Raw Sample Received by: FS (WC)
 Raw Sample Relinquished by: 12/51

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-081522

WorkList ID : 162308

Department : Wet-Chemistry

Date : 08-15-2022 08:46:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/12/2022	Solid	N4200-16	Paint Filter	Cool 4 deg C	PSEG03	K11	S2	08/12/2022	9095B
08/12/2022	Solid	N4200-17	Paint Filter	Cool 4 deg C	PSEG03	K11	S2	08/12/2022	9095B
08/12/2022	Solid	N4201-02	Paint Filter	Cool 4 deg C	PSEG03	K11	331	08/12/2022	9095B
08/12/2022	Solid	N4202-01	Paint Filter	Cool 4 deg C	loui01	N11	SB10	08/12/2022	9095B
08/12/2022	Solid	N4202-03	Paint Filter	Cool 4 deg C	loui01	N11	SB08	08/12/2022	9095B
08/12/2022	Solid	N4211-01	Paint Filter	Cool 4 deg C	RUTW01	K11	WC-1	08/12/2022	9095B
08/12/2022	Solid	N4211-02	Paint Filter	Cool 4 deg C	RUTW01	K11	WC-2	08/12/2022	9095B

Date/Time 8/15/22 08:50
 Raw Sample Received by: 12 (21)
 Raw Sample Relinquished by: KS (WC)

Date/Time 8/15/22 12:45
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: 12 (21)