

Analysis Method: 9034

ANALYST: Iwona

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: jignesh

Run Number: LB122113

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2843
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2766

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB147788BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	09/21/2022	15:30
2	N4723-02		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	09/21/2022	15:32
3	N4723-02DUP		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.08	6.37	09/21/2022	15:35
4	N4723-04		1	5.07	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	09/21/2022	15:38
5	N4723-06		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/21/2022	15:40
6	N4723-08		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.08	6.37	09/21/2022	15:43
7	N4723-10		1	5.05	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	09/21/2022	15:45
8	N4723-12		1	5.02	50	2.00	0.00	1.82	1.82	0.18	0.10	7.97	09/21/2022	15:48
9	N4723-14		1	5.07	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	09/21/2022	15:50
10	N4723-16		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/21/2022	15:53
11	N4723-18		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	09/21/2022	15:55
12	N4723-20		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	09/21/2022	15:57

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB122113

ANALYST: Iwona

SUPERVISOR REVIEW BY: jignesh

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2843
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2766

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	N4724-02		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	09/21/2022	16:00
14	N4724-04		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	09/21/2022	16:03
15	N4724-06		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/21/2022	16:05
16	N4724-08		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.08	6.37	09/21/2022	16:08
17	N4724-10		1	5.05	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	09/21/2022	16:10
18	N4724-12		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	09/21/2022	16:13
19	N4724-14		1	5.08	50	2.00	0.00	1.88	1.88	0.12	0.04	3.15	09/21/2022	16:15
20	N4724-16		1	5.01	50	2.00	0.00	1.86	1.86	0.14	0.06	4.79	09/21/2022	16:18
21	N4732-02		1	5.05	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	09/21/2022	16:20

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume