



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 10/4/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 14:20

In Date: 10/03/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:27

Out Date: 10/04/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB122314

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
N4852-01	EW807	1	0.92	8.99	9.91	8.31	82.2	
N4852-02	EW807MS	2	0.92	8.99	9.91	8.31	82.2	
N4852-03	EW807MSD	3	0.92	8.99	9.91	8.31	82.2	
N4852-04	EW808	4	0.92	8.88	9.8	7.65	75.8	
N4852-05	EW809	5	0.91	9.03	9.94	8.48	83.8	
N4852-06	EW810	6	0.89	8.97	9.86	8.84	88.6	
N4852-07	EW811	7	0.89	8.95	9.84	8.18	81.5	
N4852-08	EW812	8	0.93	8.94	9.87	7.82	77.1	
N4852-09	EW813	9	0.92	9.00	9.92	8.27	81.7	
N4852-10	EW814	10	0.9	8.75	9.65	7.68	77.5	
N4852-11	EW817	11	0.92	8.80	9.72	8.29	83.7	
N4852-12	EW818	12	0.91	8.94	9.85	7.85	77.6	
N4852-13	EW819	13	0.91	8.83	9.74	8.59	87.0	
N4852-14	EW820	14	0.92	8.96	9.88	6.86	66.3	
N4852-15	EW823	15	0.92	9.07	9.99	7.84	76.3	
N4852-16	VHBLK001	16	1.00	1.00	2.00	2.00	100.0	VHBLK
N4852-17	EW815	17	0.91	9.08	9.99	8.51	83.7	
N4852-18	EW821	18	0.92	9.06	9.98	7.98	77.9	
N4852-19	EW822	19	0.92	9.05	9.97	8.64	85.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$