



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB122325

Reviewed By: Iwona
Supervisor Review By: jignesh
BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N4907-01	SU-03-092922	1	100.05	0.00	10/04/2022	09:20
2	N4907-01DUP	SU-03-092922DUP	1	100.04	0.00	10/04/2022	09:28
3	N4907-03	VNJ-222	1	100.03	0.00	10/04/2022	09:35
4	N4907-05	VNJ-232	1	100.01	0.00	10/04/2022	09:42
5	N4912-01	VNJ-211	1	100.05	0.00	10/04/2022	09:50
6	N4912-03	72-11939	1	100.07	0.00	10/04/2022	09:58
7	N4943-01	SOIL-001-0930	1	100.02	0.00	10/04/2022	10:05
8	N4943-03	SOIL-002-0930	1	100.06	0.00	10/04/2022	10:12
9	N4943-05	SOIL-003-0930	1	100.06	0.00	10/04/2022	10:20
10	N4946-01	HD-01-093022	1	100.04	0.00	10/04/2022	10:28
11	N4947-01	CL-02-093022	1	100.05	0.00	10/04/2022	10:35
12	N4960-01	PAT-01-100322	1	100.07	0.00	10/04/2022	10:42
13	N4960-03	PAT-02-100322	1	100.07	0.00	10/04/2022	10:50
14	N4960-05	PAT-03-100322	1	100.02	0.00	10/04/2022	10:58

WORKLIST(Hardcopy Internal Chain)

LB122325

WorkList Name : PF-100322 WorkList ID : 163739 Department : Wet-Chemistry Date : 10-03-2022 09:24:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/29/2022	Solid	N4912-01	Paint Filter	Cool 4 deg C	PSEG03	N11	VNJ-211	09/29/2022	9095B
09/29/2022	Solid	N4912-03	Paint Filter	Cool 4 deg C	PSEG03	N11	72-11939	09/29/2022	9095B
09/30/2022	Solid	N4943-01	Paint Filter	Cool 4 deg C	PSEG03	N11	SOIL-001-0930	09/30/2022	9095B
09/30/2022	Solid	N4943-03	Paint Filter	Cool 4 deg C	PSEG03	N11	SOIL-002-0930	09/30/2022	9095B
09/30/2022	Solid	N4943-05	Paint Filter	Cool 4 deg C	PSEG03	N11	SOIL-003-0930	09/30/2022	9095B
10/03/2022	Solid	N4960-01	Paint Filter	Cool 4 deg C	PSEG03	N12	PAT-01-100322	10/03/2022	9095B
10/03/2022	Solid	N4960-03	Paint Filter	Cool 4 deg C	PSEG03	N12	PAT-02-100322	10/03/2022	9095B
10/03/2022	Solid	N4960-05	Paint Filter	Cool 4 deg C	PSEG03	N12	PAT-03-100322	10/03/2022	9095B
09/29/2022	Solid	N4907-01	Paint Filter	Cool 4 deg C	PSEG05	N11	SU-03-092922	09/29/2022	9095B
09/29/2022	Solid	N4907-03	Paint Filter	Cool 4 deg C	PSEG05	N11	VNJ-222	09/29/2022	9095B
09/29/2022	Solid	N4907-05	Paint Filter	Cool 4 deg C	PSEG05	N11	VNJ-232	09/29/2022	9095B
09/30/2022	Solid	N4946-01	Paint Filter	Cool 4 deg C	PSEG05	N11	HD-01-093022	09/30/2022	9095B
09/30/2022	Solid	N4947-01	Paint Filter	Cool 4 deg C	PSEG05	N11	CL-02-093022	09/30/2022	9095B

Date/Time 10/04/22 09:05
 Raw Sample Received by: 12/01/22
 Raw Sample Relinquished by: 12/01/22

Date/Time 10/04/22 11:15
 Raw Sample Received by: 12/01/22
 Raw Sample Relinquished by: 12/01/22