



PERCENT SOLID

Supervisor: Sohil  
Analyst: JIGNESH  
Date: 10/11/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 10/10/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 10/11/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122413

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| N5066-01 | B-1 (1-2)       | 1      | 0.91           | 8.93         | 9.84                    | 8.75                      | 87.8    |          |
| N5066-02 | B-3 (19-20)     | 2      | 0.93           | 9.04         | 9.97                    | 9.05                      | 89.8    |          |
| N5066-03 | B-5 (16-17)     | 3      | 0.91           | 8.80         | 9.71                    | 7.66                      | 76.7    |          |
| N5066-04 | B-2 (25-26)     | 4      | 0.93           | 9.04         | 9.97                    | 8.53                      | 84.1    |          |
| N5066-05 | B-6 (13-14)     | 5      | 0.91           | 9.06         | 9.97                    | 8.67                      | 85.7    |          |
| N5066-06 | B-4 (7-8)       | 6      | 0.91           | 8.99         | 9.9                     | 8.55                      | 85.0    |          |
| N5066-08 | B-4 (10-11)     | 7      | 0.92           | 9.04         | 9.96                    | 8.01                      | 78.4    |          |
| N5066-09 | B-4 (11-12)     | 8      | 0.93           | 8.73         | 9.66                    | 7.43                      | 74.5    |          |
| N5066-10 | B-4 (12-13)     | 9      | 0.92           | 9.04         | 9.96                    | 8.36                      | 82.3    |          |
| N5066-11 | C11 (10-11)     | 10     | 0.91           | 9.03         | 9.94                    | 7.95                      | 78.0    |          |
| N5066-12 | C11 (10-11)     | 11     | 0.91           | 8.83         | 9.74                    | 7.35                      | 72.9    |          |
| N5066-13 | C12 (11-12)     | 12     | 0.98           | 8.69         | 9.67                    | 7.8                       | 78.5    |          |
| N5066-14 | C13 (12-13)     | 13     | 0.91           | 9.02         | 9.93                    | 7.93                      | 77.8    |          |
| N5066-15 | C14 (13-14)     | 14     | 0.95           | 8.99         | 9.94                    | 9.2                       | 91.8    |          |
| N5066-17 | C6 (5-6)        | 15     | 0.91           | 8.98         | 9.89                    | 8.49                      | 84.4    |          |
| N5066-18 | C1 (0-1)        | 16     | 0.9            | 8.76         | 9.66                    | 8.58                      | 87.7    |          |
| N5066-19 | C20 (19-20)     | 17     | 0.93           | 9.03         | 9.96                    | 8.26                      | 81.2    |          |
| N5066-20 | C21 (20-21)     | 18     | 0.91           | 9.06         | 9.97                    | 8.55                      | 84.3    |          |
| N5067-01 | B4 (13-14)      | 19     | 0.91           | 9.07         | 9.98                    | 7.59                      | 73.6    |          |
| N5067-03 | B6 (5-6)        | 20     | 0.93           | 8.84         | 9.77                    | 8.46                      | 85.2    |          |
| N5067-04 | B4 (8-9)        | 21     | 0.93           | 9.05         | 9.98                    | 8.81                      | 87.1    |          |
| N5067-06 | B2 (19-20)      | 22     | 0.95           | 9.01         | 9.96                    | 7.55                      | 73.3    |          |
| N5067-07 | B5 (20-21)      | 23     | 0.91           | 8.93         | 9.84                    | 8.14                      | 81.0    |          |
| N5067-08 | B5 (21-22)      | 24     | 0.9            | 8.99         | 9.89                    | 8.32                      | 82.5    |          |
| N5067-09 | B6 (22-23)      | 25     | 0.93           | 9.02         | 9.95                    | 9.1                       | 90.6    |          |
| N5067-10 | B3 (23-24)      | 26     | 0.91           | 8.92         | 9.83                    | 8.7                       | 87.3    |          |
| N5067-11 | C2 (1-2)        | 27     | 0.93           | 8.57         | 9.5                     | 8.69                      | 90.5    |          |
| N5067-12 | C22 (21-22)     | 28     | 0.93           | 9.01         | 9.94                    | 8.2                       | 80.7    |          |



PERCENT SOLID

Supervisor: Sohil  
Analyst: JIGNESH  
Date: 10/11/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 10/10/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 10/11/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122413

| Lab ID   | Client SampleID       | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| N5067-13 | C23 (22-23)           | 29     | 0.91           | 9.07         | 9.98                    | 8.24                      | 80.8    |             |
| N5067-14 | C24 (23-24)           | 30     | 0.92           | 9.02         | 9.94                    | 8.19                      | 80.6    |             |
| N5067-15 | C25 (24-25)           | 31     | 0.93           | 8.85         | 9.78                    | 8.1                       | 81.0    |             |
| N5067-16 | COMP-B-3-VERT         | 32     | 0.93           | 8.99         | 9.92                    | 8.76                      | 87.1    |             |
| N5067-18 | COMP-B-2-VERT         | 33     | 0.91           | 9.02         | 9.93                    | 8.24                      | 81.3    |             |
| N5067-20 | COMP-B-6-VERT         | 34     | 0.91           | 8.97         | 9.88                    | 8.21                      | 81.4    |             |
| N5068-01 | B4 (24-25)            | 35     | 0.91           | 8.81         | 9.72                    | 7.72                      | 77.3    |             |
| N5068-02 | B4 (18-19)            | 36     | 0.91           | 8.74         | 9.65                    | 8.2                       | 83.4    |             |
| N5068-03 | B1 (4-5)              | 37     | 0.9            | 8.87         | 9.77                    | 8.55                      | 86.2    |             |
| N5068-04 | B5 (15-16)            | 38     | 0.93           | 8.88         | 9.81                    | 7.62                      | 75.3    |             |
| N5068-05 | B6 (15-16)            | 39     | 0.95           | 9.01         | 9.96                    | 8.37                      | 82.4    |             |
| N5068-06 | B1 (2-3)              | 40     | 0.91           | 9.02         | 9.93                    | 8.7                       | 86.4    |             |
| N5068-07 | B1 (2-3)              | 41     | 0.93           | 9.05         | 9.98                    | 8.74                      | 86.3    |             |
| N5068-09 | B6 (20-21)            | 42     | 0.92           | 9.03         | 9.95                    | 8.19                      | 80.5    |             |
| N5068-10 | B3 (15-16)            | 43     | 0.92           | 8.89         | 9.81                    | 7.9                       | 78.5    |             |
| N5068-11 | B4 (8-9)              | 44     | 0.94           | 8.70         | 9.64                    | 7.77                      | 78.5    |             |
| N5068-12 | B4 (17-18)            | 45     | 0.95           | 9.02         | 9.97                    | 7.89                      | 76.9    |             |
| N5073-05 | SVOC-GPC-BLANK        | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-06 | PEST-GPC-BLANK        | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-07 | PEST-GPC-BLANK-SPIKE  | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-08 | PCB-GPC-BLANK         | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-09 | PCB-GPC-BLANK-SPIKE   | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-10 | SVOC-GPC2-BLANK       | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-11 | PEST-GPC2-BLANK       | 52     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-12 | PEST-GPC2-BLANK-SPIKE | 53     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-13 | PCB-GCP2-BLANK        | 54     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5073-14 | PCB-GCP2-BLANK-SPIKE  | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |             |
| N5074-01 | 31848                 | 104    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |



PERCENT SOLID

Supervisor: Sohil

Analyst: JIGNESH

Date: 10/11/2022

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 10/10/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:25

Out Date: 10/11/2022

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB122413

| Lab ID   | Client SampleID                | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|--------------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| N5074-02 | 31849                          | 105    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5074-03 | 31850                          | 106    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5074-04 | 31851                          | 107    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5074-05 | 31852                          | 108    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5074-06 | 31853                          | 109    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5076-01 | 100522HU01-P                   | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CAULKING SAMPLE |
| N5076-02 | 100522HU02-P                   | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CAULKING SAMPLE |
| N5077-01 | 927                            | 110    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-02 | 928                            | 111    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-03 | 929                            | 112    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-04 | 930                            | 113    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-05 | 931                            | 114    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-06 | 932                            | 115    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-07 | 933                            | 116    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5077-08 | 934                            | 117    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| N5078-01 | 72-11985                       | 58     | 0.91           | 8.93         | 9.84                    | 9.09                      | 91.6    |                 |
| N5078-02 | ETGI-358                       | 59     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PLASTIC         |
| N5080-01 | TR-6-101022                    | 60     | 0.92           | 9.02         | 9.94                    | 8.92                      | 88.7    |                 |
| N5080-02 | TR-6-101022-EPH-2              | 61     | 0.9            | 9.04         | 9.94                    | 8.92                      | 88.7    |                 |
| N5081-01 | WASTE                          | 62     | 0.93           | 8.99         | 9.92                    | 8.96                      | 89.3    |                 |
| N5081-02 | VOC                            | 63     | 0.91           | 8.79         | 9.7                     | 8.7                       | 88.6    |                 |
| N5081-03 | 1                              | 64     | 0.91           | 8.60         | 9.51                    | 8.83                      | 92.1    |                 |
| N5081-04 | 2                              | 65     | 0.91           | 8.78         | 9.69                    | 8.81                      | 90.0    |                 |
| N5081-05 | 3                              | 66     | 0.93           | 8.81         | 9.74                    | 8.8                       | 89.3    |                 |
| N5081-06 | 4                              | 67     | 0.93           | 9.05         | 9.98                    | 9.1                       | 90.3    |                 |
| N5081-07 | 5                              | 68     | 0.91           | 8.91         | 9.82                    | 8.92                      | 89.9    |                 |
| N5081-08 | 6                              | 69     | 0.91           | 8.93         | 9.84                    | 8.96                      | 90.1    |                 |
| N5082-01 | FLORENCE-COMP-1-FLORENCE-VOC-1 | 70     | 0.89           | 8.85         | 9.74                    | 8.67                      | 87.9    |                 |



PERCENT SOLID

Supervisor: Sohil  
Analyst: JIGNESH  
Date: 10/11/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 10/10/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 10/11/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122413

| Lab ID   | Client SampleID                        | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|----------------------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| N5082-03 | FLORENCE-COMP-2-FLORENCE-VOC-2         | 71     | 0.93           | 9.02         | 9.95                    | 8.68                      | 85.9    |          |
| N5082-05 | FLORENCE-1                             | 72     | 0.93           | 9.01         | 9.94                    | 8.63                      | 85.5    |          |
| N5082-06 | FLORENCE-2                             | 73     | 0.91           | 9.05         | 9.96                    | 8.86                      | 87.8    |          |
| N5082-07 | FLORENCE-3                             | 74     | 0.91           | 9.02         | 9.93                    | 8.72                      | 86.6    |          |
| N5082-08 | FLORENCE-4                             | 75     | 0.84           | 8.85         | 9.69                    | 8.54                      | 87.0    |          |
| N5082-09 | FLORENCE-5                             | 76     | 0.93           | 9.03         | 9.96                    | 8.89                      | 88.2    |          |
| N5082-10 | FLORENCE-6                             | 77     | 0.91           | 9.05         | 9.96                    | 8.75                      | 86.6    |          |
| N5082-11 | FLORENCE-7                             | 78     | 0.91           | 9.02         | 9.93                    | 8.4                       | 83.0    |          |
| N5082-12 | FLORENCE-8                             | 79     | 0.91           | 9.07         | 9.98                    | 8.28                      | 81.3    |          |
| N5082-13 | FLORENCE-9                             | 80     | 0.91           | 8.83         | 9.74                    | 8.89                      | 90.4    |          |
| N5082-14 | FLORENCE-10                            | 81     | 0.91           | 8.80         | 9.71                    | 8.92                      | 91.0    |          |
| N5083-01 | MOUNT-LAUREL-COMP-1-MOUNT-LAUREL-VOC-1 | 82     | 0.91           | 8.83         | 9.74                    | 9.04                      | 92.1    |          |
| N5083-03 | MOUNT-LAUREL-COMP-2-MOUNT-LAUREL-VOC-2 | 83     | 0.88           | 8.66         | 9.54                    | 8.61                      | 89.3    |          |
| N5083-05 | MOUNT-LAUREL-COMP-3-MOUNT-LAUREL-VOC-3 | 84     | 0.91           | 9.06         | 9.97                    | 7.6                       | 73.8    |          |
| N5083-07 | MOUNT-LAUREL-COMP-4-MOUNT-LAUREL-VOC-4 | 85     | 0.93           | 8.99         | 9.92                    | 8.48                      | 84.0    |          |
| N5083-09 | MOUNT-LAUREL-1                         | 86     | 0.92           | 8.85         | 9.77                    | 7.58                      | 75.3    |          |
| N5083-10 | MOUNT-LAUREL-2                         | 87     | 0.91           | 8.64         | 9.55                    | 7.55                      | 76.9    |          |
| N5083-11 | MOUNT-LAUREL-3                         | 88     | 0.91           | 8.68         | 9.59                    | 8.24                      | 84.4    |          |
| N5083-12 | MOUNT-LAUREL-4                         | 89     | 0.91           | 8.67         | 9.58                    | 9.00                      | 93.3    |          |
| N5083-13 | MOUNT-LAUREL-5                         | 90     | 0.92           | 8.66         | 9.58                    | 8.51                      | 87.6    |          |
| N5083-14 | MOUNT-LAUREL-6                         | 91     | 0.96           | 8.96         | 9.92                    | 8.96                      | 89.3    |          |
| N5083-15 | MOUNT-LAUREL-7                         | 92     | 0.93           | 8.57         | 9.5                     | 7.9                       | 81.3    |          |
| N5083-16 | MOUNT-LAUREL-8                         | 93     | 0.92           | 8.86         | 9.78                    | 8.38                      | 84.2    |          |
| N5083-17 | MOUNT-LAUREL-9                         | 94     | 0.91           | 8.70         | 9.61                    | 8.82                      | 90.9    |          |
| N5083-18 | MOUNT-LAUREL-10                        | 95     | 0.92           | 8.87         | 9.79                    | 6.42                      | 62.0    |          |
| N5083-19 | MOUNT-LAUREL-11                        | 96     | 0.95           | 9.00         | 9.95                    | 8.05                      | 78.9    |          |



PERCENT SOLID

Supervisor: Sohil  
Analyst: JIGNESH  
Date: 10/11/2022

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 10/10/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 10/11/2022  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB122413

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| N5083-20 | MOUNT-LAUREL-12 | 97     | 0.92           | 8.85         | 9.77                    | 8.58                      | 86.6    |             |
| N5083-21 | MOUNT-LAUREL-13 | 98     | 0.95           | 9.02         | 9.97                    | 8.63                      | 85.1    |             |
| N5083-22 | MOUNT-LAUREL-14 | 99     | 0.91           | 8.60         | 9.51                    | 7.92                      | 81.5    |             |
| N5083-23 | MOUNT-LAUREL-15 | 100    | 0.91           | 8.78         | 9.69                    | 9.11                      | 93.4    |             |
| N5083-24 | MOUNT-LAUREL-16 | 101    | 0.94           | 9.02         | 9.96                    | 9.47                      | 94.6    |             |
| N5083-25 | MOUNT-LAUREL-17 | 102    | 0.91           | 9.06         | 9.97                    | 8.79                      | 87.0    |             |
| N5083-26 | MOUNT-LAUREL-18 | 103    | 0.91           | 8.91         | 9.82                    | 8.39                      | 84.0    |             |
| N5086-01 | 31854           | 118    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N5086-02 | 31855           | 119    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N5086-03 | 31856           | 120    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| N5087-01 | 5922            | 121    | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE  |
| N5087-03 | ORA-1511        | 122    | 0.93           | 8.97         | 9.9                     | 6.11                      | 57.7    |             |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 10/12/2022 | Solid  | N5066-01 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-1(1-2)        | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-02 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-3(19-20)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-03 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-5(16-17)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-04 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-2(25-26)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-05 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-6(13-14)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-06 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-4(7-8)        | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-08 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-4(10-11)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-09 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-4(11-12)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-10 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B-4(12-13)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-11 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C11(10-11)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-12 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C11(10-11)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-13 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C12(11-12)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-14 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C13(12-13)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-15 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C14(13-14)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-17 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C6(5-6)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-18 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C1(0-1)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-19 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C20(19-20)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5066-20 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C21(20-21)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-01 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(13-14)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-03 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B6(5-6)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-04 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(8-9)         | 10/06/2022   | Chemtech -SO |

Date/Time 10/10/22 15:30

Raw Sample Received by: JDC

Raw Sample Relinquished by: CP SM

Date/Time 10/10/22

Raw Sample Received by: CP SM

Raw Sample Relinquished by: JDC

# WORKLIST(Hardcopy Internal Chain)

VB 122413

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 10/12/2022 | Solid  | N5067-06 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B2(19-20)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-07 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B5(20-21)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-08 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B5(21-22)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-09 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B6(22-23)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-10 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B3(23-24)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-11 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C2(1-2)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-12 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C22(21-22)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-13 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C23(22-23)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-14 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C24(23-24)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-15 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | C25(24-25)      | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-16 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | COMP-B-3-VERT   | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-18 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | COMP-B-2-VERT   | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5067-20 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | COMP-B-6-VERT   | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-01 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(24-25)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-02 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(18-19)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-03 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B1(4-5)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-04 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B5(15-16)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-05 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B6(15-16)       | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-06 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B1(2-3)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-07 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B1(2-3)         | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-09 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B6(20-21)       | 10/06/2022   | Chemtech -SO |

Date/Time 10.10.22 15:30  
 Raw Sample Received by: 101022  
 Raw Sample Relinquished by: QP SM

Date/Time 10.10.22 17:10  
 Raw Sample Received by: QP SM  
 Raw Sample Relinquished by: 101022

# WORKLIST(Hardcopy Internal Chain)

122413

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------------|--------------|--------------|
| 10/12/2022 | Solid  | N5068-10 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B3(15-16)             | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-11 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(8-9)               | 10/06/2022   | Chemtech -SO |
| 10/12/2022 | Solid  | N5068-12 | Percent Solids | Cool 4 deg C | URSC01   | C11                         | B4(17-18)             | 10/06/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-05 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | SVOC-GPC-BLANK        | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-06 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PEST-GPC-BLANK        | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-07 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PEST-GPC-BLANK-SPIKE  | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-08 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PCB-GPC-BLANK         | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-09 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PCB-GPC-BLANK-SPIKE   | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-10 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | SVOC-GPC2-BLANK       | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-11 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PEST-GPC2-BLANK       | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-12 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PEST-GPC2-BLANK-SPIKE | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-13 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PCB-GCP2-BLANK        | 09/30/2022   | Chemtech -SO |
| 10/10/2022 | Solid  | N5073-14 | Percent Solids | Cool 4 deg C | CHEM02   | C11                         | PCB-GCP2-BLANK-SPIKE  | 09/30/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31848                 | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-02 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31849                 | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31850                 | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-04 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31851                 | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-05 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31852                 | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5074-06 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31853                 | 10/10/2022   | Chemtech -SO |
| 10/15/2022 | Solid  | N5076-01 | Percent Solids | Cool 4 deg C | CLOU03   | C11                         | 100522HU01-P          | 10/05/2022   | Chemtech -SO |
| 10/15/2022 | Solid  | N5076-02 | Percent Solids | Cool 4 deg C | CLOU03   | C11                         | 100522HU02-P          | 10/05/2022   | Chemtech -SO |

Date/Time 10/10/22 15:30  
 Raw Sample Received by: J0 W0C  
 Raw Sample Relinquished by: CH SM

Date/Time 10/10/22 14:10  
 Raw Sample Received by: CH SM  
 Raw Sample Relinquished by: J0 W0C

WB 122413

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample                | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------------------|--------------|--------------|
| 10/13/2022 | Solid  | N5077-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 927                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-02 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 928                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 929                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-04 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 930                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-05 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 931                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-06 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 932                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-07 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 933                            | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5077-08 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 934                            | 10/10/2022   | Chemtech -SO |
| 10/14/2022 | Solid  | N5078-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 72-11985                       | 10/10/2022   | Chemtech -SO |
| 10/14/2022 | Solid  | N5078-02 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | ETGI-358                       | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5080-01 | Percent Solids | Cool 4 deg C | PSEG05   | C11                         | TR-6-101022                    | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5080-02 | Percent Solids | Cool 4 deg C | PSEG05   | C11                         | TR-6-101022-EPH-2              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-01 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | WASTE                          | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-02 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | VOC                            | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-03 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 1                              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-04 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 2                              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-05 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 3                              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-06 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 4                              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-07 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 5                              | 10/10/2022   | Chemtech -SO |
| 10/20/2022 | Solid  | N5081-08 | Percent Solids | Cool 4 deg C | SCIA01   | N11                         | 6                              | 10/10/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-COMP-1-FLORENCE-VOC-1 | 10/07/2022   | Chemtech -SO |

Date/Time 10-10-22 15:30  
Raw Sample Received by: JDI WOC  
Raw Sample Relinquished by: CR SM

Date/Time 10-10-22 17:10  
Raw Sample Received by: CR SM  
Raw Sample Relinquished by: JDI WOC

122413

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample                                 | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-------------------------------------------------|--------------|--------------|
| 10/17/2022 | Solid  | N5082-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-COMP-2-FLORENCE-VOC-2                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-05 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-1                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-06 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-2                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-07 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-3                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-08 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-4                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-09 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-5                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-10 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-6                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-11 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-7                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-12 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-8                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-13 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-9                                      | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5082-14 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | FLORENCE-10                                     | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-COMP-1-MOUNT-LAUREL-VOC-10/07/2022 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-COMP-2-MOUNT-LAUREL-VOC-10/07/2022 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-05 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-COMP-3-MOUNT-LAUREL-VOC-10/07/2022 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-07 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-COMP-4-MOUNT-LAUREL-VOC-10/07/2022 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-09 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-1                                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-10 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-2                                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-11 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-3                                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-12 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-4                                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-13 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-5                                  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-14 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-6                                  | 10/07/2022   | Chemtech -SO |

Date/Time 10/10/22 15:30  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

Date/Time 10/10/22 17:10  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101022

WorkList ID : 163936

Department : Wet-Chemistry

Date : 10-10-2022 08:31:26

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 10/17/2022 | Solid  | N5083-15 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-7  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-16 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-8  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-17 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-9  | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-18 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-10 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-19 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-11 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-20 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-12 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-21 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-13 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-22 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-14 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-23 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-15 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-24 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-16 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-25 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-17 | 10/07/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5083-26 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | MOUNT-LAUREL-18 | 10/07/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5086-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31854           | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5086-02 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31855           | 10/10/2022   | Chemtech -SO |
| 10/13/2022 | Solid  | N5086-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 31856           | 10/10/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5087-01 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | 5922            | 10/10/2022   | Chemtech -SO |
| 10/17/2022 | Solid  | N5087-03 | Percent Solids | Cool 4 deg C | PSEG03   | C11                         | ORA-1511        | 10/10/2022   | Chemtech -SO |

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by: